

DEL MORINO –Rotary Harrow

Rotex L

Rotary harrow

HP

15 - 25

kW

10 - 20



rpm

540

 cm 16 - inch 6








This light rotary harrow is ideal for special crops in soft terrain outside or in greenhouses. It tills the ground gently and allows excellent water drainage.





STANDARD FEATURES


- 3 POINT HITCH, CATEGORY 1
- CAST IRON GEARBOX 540 RPM
- GEAR DRIVEN (IN OIL BATH)
- TWO SHAPED BLADES PER ROTOR
- SELF-ADJUSTING SIDE PROTECTION
- MOUNTING POINTS FOR ROLLER
- MOUNTING POINTS FOR LEVELLING BLADE
- MOUNTING POINTS FOR SEEDER
- PTO SHAFT, CATEGORY 2, WITH SHEAR BOLT - 700 MM
- SPECIAL STEEL BLADES TO REDUCE WEAR

Model	hp					n.			Pricing
		cm	in	cm	in		kg	lbs	
Rotex L 88	12 - 25	88	35"	100	40"	10	145	320	3,060.00
Rotex L 104	12 - 25	104	41"	115	46"	12	161	355	3,350.00
Rotex L 120	12 - 25	120	48"	130	52"	14	176	388	3,605.00
Rotex L 136	12 - 25	136	54"	145	58"	16	187	412	3,930.00

	Model	OPTIONAL	Type	Kg	Pricing
			G 90 G 100 G 120 G 140	"Grass" seeder	Rotex L 88
			Rotex L 104	64	3,427.00
			Rotex L 120	70	3,598.00
			Rotex L 136	78	3,696.00


	GA	Cage roller	Type	Kg	Pricing
			Rotex L 88	38	557.00
			Rotex L 104	40	608.00
			Rotex L 120	42	666.00
			Rotex L 136	44	715.00

	GR	Wire roller	Type	Kg	Pricing
			Rotex L 88	38	1,136.00
			Rotex L 104	40	1,203.00
			Rotex L 120	42	1,234.00
			Rotex L 136	44	1,318.00

	LL	Soil leveling blade	Type	Kg	Pricing
			Rotex L 88	21	304.00
			Rotex L 104	22	355.00
			Rotex L 120	23	403.00
			Rotex L 136	24	454.00

DIMENSIONS

Type	A (cm)	B (cm)	C (cm)
Rotex L 88	120	80	95
Rotex L 104	135	80	95
Rotex L 120	150	80	95
Rotex L 136	170	80	95



PACKAGING Single metal crate \$75.00



Rotex M

Rotary harrow

HP

15 - 45

kW

12 - 35

rpm

540



cm 19 - inch 8



This medium duty rotary harrow is ideal for special crops in soft terrain outside or in greenhouses. It tills the ground gently and allows excellent water drainage.



STANDARD FEATURES

- 3 POINT HITCH, CATEGORY 1
- CAST IRON GEARBOX 540 RPM
- GEAR DRIVEN IN OIL BATH
- TWO SHAPED BLADES PER ROTOR
- SELF-ADJUSTING SIDE PROTECTION
- MOUNTING POINTS FOR ROLLER
- MOUNTING POINTS FOR LEVELLING BLADE
- MOUNTING POINTS FOR SEEDER
- UNIVERSAL PTO SHAFT, CATEGORY 4, WITH SHEAR BOLT - 700 MM

Model	hp	cm	in	cm	in	n.	kg	lbs	Pricing
Rotex M 90	15 - 45	90	36"	100	40"	8	175	386	3,553.00
Rotex M 110	15 - 45	110	44"	120	48"	10	214	472	3,930.00
Rotex M 130	15 - 45	130	52"	140	56"	12	239	527	4,404.00
Rotex M 150	15 - 45	150	60"	160	64"	14	263	580	4,814.00

Model	OPTIONAL	Type	Kg	Pricing	
	G 90 G 100 G 120	"Grass" seeder	Rotex M 90	60	3,306.00
		Rotex M 110	64	3,427.00	
		Rotex M 130	70	3,598.00	

Type	Kg	Pricing
Rotex M 110	100	4,309.00
Rotex M 130	110	4,464.00
Rotex M 150	110	4,464.00


Type	Kg	Pricing
Rotex M 90	38	588.00
Rotex M 110	42	622.00
Rotex M 130	46	659.00
Rotex M 150	50	690.00

Type	Kg	Pricing
Rotex M 90	38	1,234.00
Rotex M 110	42	1,380.00
Rotex M 130	46	1,515.00
Rotex M 150	50	1,655.00

Type	Kg	Pricing
Rotex M 90	20	328.00
Rotex M 110	22	350.00
Rotex M 130	23	403.00
Rotex M 150	24	454.00

DIMENSIONS

Type	A (cm)	B (cm)	C (cm)
Rotex M 90	120	80	95
Rotex M 110	140	80	95
Rotex M 130	160	80	95
Rotex M 150	180	80	95



PACKAGING Single metal crate \$75.00



DEL MORINO –Rotary Harrow

Rotex H

Rotary harrow

HP

40 - 100

kW

22 - 60

rpm

540

 cm 21 - inch 8




This heavy duty rotary harrow is ideal for special crops in hard or soft terrain. It tills the ground gently and allows excellent water drainage. It has a reinforced frame for durability and reliability.





STANDARD FEATURES


- 3 POINT HITCH, CATEGORY 2
- CAST IRON GEARBOX 540 RPM
- GEAR DRIVEN IN OIL BATH
- TWO SHAPED BLADES PER ROTOR
- SELF-ADJUSTING SIDE PROTECTION
- MOUNTING POINTS FOR ROLLER
- MOUNTING POINTS FOR LEVELLING BLADE AND SEEDER
- SHEAR BOLT PTO SHAFT CATEGORY 5 (170 - 190), ROTEX CATEGORY 6 (230 - 250) - 700 MM
- REINFORCED FRONT BAR

Model	hp					n.			Pricing
		cm	in	cm	in				
Rotex H 170	40 - 100	170	67"	180	72"	16	319	703	6,055.00
Rotex H 190	40 - 100	190	75"	200	80"	18	345	761	6,566.00
Rotex H 230	40 - 100	230	90"	240	96"	22	519	1144	8,382.00
Rotex H 250	40 - 100	250	100"	260	104"	24	551	1215	8,765.00

Model	OPTIONAL	Type	Kg	Pricing
 P15	"Professional" seeder	Rotex H 170	125	4,633.00
		Rotex H 190	125	4,633.00
		Rotex H 230	125	4,633.00
		Rotex H 250	125	4,633.00


Model	OPTIONAL	Type	Kg	Pricing
 GA	Cage roller R	Rotex H 170	62	1,150.00
		Rotex H 190	64	1,203.00
		Rotex H 230	68	1,380.00
		Rotex H 250	73	1,429.00

Model	OPTIONAL	Type	Kg	Pricing
 GR	Wire roller	Rotex H 170	100	1,857.00
		Rotex H 190	111	2,008.00
		Rotex H 230	126	3,494.00
		Rotex H 250	141	3,654.00

Model	OPTIONAL	Type	Kg	Pricing
 LL	Soil leveling blade	Rotex H 170	22	632.00
		Rotex H 190	24	690.00
		Rotex H 230	26	791.00
		Rotex H 250	29	848.00

DIMENSIONS

Type	A (cm)	B (cm)	C (cm)
Rotex H 170	200	80	95
Rotex H 190	220	80	95
Rotex H 230	260	80	95
Rotex H 250	280	80	95



PACKAGING Single metal crate \$75.00

