

# Yellowstone

Stone burier

HP

20 - 50

kW

15 - 40



rpm

540

 cm 18 - inch 7








A universal stone burier, suitable for any terrain with stones from 1 to 4 inches in diameter. It prepares the terrain for seeding and can be equipped with a seeder for one-pass operation.





## STANDARD FEATURES

- 3 POINT HITCH, CATEGORY 1 AND 2
- CAST IRON GEARBOX 540 RPM
- CHAIN DRIVE ASA 80 IN OIL BATH WITH AUTOMATIC TENSIONER
- ROTOR WITH 6 HOES PER FLANGE
- ADJUSTABLE SCREEN ROLLER
- ADJUSTABLE LEVELLING BLADE
- RAKE WITH SPRING TINES IN HARMONIC STEEL
- PTO SHAFT, CATEGORY 4 WITH SLIP CLUTCH - 700 MM

Model	hp					n.			Pricing
		cm	in	cm	in				
<b>Yellowstone 96</b>	<b>20 - 50</b>	<b>96</b>	<b>38"</b>	<b>115</b>	<b>46"</b>	<b>30</b>	<b>334</b>	<b>736</b>	<b>6,634.00</b>
<b>Yellowstone 114</b>	<b>20 - 50</b>	<b>114</b>	<b>46"</b>	<b>135</b>	<b>54"</b>	<b>36</b>	<b>366</b>	<b>807</b>	<b>7,091.00</b>
<b>Yellowstone 132</b>	<b>20 - 50</b>	<b>132</b>	<b>52"</b>	<b>155</b>	<b>62"</b>	<b>42</b>	<b>394</b>	<b>869</b>	<b>7,220.00</b>
<b>Yellowstone 150</b>	<b>20 - 50</b>	<b>150</b>	<b>60"</b>	<b>175</b>	<b>70"</b>	<b>48</b>	<b>424</b>	<b>935</b>	<b>7,683.00</b>
<b>Yellowstone 168</b>	<b>20 - 50</b>	<b>168</b>	<b>67"</b>	<b>195</b>	<b>78"</b>	<b>54</b>	<b>442</b>	<b>974</b>	<b>8,126.00</b>


OPTIONAL		Type	Kg	Pricing
	"Professional" seeder	Yellowstone 96	100	<b>4,309.00</b>
		Yellowstone114	100	<b>4,309.00</b>
		Yellowstone132	110	<b>4,464.00</b>
		Yellowstone150	110	<b>4,464.00</b>
		Yellowstone168	125	<b>4,633.00</b>

Model	Type	Kg	Pricing	
	"Grass" seeder	G 90	60	<b>3,306.00</b>
		G 100	64	<b>3,427.00</b>
		G 140	70	<b>3,696.00</b>

Shear bolt PTO shaft	
	<b>B</b>

**DIMENSIONS**

Type	A (cm)	B (cm)	C (cm)
Yellowstone 96	<b>160</b>	<b>120</b>	<b>100</b>
Yellowstone 114	<b>160</b>	<b>140</b>	<b>100</b>
Yellowstone 132	<b>160</b>	<b>160</b>	<b>100</b>
Yellowstone 150	<b>180</b>	<b>160</b>	<b>100</b>
Yellowstone 168	<b>200</b>	<b>160</b>	<b>100</b>



# DEL MORINO

## ROTARY TILLER-Stone Burier

### Flash

Rotary tiller & stone burier

HP

12 - 25


kW

10 - 20

rpm

540

 cm 16 - inch 6







Since it is very easy to use this machine can satisfy the expectations of semi-professional farmers to achieve a perfect tilling of small plots of land or in the field of horticulture.

#### STANDARD FEATURES

- 3 POINT HITCH, CATEGORY 1, SIDE SHIFT
- TWO COMER GEARBOXES, VERTICAL TRANSMISSION WITH SHEAR BOLT PROTECTION
- ROTOR WITH 4 HOES PER FLANGE
- ADJUSTABLE SKIDS
- UNIVERSAL PTO SHAFT FOR POSITION CATEGORY 1 - 700 MM



Prices and Specifications may be subject to change without notice. Prices do not include shipping or setup.

Model	hp							kg	lbs	Pricing
		cm	in	cm	in					
<b>Flash 85</b>	12 - 25	85	34"	100	39"	16	118	260	<b>\$1,922.00</b>	
<b>Flash 96</b>	12 - 25	96	38"	110	43"	20	128	282	<b>\$1,988.00</b>	
<b>Flash 105</b>	12 - 25	105	42"	120	47"	20	130	287	<b>\$2,014.00</b>	
<b>Flash 125</b>	12 - 25	125	50"	140	55"	24	140	309	<b>\$2,080.00</b>	

Model	OPTIONAL
-------	----------



**R**

Reverse of the rotation direction

Model	Type	kg	Pricing
-------	------	----	---------



**KI**

Stone burier kit

Flash 85	21	<b>\$496.00</b>
Flash 96	22	<b>\$544.00</b>
Flash 105	22	<b>\$612.00</b>
Flash 125	24	<b>\$620.00</b>

Model	Type	kg	Pricing
-------	------	----	---------



**GA**

Cage roller

Flash 85	33	<b>\$705.00</b>
Flash 96	38	<b>\$757.00</b>
Flash 105	38	<b>\$792.00</b>
Flash 125	41	<b>\$848.00</b>

Model	Type	kg	Pricing
-------	------	----	---------




**GR**

Wire roller

Flash 85	45	<b>\$971.00</b>
Flash 96	53	<b>\$1,011.00</b>
Flash 105	55	<b>\$1,046.00</b>
Flash 125	57	<b>\$1,101.00</b>

**DIMENSIONS**

Type	A (cm)	B (cm)	C (cm)
Flash 65	120	80	90
Flash 85	120	80	90
Flash 96	120	80	90
Flash 105	140	80	90
Flash 125	160	80	90



**PACKAGING** Single metal crate

