

HEAVY DUTY RAKES

7100 SERIES HD RAKES

INTRODUCING NEW H&S HC7116 WHEEL RAKE

AVAILABLE IN
16 & 18 WHEEL MODELS

• Adjustable
Clevis
Height
Hitch

• Hydraulic
Hoses with
Tips

• Hydraulic Raise/Lower
Independent Rake Wheel
Torsion Style Suspension

• Single Point Rake
Wheel Down-Pressure
Adjustment on each
Rake Beam


**60" Rake Wheels w/18 Sets
of Rubber Mounted Teeth (HDII style)
for handling tougher crops such as
corn stalks, or high tonnage forage.**



Rear Limited Oscillating Offset Tandem Axle

MODEL	HC7116
NUMBER OF WHEELS	16
WHEEL DIAMETER	60"
TEETH PER WHEEL	18 sets of 2 = 36
RAKING WHEEL HUBS	TAPERED BEARINGS
RAKE WHEEL SUSPENSION	Independent Rake Wheel Suspension w/Buffered Compression Spring System
NUMBER OF RAKING POSITIONS	7
GROUND PRESSURE RAKE WHEEL ADJUSTMENT	Nut/Threaded Rod for fine tuning
WINDROW WIDTH ADJUSTMENT	RACHET JACK
RAKE WHEEL WIND PANELS	STANDARD
HITCH JACK	STANDARD
HYDRAULIC REQUIREMENTS	1 Double Acting Cylinder for Folding 1 Double Acting Cylinder for Rake Wheel Lift.
FRONT GAUGE WHEELS	2 - 1F240/80R15IMP
TANDEM REAR TRANSPORT WHEELS	4 - 1F240/80R15IMP
(2) FRONT WHEEL ADD-ON KIT	OPTIONAL
SET OF (2) FRONT CASTER WHEELS	OPTIONAL
CENTER KICKER WHEEL	OPTIONAL
HYDRAULIC REAR WINDOW ADJUSTMENT	OPTIONAL - 3rd Hyd. Remote Needed
HIGHWAY & WORK LIGHTING	OPTIONAL
2- POINT HITCH	OPTIONAL

An **Optional**
3-wheel
Center Kicker
is available.



HEAVY DUTY RAKES

Effective 7-23



7116 Series *Hi-Capacity* Wheel Rakes

- ❖ Hydraulic Open/Close High-Capacity V-Style Rake w/6" x 6" Frame
 - ❖ High & Wide Overhead Rear Frame for Flow-Through of Crop
 - ❖ Hyd. Rear Opening Windrow Width Adjustment
 - ❖ Rear Limited Oscillating Offset Tandem Axle
 - ❖ Rake Wheels are Positioned Ahead of 6" x 6" Rake Beams & Transport Wheels
 - ❖ Disc-Style Caster Brakes
 - ❖ 61" Rake Wheels w/18 Sets of Rubber-Mounted Teeth are Positioned Ahead of Rake Beams
- BASE UNIT**
- ❖ Rake Wheel Wind Panels
 - ❖ Independent Rake Wheel Suspension w/Patented Compression Spring System
 - ❖ Hydraulic Raise/Lower Independent Rake Wheels
 - ❖ Single Point Rake Wheel Down Pressure Adjustment On Each Rake Beam
 - ❖ (6) IF240/80R15 Tires/Rims
 - ❖ Transport Locks
 - ❖ Hydraulic Hoses w/Tips
 - ❖ Adjustable Clevis Height Hitch
 - ❖ Jack
 - ❖ 27' Raking Width — 16-Wheel Model
 - ❖ 29' 6" Raking Width w/2-Wheel Extension

Item #	Description	List Price
HC7116	16-Wheel Rake	\$52,829

OPTIONS (<i>NOT Required</i>)		
HCHO2WHL	2-Wheel Front Add-on Kit (<i>Dealer Install</i>)	\$4,063
HCHO2CW	(2) Additional Front Rake Beam Caster Wheels (<i>Dealer Install</i>)	\$3,420
FFOCKW	3-Wheel Center Kicker Assembly (<i>Dealer Install</i>)	\$5,997
FFOLIGHT	Highway & Work Lighting Kit (<i>Dealer Install</i>)	\$930
HCO8000	Interrupter 800 Corn Stalk Breaker (<i>Dealer Installed</i>)	\$1,923
SC10100	10,100# Safety Chain	\$85



Prices and Specifications may be subject to change without notice. Prices do not include shipping or setup.

HEAVY DUTY RAKES

Effective 7-23



HC7116 *Hi-Capacity* Wheel Rake

Item #	Description	List Price
Prior Serial # Optional Equipment		
FFOHYDROP16	Hydraulic Rear Opening Windrow Width Adjustment Serial #121HCD6040 & prior (<i>Dealer Installed</i>)	\$1,608



Prices and Specifications may be subject to change without notice. Prices do not include shipping or setup.