



# SIDE DISCHARGE MANURE SPREADERS





5215 Top Shot Side Discharge Manure Spreader	
<ul> <li>Left Side Poly Lined Tank</li> <li>Front Splash Shield</li> <li>Single Axle</li> <li>24" Diameter Hydraulic Raise/Lower Tank Auger</li> <li>30" Wide Top Shot -Style Discharge Expeller</li> <li>Adjustable Expeller Top Shield</li> <li>BASE UNIT</li> <li>Hardened Replaceable Beater Paddles</li> <li>Poly Lined Fine Spread Pan</li> <li>540 RPM PTO w/Overrunning Torque Limiting Clutch</li> <li>Shear Bolt-Protected Expeller &amp; Main Auger</li> <li>Greaseable Bearings</li> <li>Adjustable Hitch</li> <li>Jack</li> </ul>	
Item # Description	List Price
TS5215 Top Shot Manure Spreader 1,286-Gallon/1500-Gallon w/Extension Struck Level Capacity	\$41,249

TIRE & RIM CHOICES (Required w/Standard Single Axle)		
TWP19L2S	(2) 19L x 16.1-10 Ply Tire/Rims (Rated Tire/Rim Capacity 12,000#)	\$2,980
TWP4252S	(2) 425 x 22.5 Used Truck Tires w/New Rims (Rated Tire/Rim Capacity 16,000#)	\$3,051

TANDEM OPTIONS (Tire & Rims Required)		
TSOTA15	Tandem Axle w/8-Bolt Hubs (Factory Installed)	\$4,863
TSDA15	Drop Axle w/8-Bolt Hubs (Factory Installed)	\$5,011
TWP295	(4) 295R x 22.5 Recap Tires w/New Rims (Rated Tire/Rim Capacity 24,700#)	\$2,571
TWP165	(4) 16.5 x 16.1-10 Ply Tires/Rims <i>(Rated Tire/Rim Capacity 20,400#)</i>	\$4,464





5215 Top Shot Side Discharge Manure Spreader		
Item #	Description	List Price
OPTIONS (NOT	Required)	
TSORSSR	5 H D U 6 S O D V K * X D U G Z 6 L G H 5 D (Dealer Install)	L O ∨ <b>\$1,081</b>
TSORSG	5 H D U 6 S O D V K * X D U G (Dealer Install)	\$719
TSOOIL	\$XWRPDWLF 2LOHU IRU 5ROOHU (Dealer Install)	& K D L Q \ \$1,113
TSOLIGHT	+LJKZD\ /LJKWLQJ .LW (Dealer Install)	\$1,050
TSO1000RPM	530 êŽ 372 LQ OLHX RI 530 372 (Factory Installed)	\$1,900
SC30000	6DIHW\ &KDLQ	\$201



**EFFECTIVE 7-23** 



#### **5220** *Top Shot* Side Discharge Manure Spreader

- **❖** Left Side Poly Lined Tank
- Front & Rear Splash Shield
- ❖ Wood Side Rails
- Standard Height Tandem Axle
- ❖ 24" Diameter Hydraulic Raise/Lower Tank Auger
- **❖** 40" Wide *Top Shot* –Style Discharge Expeller
- \* Adjustable Expeller Top Shield
- Hardened Replaceable Beater Paddles

- **BASE UNIT \* Poly Lined Fine Spread Pan** 
  - **❖** 540 RPM PTO w/Overrunning Torque Limiting Clutch
  - ❖ Shear Bolt-Protected Expeller & Main Auger
  - Automatic Oiler for Roller Chains
  - Greaseable Bearings
  - ❖ Adjustable Hitch
  - Highway Lighting & Power Cord
  - ❖ Jack

Item #	Description	List Price
TS5220	<b>Тор Ѕнот</b> Manure Spreader 2,009- Gallon Struck Level Capacity	\$61,098

TIRE/RIM CH	OICES (Required)	
TWP295S	(4) 295R x 22.5 Recap Tires/New Rims (Rated Tire/Rim Capacity 24,700#)	\$2,571
TWP165S	(4) 16.5 x 16.1 10 Ply Tires/Rims (Rated Tire/Rim Capacity 20,400#)	\$4,464





5220 <i>Тор Ѕнот</i> Side Discharge Manure Spreader			
Item #	Description	List Price	
<b>OPTIONS</b> (NOT Re	equired)		
TSSA	+LJ\$K[OH Z %ROW +XEV LQ	OLHX RI	
	V W D Q G D U G (Factory Installed)	1,399	
TSDA	Drop Axle w/8 Bolt Hubs in lieu of		
	standard (Factory Installed)	\$1,348	
TSO1000RPM	1000 RPM 1 ¾" PTO in lieu of 540 RPM PTO (Factory Installed)	\$1,900	
TSODHC	Discharge Deflector Hydraulic Cylinder w/		
	Hoses — <b>Starting Serial</b> <b>#022TS20012</b> ( <i>Dealer Install</i> )	\$673	
TSOEV	Discharge Deflector Cylinder		
	Electric Valve	\$1,141	
	(Dealer Install)		
SC30000	30,000# Safety Chain	\$201	





5226 Top S	нот Side Discharge Manure Spreader	
BASE UNIT	<ul> <li>Left Side Poly Lined Tank</li> <li>Front &amp; Rear Splash Shield</li> <li>Wood Side Rails</li> <li>Standard Tandem Axle</li> <li>24" Diameter Hydraulic Raise/Lower Tank Auger</li> <li>40" Wide Top Shot-Style Discharge Expeller</li> <li>Adjustable Expeller Top Shield</li> <li>Hardened Replaceable Beater Paddles</li> <li>Poly Lined Fine Spread Pan</li> <li>1 ¾" 1000 RPM PTO w/Overrunning Torque Limiting Clutch</li> <li>Shear Bolt-Protected Expeller &amp; Main Auger</li> <li>Automatic Oiler for Roller Chains</li> <li>Greaseable Bearings</li> <li>Adjustable Hitch</li> <li>Highway Lighting &amp; Power Cord</li> <li>Jack</li> </ul>	
Item #	Description	List Price
TS5226	<i>Тор Ѕнот</i> Manure Spreader 2,596-Gallon Struck Level Capacity	\$67,692

TIRE & RIM CHOICES (Required w/Standard Tandem Axle)		
TWP165	(4) 16.5 x 16.1-10 Ply Tires/Rims (Rated Tire/Rim Capacity 20,400#)	\$4,464
TWP19L	(4) 19L x 16.1-10 Ply Tires/Rims (Rated Tire/Rim Capacity 24,000#)	\$5,956
TWP425	(4) 425 x 22.5 Used Truck Tires w/New Rims (Rated Tire/Rim Capacity 32,000#)	\$3,051

HEAVY TANDEM OPTION (Tire & Rims Required)		
TSO26TA	Heavier Tandem Axle w/11.25" Circle 10-Bolt Bolt Hubs in lieu of Standard (Factory Installed)	\$5,793
TWP42510	(4) 425 x 22.5 10-Bolt Used Truck Tires w/Rims (Rated Tire/Rim Capacity 49,704#)	\$3,894
TWP480	(4) New 480/55R x 22.5 10-Bolt Tires/Rims (Rated Tire/Rim Capacity 46,800#)	\$10,038





5226 Тор Ѕнот Side Discharge Manure Spreader		
Item #	Description	List Price
OPTIONS (NOT	Required)	
TSO540RPM	530 372 LQ OLHX RI êŽ 530 372 (Factory Installed)	1,290
тѕорнс	Discharge Deflector Hydraulic Cylinder w/Hoses — Starting Serial #022TS26009 (Dealer Install)	\$673
TSOEV	Discharge Deflector Cylinder Electric Valve (Dealer Install)	\$1,141
SC40500	40,500# Safety Chain	\$289





5234 Top S	нот Side Discharge Manure Spreader	
BASE UNIT	<ul> <li>Left Side Poly Lined Tank</li> <li>Front &amp; Rear Splash Shield</li> <li>Wood Side Rails</li> <li>Standard Tandem Axle</li> <li>30" Diameter Hydraulic Raise/Lower Tank Auger</li> <li>40" Wide Top Shot-Style Discharge Expeller</li> <li>Hydraulic Adjust Expeller Top Shield</li> <li>Hardened Replaceable Beater Paddles</li> <li>Poly Lined Fine Spread Pan</li> <li>1 3/8" 1000 RPM PTO w/Overrunning Torque Limiting Clutch</li> <li>Heavy-Duty Gearbox Reduction Drive System</li> <li>Automatic Oiler for Roller Chains</li> <li>Greaseable Bearings</li> <li>Adjustable Hitch</li> <li>Highway Lighting &amp; Power Cord</li> <li>Jack</li> </ul>	
Item #	Description	List Price
TS5234	<b>Тор Ѕнот</b> Manure Spreader 3,377-Gallon Struck Level Capacity	\$88,056

TIRE & RIM CHOICES (Required w/Standard Tandem Axle)		
TWP445	(4) Used 445 x 22.5 Truck Tires w/New Rims <i>(Rated Tire/Rim Capacity 49,200#)</i>	\$4,449
TWP42510	(4) Used 425 x 22.5 10-Bolt Truck Tires w/ New Rims (Rated Tire/Rim Capacity 49,704#)	\$3,894
TWP480	(4) New 480/55R x 22.5 Tires/Rims (Rated Tire/Rim Capacity 46,800#)	\$10,038

HEAVY TANDEM OPTION (Tire & Rims Required)		
TSOTA	+HDY7ZDHOUGHSPOHZŽ&LUFOH +XEVLQOLHXRI <i>(FlaidhloDyO</i> cn <i>StaDleidl)</i> GD[C	
TWP425H	(4) Used 425 x 22.5 10-Bolt Truck Tires w/ New Rims (Rated Tire/Rim Capacity 49,704#)	\$3,894
TWP700	(4) 700/50 x 22.5 Flotation Implement Tires/Rims (Rated Tire/Rim Capacity 59,200#)	\$13,769





5234 <i>Тор Ѕнот</i> Side Discharge Manure Spreader			
Item #	Description	List Price	
<b>OPTIONS</b> (NOT Re	quired)		
TSOPTO1034	1 <sup>3</sup> ⁄ <sub>4</sub> " 1000 RPM Constant Velocity PTO w/Overrunning Torque Limiting Clutch in lieu standard PTO <i>(Factory Installed)</i>	of <b>N/C</b>	
TSO2WB42	2-Wheel Electric-over-Hydraulic 15" Disc Brakes on Rear Wheels – For Heavy Tandem Axle ONLY (Factory Installed)	\$9,348	
TSOEV	Discharge Deflector Cylinder Electric Valve (Dealer Install)	\$1,141	
TSOLD34	Hydraulic Opening Lid (Factory Installed)	\$22,593	
SC60000	60,000# Safety Chain	\$652	

5234 <i>Тор Ѕнот</i> Truck Mount Manure Spreader		
Item #	Description	List Price
BASE UNIT	Same Features as Trailer Model except for:	
TS5234TM	<b>Тор Ѕнот</b> Truck Mount Manure Spreader 3,377-Gallon Struck Level Capacity	\$80,272





5242 <i>Тор Ѕнот</i> Side Discharge Manure Spreader		
BASE UNIT	<ul> <li>Left Side Poly Lined Tank</li> <li>Front &amp; Rear Splash Shield</li> <li>Wood Side Rails</li> <li>Tandem Axle</li> <li>30" Diameter Hydraulic Raise/Lower Tank Auger</li> <li>40" Wide Top Shot—Style Discharge Expeller</li> <li>Hydraulic Adjust Expeller Top Shield</li> <li>Hardened Replaceable Beater Paddles</li> <li>Poly Lined Fine Spread Pan</li> <li>1 ¾" 1000 RPM PTO w/Overrunning Torque Limiting Clutch</li> <li>Heavy-Duty Gearbox Reduction Drive System</li> <li>Automatic Oiler for Roller Chains</li> <li>Greaseable Bearings</li> <li>Adjustable Hitch</li> <li>Highway Lighting &amp; Power Cord</li> <li>Jack</li> </ul>	
Item #	Description	List Price
TS5242	<b>Тор Sнот</b> Manure Spreader 4,200 Gallon Struck Level Capacity	\$111,506

TIRE & RIM CHOICES (Required)		
TWP28L	(4) 28L - 26 16 Ply Bias Tires & Rims (Rated Tire/Rim Capacity 36,400)	\$17,720
TWP28LRD	(4) 28L - 26 16 Ply Radial Tires & Rims (Rated Tire/Rim Capacity 51,200)	\$27,601

OPTIONS (NOT Required)		
TSOPTO1034	1 ¾" 1000 RPM Constant Velocity PTO w/Overrunning/Torque Limiting Clutch in li standard <i>(Factory Installed)</i>	ieu of <b>N/C</b>
TSOLD42	Hydraulic Opening Lid (Factory Installed)	\$24,190
TSO2WB42	2-Wheel Electric-over-Hydraulic 15" Disc Brakes on Rear Wheels (Factory Installed)	\$9,348
TSOEV	Discharge Deflector Cylinder Electric Valve <i>(Dealer Install)</i>	\$1,141
SC60000	60,000# Safety Chain	\$652





5242 <i>Тор Ѕнот</i> Truck Mount Manure Spreader		
Item #	Description	List Price
BASE UNIT	Same Features as Trailer Model except for:  Axles  Tires & Rims  PTO Shaft  Hitch	
TS5242TM	<b>Тор Ѕнот</b> Truck Mount Manure Spreader 4,200 Gallon Struck Level Capacity	\$99,507

Тор Ѕнот Manure Spreader Scales		
Item #	Description	List Price
SCALE OPTIO	NS (NOT Required)	
TSOS20	Digi-Star 5-Point Scale for TS5220 (Factory Installed)	\$5,831
TSOS26	Digi-Star 5-Point Scale for TS5226 (Factory Installed)	\$7,149
TSOS34	Digi-Star 5-Point Scale for TS5226 w/Heavy Axle & TS5234 w/Standard Axle (Factory Installed)	\$8,986
TSOS42	Digi-Star 5-Point Scale for TS5234 w/Heavy Axle & TS5242 (Factory Installed)	\$14,965
TSOW	Digi-Star GT400 Monitor (Factory Installed w/Scale System)	\$1,717
TSOGP	Digi-Star NT460 Monitor w/GPS (Factory Installed w/Scale System)	\$4,710
TSOALOG	Digi-Star NT460 Monitor w/GPS and Autolog/Automatic Start/Stop Function (Factory Installed w/Scale System)	\$5,335

