

Effective 3-22



AJ401 / 1208306

The AJ401 is one of Jacto's most versatile and economical cannon sprayers for a wide variety of spray applications, from sweet corn and pumpkins to fly control in dairies, as well as a cost effective application tool for Christmas tree farmers, nursery and greenhouse growers versus hand spraying.

The duct can be rotated horizontally 270 degrees and adjusted from horizontal to straight up. Great for a wide variety of crops and applying fly control sprays in dairies, over animal feedlots and can be used to disinfect poultry houses.

SPECIFICATIONS

LIST PRICE \$ 7,698

- Tank capacity – 105 Gallons high density poly
- Fan performance – 3,772 CFM @ 143 MPH
- Controls – Flow rate controller with manual levers
- Pump model – Single stage centrifugal (25 GPM)
- Agitation – Bypass
- Spray swath – 50 feet
- In-line filters – 80 mesh
- Duct rotation - Manual
- Duct elevation - Manual
- Minimum tractor engine HP - 30
- Clean water tank
- Chemical container rinse

OPTIONS AVAILABLE

- Electric in-cab controls



J400 / 1211350

The J400 cannon sprayer provides the speed and versatility you need to protect your crops with ease and accuracy, with spray swaths up to 80 feet.

The Cannon head is easy to manually operate and can be adjusted horizontally up to 290 degrees and vertically by 34 degrees. With simple calibration and manual on/off controls reachable from the tractor seat, the J400 is Jacto's best selling sprayer.

Popular applications are vegetables, especially pumpkins, melons and sweet corn, blueberries, Christmas trees, as well as container and tree nurseries.

SPECIFICATIONS

LIST PRICE \$ 9,621

- Tank capacity – 105 Gallons high density poly
- Fan performance – 4,237 CFM @ 180 MPH
- Controls – Flow rate controller with manual levers
- Pump model – Single stage centrifugal (25 GPM)
- Agitation – Mechanical & Bypass
- Spray swath – 80 feet
- Suction filter – FVS-102 with shut off valve (M-40)
- Duct rotation - Manual
- Duct elevation - Manual
- Minimum tractor engine HP - 40
- Clean water tank

- Chemical container rinse

OPTIONS AVAILABLE

- Electric in-cab controls
- 24-inch duct extension
- Vertical hydraulic control kit
- Horizontal hydraulic control kit



J400CHT/EL / 1246612

The J400CHT/EL cannon sprayer provides all the same performance and benefits as our standard J400 only with hydraulic and electric controls... especially popular if you have a cab tractor.

The J400CHT/EL uses the tractor hydraulic remote ports to control vertical and horizontal movement of the duct and electric in-cab spray controls are standard. You must have two open sets of remotes on the tractor.

Popular applications are vegetables, especially pumpkins, melons and sweet corn, blueberries, Christmas trees, as well as container and tree nurseries.

SPECIFICATIONS

J400CHT/EL LIST PRICE \$11,507

- Tank capacity – 105 Gallons high density poly
- Fan performance – 4,237 CFM @ 180 MPH
- Controls – Electric In-cab spray control
- Pump model – Single stage centrifugal (25 GPM)
- Agitation – Mechanical & Bypass
- Spray swath – 80 feet
- Suction filter – FVS-102 with shut off valve (M-40)
- Duct rotation – Hydraulic (Uses tractor remote ports)
- Duct elevation – Hydraulic (Uses tractor remote ports)

J400CHT LIST PRICE \$10,841

- Minimum tractor engine HP - 40
- Clean water tank
- Chemical container rinse

OPTIONS AVAILABLE

- 24-inch duct extension

Optional Model: J400CHT without electric in-cab sprayer control available



J600CHT / 1230640

The J600CHT cannon sprayer is our largest and most powerful 3-point hitch cannon sprayer.

With 160-gallon capacity, high output fan with disconnect, Jacto 34 GPM dual stage centrifugal pump, a larger outlet duct and will achieve up to a 110-foot spray swath, depending on the crop and wind conditions.

The duct is adjusted hydraulically using the remote ports from the tractor. Popular for a variety of vegetables, especially pumpkins, melons and sweet corn, highbush and wild blueberries, Christmas trees as well as container and tree nurseries.

SPECIFICATIONS

LIST PRICE \$ 13,495

- Tank capacity – 160 Gallons high density poly
- Fan performance – 5,500 CFM @ 168 MPH
- Controls – Flow rate controller with manual levers
- Pump model – Dual stage centrifugal (34 GPM)
- Agitation – Mechanical & Bypass
- Spray swath – 110 feet
- Suction filter – FVS-102 with shut off valve (M-40)
- Duct rotation – Hydraulic (Uses tractor remote ports)
- Duct elevation – Hydraulic (Uses tractor remote ports)

- Minimum tractor engine HP - 55
- Clean water tank
- Chemical container rinse

OPTIONS AVAILABLE

- Electric in-cab controls
- 39-inch duct extension
- 78-inch duct extension
- Vertical duct



Salt Lake City, UT
800-767-0555

Portland, Oregon
800-234-0033

Boise, Idaho
800-676-0555

Billings, Montana
800-772-3165

Jamestown, ND
866-974-2182

Waco, TX
800-227-6367

Prices and Specifications may be subject to change without notice. Prices do not include shipping or setup.

Effective 3-22

J600EL / 1230642

The J600EL has the same great performance and specifications as the J600CHT but with self-contained hydraulics and in-cab electric controls standard.

With 160-gallon capacity, high output fan with disconnect, Jacto 34 GPM dual stage centrifugal pump, a larger outlet duct and will achieve up to a 110-foot spray swath, depending on crop and wind conditions.

The in-cab controller allows for on/off spray control and duct adjustment with the simple touch of the switches. Crop applications are the same as for the J600CHT.



J1000CHT / 1214041

The J1000CHT cannon sprayer is for wide swath spraying up to 80'. It uses the same fan and outlet application assembly as the proven 3-point J400CHT/EL, only with a 265-gallon tank, turns. low profile and tracking axle chassis for tighter

Standard are hydraulic controls of the outlet duct assembly for rotation and elevation and in-cab electric on/off spray controls.

Popular applications are vegetables, especially pumpkins, melons and sweet corn, blueberries, Christmas trees as well as container and tree nurseries.



J2000 / 1238109

The J2000 trailed cannon Sprayer is designed for wide swath spraying applications up to a 110-feet depending on crop and wind conditions, and comes with a high output fan and outlet duct assembly for superior performance.

With 550 gallon poly tank, 26 GPM high pressure piston pump, wide angle CV PTO shaft for tighter turns, cable controls and handgun capable.

Ideal for container nurseries, shade houses, tree farms, highbush and low wild blueberries, pumpkins, sweet corn, vegetables and pasture management.



J2000T Tandem / 1245177

The J2000T tandem is the same great sprayer as the versatile J2000 cannon only with tandem axles for greater floatation, less compaction and increased stability.

The J2000T tandem has the same tank, fan, high pressure pump, outlet assembly, CV PTO and field performance as the standard J2000.

The tandem is ideal for vegetable growers with soft or sandy fields, wild blueberries, pumpkins and melons, container nurseries or where more stability is needed with the sprayer.



SPECIFICATIONS

LIST PRICE \$ 17,251

- Tank capacity – 160 Gallons high density poly
- Fan performance – 5,500 CFM @ 168 MPH
- Controls – JEC 2500 Electronic Controls
- Pump model – Dual stage centrifugal (34 GPM)
- Agitation – Mechanical & Bypass
- Spray swath – 110 feet
- Suction filter – FVS-102 with shut off valve (M-40)
- Duct rotation – Self-contained hydraulic
- Duct elevation – Self-contained hydraulic
- Minimum tractor engine HP - 55
- Clean water tank
- Chemical container rinse

OPTIONS AVAILABLE

- 39-inch duct extension
- 78-inch duct extension
- Vertical duct

SPECIFICATIONS

LIST PRICE \$ 25,833

- Tank capacity – 265 Gallons fiberglass
- Fan performance – 5,445 CFM @ 171 MPH
- Controls – Electronic in-cab spray control
- Pump model – JP-75 piston pump 20 GPM
- Agitation – Mechanical & Bypass
- Spray swath – 80 feet
- Suction filter – FVS-102 with shut off valve (M-30)
- Duct rotation – Hydraulic (Uses tractor remote ports)
- Duct elevation – Hydraulic (Uses tractor remote ports)
- Minimum tractor engine HP - 50

- Clean water tank
- Chemical container rinse

OPTIONS AVAILABLE

- 24-inch duct extension

SPECIFICATIONS

LIST PRICE \$ 31,287

- Tank capacity – 550 Gallons high density poly
- Fan performance – 5,445 CFM @ 171 MPH
- Controls – Masterflow controls with cables
- Pump model – JP-100 piston pump 26 GPM
- Agitation – Mechanical & Bypass
- Spray swath – 110 feet
- Suction filter – FVS-200 Double filter (M24/40)
- Duct rotation – Hydraulic (Uses tractor remote ports)
- Duct elevation – Hydraulic (Uses tractor remote ports)
- Minimum tractor engine HP - 75
- Clean water tank

- Quick connect for spot spraying
- Chemical container rinse

OPTIONS AVAILABLE

- 39-Inch duct extension
- Vertical duct
- in-cab electric controls
- Deluxe spot spray gun

SPECIFICATIONS

LIST PRICE \$ 33,743

- Tank capacity – 550 Gallons high density poly
- Fan performance – 5,445 CFM @ 171 MPH
- Controls – Masterflow controls with cables
- Pump model – JP-100 piston pump 26 GPM
- Agitation – Mechanical & Bypass
- Spray swath – 110 feet
- Suction filter – FVS-200 Double filter (M24/40)
- Duct rotation – Hydraulic (Uses tractor remote ports)
- Duct elevation – Hydraulic (Uses tractor remote ports)
- Minimum tractor engine HP - 75
- Clean water tank

- Quick connect for spot spraying
- Chemical container rinse

OPTIONS AVAILABLE

- 39-Inch duct extension
- Vertical duct
- in-cab electric controls
- Deluxe spot spray gun



Salt Lake City, UT
800-767-0555

Portland, Oregon
800-234-0033

Boise, Idaho
800-676-0555







Billings, Montana
800-772-3165

Jamestown, ND
866-974-2182

Waco, TX
800-227-6367

Prices and Specifications may be subject to change without notice. Prices do not include shipping or setup.

OPTIONS FOR AIRBLAST - CANNON SPARYERS

Picture	Model & PN	Description	
	J400 Horizontal Hydraulic Kit 228965	Designed to convert the J400's manual vertical adjustment to hydraulic controls	Call for all pricing
	J400 Vertical Hydraulic Kit 229161	Designed to convert the J400's manual vertical adjustment to hydraulic controls	
	Cannon Valve kit ELCKIT2	Designed for use on all 3-Point mounted cannon sprayers. Includes in cab controls.	
	Arbus Valve Kit ELKIT2A	Designed for use on all Jacto Arbus sprayers 1000 liter & smaller. Includes in cab controls.	
	Arbus 200 Valve kit ELKIT200	Designed specifically for use on the A200 and PH400 models. Includes in cab controls.	
	002203F	Spot Spray gun (Hose adapter <u>not</u> included)	
	006320	Hose adapter for Spot Spray gun, 3/8 "hose	
	006330	Hose adapter for Spot Spray gun, 1/2" hose	

