

## CARTED V-RAKES



# H90 CARTED RAKE

8  
10  
12



**GENERAL  
IMPLEMENT**  
DISTRIBUTORS




## CARTED V-RAKES

# H90 CARTED RAKE V8 10 12



Rake folds into transport position automatically when lifted by means of hydraulic cylinder supplied with the cart.

*The H/90 V-8-10-12 unit is very simple to use and gives excellent working results. The various adjustments allow correct wheels' pressure on terrain. The oscillation of the rakes' main arms and of the wheel-holder small arms permit correct ground contact, even on undulating grounds. The hydraulic lift system controls the rakes lift from the tractor's cabin without any other adjustment. This permits good working performances both on quality and time required.*



### SPECIFICATIONS

	H90-V8	H90-V10	H90-V12
Working width	20'	23'	27'
Weight	1200 Lbs	1355 Lbs	1585 Lbs
Tires	195-70/15	195-70/15	195-70/15



# CARTED V-RAKES



AGRICULTURAL MACHINERY  
**sitrex**®



**Q Rake 8-10-12**



# CARTED V-RAKES

## QRake 8-10-12

### OPTIONAL



### KICKER WHEEL KIT

A simple additional central rake wheel can be mounted at any time, either independently or connecting it to machine's standard hydraulic circuit, without having to make any changes to the basic machine.



Transport position

### TECHNICAL SPECIFICATIONS

MODEL	QR 8	QR 10	QR 12
Number of rake wheels	8	10	12
Minimum transport height	7' 9" (2,4 m)	7' 9" (2,4 m)	7' 14" (2,5 m)
Transport width	8' 5" (2,6)	8' 5" (2,6)	8' 5" (2,6)
Minimum working width <sup>1</sup>	16' 4" (5 m)	19' (5,8 m)	21' 8" (6,6 m)
Maximum working width <sup>1</sup>	18' (5,5 m)	21' (6,4 m)	24' 6" (7,5 m)
Minimum windrow width <sup>1</sup>	3' (0,9 m)	3' (0,9 m)	3' (0,9 m)
Maximum windrow width <sup>1</sup>	6' 7" (2 m)	6' 7" (2 m)	6' 7" (2 m)
Weight	1675 lbs - 760kg	1875 lbs - 850kg	2115 lbs - 960kg
Tires	205-75/15	205-75/15	205-75/15
Tractor power	30 HP (22,3 KW)	30 HP (22,3 KW)	50 HP (36,7 KW)

<sup>1</sup>According to the condition of the forage.

SITREX S.p.A. reserves the right to make changes or improvements at any time without notice. The information given is of a general nature and is not intended for specific purposes.



# CARTED V-RAKES

Prices Effective as of 2-23



## **CARTED V RAKES**

	<b><u>Raking Width</u></b>	<b><u>Weight</u></b>	<b><u>List Price</u></b>
QR-8 HC 8 wheel rake/cart	19'	1500#	\$10,350
QR-10 HC 10 wheel rake/cart	22'	1630#	\$11,435
QR-12 HC 12 wheel rake/cart	25' 7"	1830#	\$13,440

## **OPTIONS**

QR/8-10	230.908 - Conversion Kit	\$1,450
QR/8-10-12	250.835 - Tandem Kit	\$2,215
	230.371/c - QR Center Wheel Kit	\$1,140



Prices and Specifications may be subject to change without notice. Prices do not include shipping or setup.