## Ag Seeders - (4', 5' & 6')

#### **Seed Rate Charts**

SSBP-4 & SSBP-5 Front Box

SSBP-6/SSBS-6 Front Box

POUNDS PER ACRE										POUNDS PER ACRE							
INDICATOR SETTINGS	1	2	3	4	5	6	7	8	INDICATOR SETTINGS	1	2	3	4	5	6	7	8
Alfalfa (Uncoated)	3	6	12	17	21	26	30	35	Alfalfa (Uncoated)	4	8	15	23	27	35	41	46
Bahia	1	5	9	13	17	21	24	27	Bahia	1	7	12	17	23	27	32	36
Bermuda (Hulled)	3	6	12	18	21	27	30	36	Bermuda (Hulled)	4	8	15	24	29	36	41	48
Birdsfoot Trefoil (Broadleaf)	3	8	13	18	27	32	39	46	Birdsfoot Trefoil (Broadleaf)	4	11	17	24	36	43	52	61
Blue Grass (Kentucky)	1	3	4	6	8	10	12	13	Blue Grass (Kentucky)	1	4	5	8	11	13	15	17
Blue Grass (Park Kentucky)	1	4	6	10	13	17	19	21	Blue Grass (Park Kentucky)	1	5	8	13	17	23	25	29
Blue Grass (Sherman Big)	0	1	4	5	6	8	9	10	Blue Grass (Sherman Big)	0	1	5	7	8	11	12	13
Canola*	1	6	10	15	19	23	27	32	Canola*	1	8	13	20	25	31	36	43
Centipede	3	6	8	12	15	18	21	23	Centipede	4	8	11	15	20	24	27	31
Clover (Alsike, Ladino, Sweet, Red)	3	8	12	17	21	27	30	36	Clover (Alsike, Ladino, Sweet, Red)	4	11	15	23	29	36	41	48
Clover (Alyce, Calif. Bur., Crimson, Hubam)	3	6	10	15	21	25	30	38	Clover (Alyce, Calif. Bur., Crimson, Hubam)	4	8	13	20	29	33	41	51
Crested Wheat	0	1	3	4	5	6	8	9	Crested Wheat	0	1	4	5	7	8	11	12
Crown Vetch	3	9	14	19	26	30	37	44	Crown Vetch	4	12	19	25	35	41	49	58
Flax	3	6	10	13	17	21	24	27	Flax	4	8	13	17	23	27	32	36
Harding Grass	1	5	8	12	14	18	21	23	Harding Grass	1	7	11	15	19	24	27	31
Klein Grass	3	6	13	17	23	30	36	39	Klein Grass	4	8	17	23	31	39	48	52
Lespedeza (Korean Unhulled)	1	5	9	13	18	21	27	30	Lespedeza (Korean Unhulled)	1	7	12	17	24	29	36	41
Lespedeza (Korean Hulled)	3	6	12	17	21	27	32	36	Lespedeza (Korean Hulled)	4	8	15	23	27	36	43	48
Lespedeza (Sericea Unhulled)	1	4	6	10	14	17	19	21	Lespedeza (Sericea Unhulled)	1	5	8	13	19	23	25	29
Lespedeza (Sericea Hulled)	3	8	13	19	24	30	37	41	Lespedeza (Sericea Hulled)	4	11	17	25	32	41	49	55
Love Grass (Weeping)	1	8	13	17	21	28	33	39	Love Grass (Weeping)	1	11	17	23	29	37	44	52
Love Grass (Sand)	3	6	10	14	19	24	30	35	Love Grass (Sand)	4	8	13	19	25	32	39	46
Millet	3	8	13	18	23	28	33	39	Millet	4	11	17	24	31	37	44	52
Red Top	1	3	5	6	8	9	10	12	Red Top	1	4	7	8	11	12	13	15
Reed Canary Grass	1	3	5	8	9	12	13	17	Reed Canary Grass	1	4	7	11	12	15	17	23
Switch Grass (Cleaned and Hulled)	0	3	5	6	9	12	14	17	Switch Grass (Cleaned and Hulled)	0	4	7	8	12	15	19	23
Tillage Radish*	3	8	12	16	21	26	30	35	Tillage Radish*	4	10	16	23	29	36	42	49
Timothy	3	5	9	14	18	23	28	32	Timothy	4	7	12	19	24	31	37	43

<sup>\*</sup> Some Cracked Seeds Were Observed at Settings 1 & 2

#### SSBP-4, SSBP-5 & SSBP-6/SSBS-6 Rear Box

			POUN	IDS PI	ER AC	RE					POU	NDS F	PER A	CRE	
INDICATOR SETTINGS	AGITATOR	1	2	3	4	5	6	INDICATOR SETTINGS	AGITATOR	1	2	3	4	5	6
Bent Grass	Blade	19	61	120	179	245	332		Blade	0	0.4	1	2	3	5
(L-93 Creeping)	Cage		Not	Recom	mende	d		Buffel Grass	Cage	0	0.5	1	1.5	2.5	4
(L-93 Creeping)	Brush	27	66	117	169	220	259		Brush	0	0.5	1.5	2.5	5	6
Blue Grass	Blade	3	16	41	66	106	143	Fescue	Blade	2	7	18	36	70	107
(Sherman Big)	Cage		Not	Recom	mende	d		(Creeping Red)	Cage		No	t Recor	nmend	ed	
(Sheiman big)	Brush	6	21	48	76	111	124	(Creeping Red)	Brush	4	11	25	46	74	116
Blue Grass	Blade	10	43	82	124	186	262	F	Blade	6	29	62	116	168	230
(Kentucky - Odyssey)	Cage		Not	Recom	mende	d		Fescue (Tall)	Cage	2	7	23	69	119	-
(Remacky - Odyssey)	Brush	17	49	90	132	177	203	(Tall)	Brush	10	37	75	146	210	230
DI (\A\/D)	Blade	0.5	2	3.5	6	8	13		Blade	8	24	56	81	152	206
Bluestem (W/Beards) (Pawnee Big)	Cage		Not	Recom	mende	d		Festolium	Cage	Not Recommended			ed		
(Fawriee big)	Brush	1.5	3	6	11	22	31		Brush	13	35	65	120	207	238
DI (\A\/\O D)	Blade	1	4	9	19	32	50	0	Blade	1	2.5	5	9	14	21
Bluestem (W/O Beards) (WW B. Dahl)	Cage		Not	Recom	mende	d		Grama (Side Oats)	Cage	0.5	2	4	8	12	19
(VVVV B. Daili)	Brush	2.5	7	16	30	48	60	(Side Oals)	Brush	1	3.5	5	14	22	30
DI (\A\/\O D)	Blade	0	0.5	1.5	3	5	8		Blade	1	2	3.5	6	7	10
Bluestem (W/O Beards) (Itasca Little)	Cage		Not	Recom	mende	d		Indian Grass	Cage	1	2	4	6	10	19
(itasca Little)	Brush	0.5	1.5	3.5	8	10	12		Brush	1.5	3.5	8	13	22	32
2	Blade	1	3.5	6	9	16	26		Blade	2.5	9	21	41	72	114
Brome (Meadow)	Cage	1	3.5	5	10	16	24	Orchard Grass (Unhulled)	Cage	1	5	15	36	-	-
(ivieadow)	Brush	2	5	9	16	28	45	(Offitaliea)	Brush	4	14	31	57	108	124
6	Blade	1.5	4.5	9	16	28	46		Blade	3	16	38	65	106	146
Brome (Smooth)	Cage	1.5	3.5	8	14	24	39	Rye Grass	Cage	0	2	3	8	13	18
(Smooth)	Brush	3	7	15	26	43	71		Brush	8	23	50	92	156	176
	Blade	3	12	36	60	89	120	NA/I	Blade	2	7	17	28	49	73
Buffalo Grass	Cage	2	16	42	107	-	-	Wheatgrass (Intermediate)	Cage	Not Recommended					
	Brush	4	16	43	75	100	112	(Internediate)	Brush	3.5	12	24	44	85	112

Brillion assumes no liability pertaining to seeding rates achieved with this seeder. Rates listed are general in nature and should be used as starting points only. Seed varieties and blends listed represent those calibrated through in-house test meters. Variations in actual rates may be realized due to differences in seed lots. For accurate rates with seeds being used, follow the calibration instructions listed on the seed chart inside the box cover or refer to the Operator's Manual. The information listed in the above seed charts is subject to change without notice.



<sup>\*</sup> Some Cracked Seeds Were Observed at Settings 1 & 2

Small Ag Series (4', 5' & 6')



The SS Series of Agricultural Seeders is the industry standard when it comes to planting alfalfa, canola, and grasses. The Sure Stand concept provides precision seed metering and accurate seed depth placement. This combination offers optimum germination. These 4', 5' and 6' three-point hitch models feature a front micro-metered seed box and a rear seed box with the blade agitator metering system.

Standard Machine Specifications											
Base Unit Height 4'5"	9 1/2" Cast Iron Rear Pulverizer Roller	Both Seed Boxes are Standard Equipment									
Base Unit Length 2'6"	8 5/8" Front Pulverizer Axle	Front Seed Box - Micro-Meter									
Three-Point Hitch - Cat. I, II Free Link	1 3/4" Rear Pulverizer Axle	Rear Seed Box - Blade Agitator									
Three-Point Hitch - Cat. I Quick Coupler Hitch	Greaseable Axle Bearings	Coil Tine Wheel Track Remover									
All Welded Structural Steel Frame Construction	Positive Ground Driven Seed Metering	Powder Coat Paint									
11 1/2" Cast Iron Front Pulverizer Roller	Broadcast Seed Delivery with Wind Deflector	SMV Emblem									

Horsepower Requirements: 35 HP and Up

Approximate Set-Up Time: Factory Assembled (1 Hour of Prep Time)

		PRICING INF	FORMATION				
Model Number	Description	Seed Box Capacity	Meter/Opening Spacing (Front/Rear)	Seeding Width	Overall Width	Approximate Weight	Suggested List Price
SSBP-4	4' Three-Point Hitch Seeder with Front and Rear Seed Boxes	1.75 Bu. + 1.75 Bu.	8"/4"	4′	5′	888 lbs.	\$ 10,503.00
SSBP-5	5' Three-Point Hitch Seeder with Front and Rear Seed Boxes	2.187 Bu. + 2.187 Bu.	8 1/2"/4 1/4"	5′	6′	1,061 lbs.	11,339.00
SSBP-6	6' Three-Point Hitch Seeder with Front and Rear Seed Boxes	2.625 Bu. + 2.625 Bu.	6"/4"	6′	7′	1,205 lbs.	11,901.00
SSBS-6	6' Skid Steer (or Three-Point Hitch) Seeder with Front and Rear Seed Boxes	2.625 Bu. + 2.625 Bu.	6"/4"	6′	7′	1,401 lbs.	13,001.00

**Shipping Notice:** If seeders are to be shipped via commercial carrier, crating is required. Crating charge is \$300.00. Please add part number **7K383** to order for the crating charge for models SSBP-4, SSBP-5 & SSBP-6 and add part number **7K384** for model SSBS-6. Crate weights are as follows: 7K383 - 155 lbs. and 7K384 - 181 lbs.



### **AGRICULTURAL SEEDERS**

# Ag Seeders - (4', 5' & 6')

#### **Accessories and Optional Equipment**

	For Small Ag Series on Page 47		
Part Number	Description	Approximate Weight	Suggested List Price
6K081	Lift Sling Kit for SSBP-4	61.0 lbs.	\$ 797.00
8K636	Lift Sling Kit for SSBP-5	76.0 lbs.	812.00
6K060	Lift Sling Kit for SSBP-6	79.0 lbs.	828.00
6K085	Rear Roller Assembly with Turfmaker Sprockets for SSBP-4 (In Lieu of 6K070) (19 Sprockets - 18 Wheels)	ADD 77.0 lbs.	ADD 1,110.00
8K639	Rear Roller Assembly with Turfmaker Sprockets for SSBP-5 (In Lieu of 8K491) (24 Sprockets - 23 Wheels)	ADD 80.0 lbs.	ADD 1,325.00
6K067	Rear Roller Assembly with Turfmaker Sprockets for SSBP-6/SSBS-6 (In Lieu of 6K015) (28 Sprockets - 27 Wheels)	ADD 86.0 lbs.	ADD 1,540.00
6K066	Turfmaker Sprocket (Field Installation)	5.0 lbs.	52.00
219216	Heavy Rear Roller Assembly (8 5/8") with Turfmaker Sprockets for SSBP-6/SSBS-6 (In Lieu of 6K015) (27 Sprockets - 26 Wheels) (Field Installation)	675.0 lbs.	3,725.00
	If Ordered from Factory in Lieu of Standard Rear Roller (6K015), Add:	ADD 333.0 lbs.	ADD 2,240.00
247777	Front Spike Roller Assembly for SSBP-6/SSBS-6 (In Lieu of 6K012) (Field Installation)	341.0 lbs.	2,315.00
	If Ordered from Factory in Lieu of Standard Front Roller (6K012), Add:	ADD 27.0 lbs.	ADD 905.00
6K036	Electronic Acre Meter	2.0 lbs.	715.00
9K445	5-Strip Brush Agitator Kit for SSP-4 (For Brome Box)	16.0 lbs.	503.00
5C883	5-Strip Brush Agitator Kit for SSP-5 (For Brome Box)	20.0 lbs.	539.00
8K991	5-Strip Brush Agitator Kit for SSP-6 (For Brome Box)	24.0 lbs.	572.00
236903	8-Row Brush Agitator Kit for SSP-4 (For Brome Box)	6.0 lbs.	1,095.00
236904	8-Row Brush Agitator Kit for SSP-5 (For Brome Box)	6.0 lbs.	2,065.00
236905	8-Row Brush Agitator Kit for SSP-6 (For Brome Box)	8.0 lbs.	1,315.00
9J495	Speed Up Kit (Doubles Output)	3.0 lbs.	80.00
210928	Cat. II Quick Coupler Hitch Adaptor Kit (Fits Units Built After April 2016)	27.0 lbs.	271.00



Millet

Red Top

Reed Canary Grass

Tillage Radish\*

Teff - Tiffany Coated

# Ag Seeders - Standard Series

**Seed Rate Charts** 

#### SS-8 & SS-10 Front Box

#### **POUNDS PER ACRE** INDICATOR SETTINGS 1A 2A 3A 4A 5A 6A 7A 8A Alfalfa (Uncoated) Bahia 7 10 13 16 19 21 Bermuda (Hulled) 14 17 Birdsfoot Trefoil (Broadleaf) 2 6 10 14 21 25 Blue Grass (Kentucky) 1 3 5 8 10 Blue Grass (Park Kentucky) 15 17 Blue Grass (Sherman Big) Canola\* Centipede Clover (Alsike, Ladino, Sweet, Red) 2 6 9 13 17 21 24 28 Clover (Alyce, Calif. Bur., Crimson, Hubam) 2 12 0 1 2 3 4 5 6 7 Crested Wheat Crown Vetch 11 15 20 29 34 2 5 8 10 13 16 Flax 19 21 Harding Grass 2 5 10 13 18 23 28 31 Klein Grass Lespedeza (Korean Unhulled) 10 Lespedeza (Korean Hulled) Lespedeza (Sericea Unhulled) 15 Lespedeza (Sericea Hulled) 1 3 5 8 11 13 Lespedeza (Sericea Hulled) 2 6 10 15 19 24 Love Grass (Weeping) 6 10 13 Love Grass (Sand) 2 5 8 11 15 19

Switch Grass (Cleaned and Hulled) 0 2 4 5 7 9 11 13

6 10 14

1 2 4 5 6 7 8 9

10 15 20 22

2 6 10 14 18 22 26 30

2 4 7 11 14 18 22 25

18 22

26 31

28 32

#### SS-12 Front Box

33-12 110Ht BOX			20118	D0 5	ED 4	005		
			POUN					
INDICATOR SETTINGS	1A	2A	3A	4A	5A	6A	7A	8A
Alfalfa (Uncoated)	3	7	13	19	23	29	34	39
Bahia	1	6	10	14	19	23	27	30
Bermuda (Hulled)	3	7	13	20	24	30	34	40
Birdsfoot Trefoil (Broadleaf)	3	9	14	20	30	36	44	51
Blue Grass (Kentucky)	1	3	4	7	9	11	13	14
Blue Grass (Park Kentucky)	1	4	7	11	14	19	21	24
Blue Grass (Sherman Big)	0	1	4	6	7	9	10	11
Canola*	1	7	11	17	21	26	30	36
Centipede	3	7	9	13	17	20	23	26
Clover (Alsike, Ladino, Sweet, Red)	3	9	13	19	24	30	34	40
Clover (Alyce, Calif. Bur., Crimson, Hubam)	3	7	11	17	24	28	34	43
Crested Wheat	0	1	3	4	6	7	9	10
Crown Vetch	3	10	16	21	29	34	41	49
Flax	3	7	11	14	19	23	27	30
Harding Grass	1	6	9	13	16	20	23	26
Klein Grass	3	7	14	19	26	33	40	44
Lespedeza (Korean Unhulled)	1	6	10	14	20	24	30	34
Lespedeza (Korean Hulled)	3	7	13	19	23	30	36	40
Lespedeza (Sericea Unhulled)	1	4	7	11	16	19	21	24
Lespedeza (Sericea Hulled)	3	9	14	21	27	34	41	46
Love Grass (Weeping)	1	9	14	19	24	31	37	44
Love Grass (Sand)	3	7	11	16	21	27	33	39
Millet	3	9	14	20	26	31	37	44
Red Top	1	3	6	7	9	10	11	13
Reed Canary Grass	1	3	6	9	10	13	14	19
Switch Grass (Cleaned and Hulled)	0	3	6	7	10	13	16	19
Teff - Tiffany Coated	4	9	14	20	27	31	38	44
Tillage Radish*	3	9	13	19	24	30	35	41
Timothy	3	6	10	16	20	26	31	36

#### SS-8, SS-10 & SS-12 Rear Box

POUNDS PER ACRE										POUN	IDS P	FR A	CRE		
INDICATOR SETTINGS	AGITATOR	1	2	3	4	5	6	INDICATOR SETTINGS	AGITATOR	1	2	3	4	5	6
	Blade	23	72	143	213	291	396		Blade	0	0.5	1	2	3	5
Bent Grass	Cage		Not	Recom	mende	d		Buffel Grass	Cage	0	0.5	1	2	3	5
(L-93 Creeping)	Brush	32	78	140	201	262	309		Brush	0	0.7	2	3	6	7
	Blade	4	19	49	79	126	170	_	Blade	2	9	22	43	83	127
Blue Grass (Sherman Big)	Cage	2	13	38	-	-	-	Fescue	Cage		Not	Recon	nmend	∍d	
(Silerman big)	Brush	7	25	57	90	132	147	(Creeping Red)	Brush	5	14	31	55	100	139
Divis Cores	Blade	12	51	97	150	221	312	F	Blade	8	34	74	138	200	274
Blue Grass (Kentucky - Odyssey)	Cage		Not	Recom	mende	d		Fescue (Tall)	Cage	2	8	27	82	142	-
(Kentucky - Odyssey)	Brush	20	58	107	157	210	242	(1411)	Brush	12	43	89	174	249	274
Division (M/Disords)	Blade	0.6	2	4	7	10	15		Blade	10	28	66	97	181	245
Bluestem (W/Beards) (Pawnee Big)	Cage		Not	Recom	mende	d		Festolium	Cage		Not Recommended			∍d	
(I awriee big)	Brush	2	3	7	13	27	37		Brush	15	42	78	143	247	283
Bluestem (W/O Beards)	Blade	1	5	11	22	38	59	Grama	Blade	1	3	7	12	22	30
(WW B. Dahl)	Cage		Not	Recom	mende	d		(Side Oats)	Cage	0.5	2	5	9	15	23
(WW B. Daili)	Brush	3	8	19	35	56	71	(Side Oals)	Brush	1	4	10	18	31	41
Bluestem (W/O Beards)	Blade	0	0.6	2	3	6	10		Blade	1	2	4	7	9	12
(Itasca Little)	Cage		Not	Recom	mende	d		Indian Grass	Cage	1	2	5	8	12	23
(Radda Errito)	Brush	0.6	2	4	9	12	15		Brush	2	4	10	16	26	38
Brome	Blade	1	4	7	11	19	31	Orchard Grass	Blade	3	10	24	49	85	136
(Meadow)	Cage	1	4	6	12	19	29	(Unhulled)	Cage	1	6	18	43	-	-
(Moddow)	Brush	2	6	10	19	33	54	(Grindied)	Brush	5	16	36	68	129	147
Brome	Blade	2	5	11	19	33	54		Blade	3	20	45	77	126	174
(Smooth)	Cage	2	4	10	17	28	46	Rye Grass	Cage	1	8	28	69	-	-
(5552.)	Brush	3	9	18	30	51	84		Brush	10	28	59	110	186	209
	Blade	3	14	42	72	106	143	Wheatgrass	Blade	2	8	20	33	57	87
Buffalo Grass	Cage	2	19	50	128	-	-	(Intermediate)	Cage	Not Recommended					
	Brush	5	19	52	89	119	133	(miormodiato)	Brush	4	15	29	52	102	133

Brillion assumes no liability pertaining to seeding rates achieved with this seeder. Rates listed are general in nature and should be used as starting points only. Seed varieties and blends listed represent those calibrated through in-house test meters. Variations in actual rates may be realized due to differences in seed lots. For accurate rates with seeds being used, follow the calibration instructions listed on the seed chart inside the box cover or refer to the Operator's Manual. The information listed in the above seed charts is subject to change without notice.



<sup>\*</sup> Some Cracked Seeds Were Observed at Settings 1 & 2

<sup>\*</sup> Some Cracked Seeds Were Observed at Settings 1 & 2



Model SSB-12 Shown with Optional Acre Meter Kit

The SS Series of Agricultural Seeders has been the industry standard when it comes to planting alfalfa, canola and grasses. The Sure Stand concept provides precision seed metering and accurate seed depth placement. This combination offers optimum germination. The Standard Series is offered in both three-point hitch and pull-type models. Pull-type models include all hydraulic equipment including new implement tires.

Standard Machine Specifications											
Pull-Type Models - 5'2" Transport Height	11 1/2" Cast Iron Rear Pulverizer Roller	Front Seed Box - Micro-Meter									
Pull-Type Models - 10" Road Clearance	12 3/4" Front Pulverizer Axle	Rear Seed Box - Blade Agitator									
Three-Point Hitch - Cat. II Free Link	8 5/8" Rear Pulverizer Axle	Seed Box Divider Kit for Front Seed Box									
Three-Point Hitch - Cat. II, IIIN Quick Coupler Hitch	Greaseable Axle Bearings	Pull-Type Models - Safety Chain Kit									
All Welded Structural Steel Frame Construction	Positive Ground Driven Seed Metering	9.5L x 15-8 Ply Tires on Pull-Type Models									
15 3/4" Cast Iron Front Pulverizer Roller	Powder Coat Paint	LED Warning Lights & SMV Emblem									

Horsepower Requirements: 6 to 8 HP per Foot

Approximate Set-Up Time: Factory Assembled (2 Hours of Prep Time)

If Shipped on Commercial Carrier, Set-Up Time: 4 Hours

		PRICING INF	ORMATION				
Model Number	Description	Seed Box Capacity	Meter/Opening Spacing (Front/Rear)	Seeding Width	Overall Width	Approximate Weight	Suggested List Price
SSB-8	8' Pull-Type Seeder with Front and Rear Seed Boxes	3.5 Bu. + 3.5 Bu.	8"/4"	8′	11′1″	2,220 lbs.	\$ 22,615.00
SSBP-8	8' Three-Point Hitch Seeder with Front and Rear Seed Boxes	3.5 Bu. + 3.5 Bu.	8"/4"	8′	9′6″	1,914 lbs.	18,588.00
SSB-10	10' Pull-Type Seeder with Front and Rear Seed Boxes	4.375 Bu. + 4.375 Bu.	8 1/2"/4 1/4"	10′	12′11″	2,527 lbs.	24,296.00
SSBP-10	10' Three-Point Hitch Seeder with Front and Rear Seed Boxes	4.375 Bu. + 4.375 Bu.	8 1/2"/4 1/4"	10′	11′4″	2,207 lbs.	20,320.00
SSB-12	12' Pull-Type Seeder with Front and Rear Seed Boxes	5.25 Bu. + 5.25 Bu.	6″/4″	12′	15′0″	2,786 lbs.	26,887.00
SSBP-12	12' Three-Point Hitch Seeder with Front and Rear Seed Boxes	5.25 Bu. + 5.25 Bu.	6"/4"	12′	13′3″	2,602 lbs.	22,831.00

**Shipping Notice:** Seeders are factory assembled (except for drawbar, lights and tires) for shipment on factory and dealer trucks. If seeders are to be shipped via commercial carrier, they are shipped knocked down and crating is required. Crating charge is \$500.00. Crate weights are as follows: 8′ - 160 lbs., 10′ - 188 lbs., 12′ - 216 lbs. Please add part number **205551** to order for crating charge for 8′ seeders, **205552** for 10′ seeders, or **205553** for 12′ seeders.



# Ag Seeders - Standard Series

**Accessories and Optional Equipment** 

Part Number	Description	Approximate Weight	Suggested List Price
	SEED BOX KITS AND ACCESSORIES		
1K103	Brome Box Attachment with Blade Agitator for 8' Seeder (Cage Agitator Shipped Uninstalled) [Kit is For Field Installation Only, Standard Equipment on New Units Shipped from Factory]	148.0 lbs.	\$ 3,007.00
9J439	Brome Box Attachment with Blade Agitator for 10' Seeder (Cage Agitator Shipped Uninstalled) [Kit is For Field Installation Only, Standard Equipment on New Units Shipped from Factory]	175.0 lbs.	3,392.00
2K525	Brome Box Attachment with Blade Agitator for 12' Seeder (Cage Agitator Shipped Uninstalled) [Kit is For Field Installation Only, Standard Equipment on New Units Shipped from Factory]	206.0 lbs.	3,776.00
184786	Brush Agitator Kit for 8' Seeder (For Rear Brome Box)	31.0 lbs.	838.00
184787	Brush Agitator Kit for 10' Seeder (For Rear Brome Box)	38.0 lbs.	1,104.00
3J060	Brush Agitator Kit for 12' Seeder (For Rear Brome Box)	47.0 lbs.	1,253.00
6K956	Blade Agitator Kit for 8' Seeder (For Rear Brome Box) [Kit is For Field Installation Only, Standard Equipment on New Units Shipped from Factory]	7.0 lbs.	330.00
6K957	Blade Agitator Kit for 10' Seeder (For Rear Brome Box) [Kit is For Field Installation Only, Standard Equipment on New Units Shipped from Factory]	9.0 lbs.	471.00
6K958	Blade Agitator Kit for 12' Seeder (For Rear Brome Box) [Kit is For Field Installation Only, Standard Equipment on New Units Shipped from Factory]	11.0 lbs.	614.00
184680	Cage Agitator Kit for 8' Seeder (For Rear Brome Box) [Kit is For Field Installation Only, Standard Equipment on New Units Shipped from Factory]	7.0 lbs.	333.00
184681	Cage Agitator Kit for 10' Seeder (For Rear Brome Box) [Kit is For Field Installation Only, Standard Equipment on New Units Shipped from Factory]	8.0 lbs.	362.00
184682	Cage Agitator Kit for 12' Seeder (For Rear Brome Box) [Kit is For Field Installation Only, Standard Equipment on New Units Shipped from Factory]	12.0 lbs.	595.00
1K140	Divider Kit for 8' Seeder (Separates Each Meter in Front Seed Box) [Kit is For Field Installation Only, Standard Equipment on New Units Shipped from Factory]	5.0 lbs.	497.00
9J496	Divider Kit for 10' Seeder (Separates Each Meter in Front Seed Box) [Kit is For Field Installation Only, Standard Equipment on New Units Shipped from Factory]	6.0 lbs.	520.00
2K629	Divider Kit for 12' Seeder (Separates Every Two Meters in Front Seed Box) [Kit is For Field Installation Only, Standard Equipment on New Units Shipped from Factory]	11.0 lbs.	607.00
219138	Divider Kit for 8' Rear Brome Box (6 Dividers) [Field Installation Only]	8.0 lbs.	85.00
219139	Divider Kit for 10' & 12' Rear Brome Box (10 Dividers) [Field Installation Only]	13.0 lbs.	156.00
	OTHER OPTIONAL EQUIPMENT		
9J931	S-Tine Track Remover for 8' Seeder (Works with Three-Point Hitch and Pull-Type Models)	148.0 lbs.	897.00
9J438	S-Tine Track Remover for 10' Seeder (Works with Three-Point Hitch and Pull-Type Models)	154.0 lbs.	922.00
2K496	S-Tine Track Remover for 12' Seeder (Works with Three-Point Hitch and Pull-Type Models)	159.0 lbs.	965.00
1K225	Scraper Kit for 8' Seeder (Front Roller Only)*	85.0 lbs.	760.00
1K224	Scraper Kit for 10' Seeder (Front Roller Only)*	115.0 lbs.	992.00
2K526	Scraper Kit for 12' Seeder (Front Roller Only)*	122.0 lbs.	1,108.00
5K745	Electronic Acre Meter For Standard Series Ag Seeders	2.0 lbs.	701.00
236947	Loup Elite Mini Monitor For Standard Series Ag Seeders (Use with Electric Clutch Option Listed Below)	22.0 lbs.	2,585.00
9J495	Speed Up Kit (Doubles Output)	3.0 lbs.	80.00
1P152	Electric Clutch Kit for 8' and 10' Models - Factory Installed Only (In Lieu of Regular Transmission)	81.0 lbs.	ADD 2,321.00
171378	Electric Clutch Kit for 12' Models - Factory Installed Only (In Lieu of Regular Transmission)	81.0 lbs.	ADD 2,321.00

<sup>\*</sup> Front Scraper Kit Cannot be Used with Coil Tine Wheel Track Remover Kit.



Prices and Specifications may be subject to change without notice. Prices do not include shipping or setup.

### Service Tip


Ag Seeder Models with Brome Box

Problem – Brome box shaft working out to the right hand end of the seeder and wearing out the roll pin and retainer plate.

#### To correct:

- $t = \Zb k_Xkk_ \kiXejd'jj'fe j_X]k k_Xk[i'm\j k_ \Yifd \Yfo 'j jhlXi\ 'e k_ \kiXejd'jj'fe %jgifZb\kdljk be parallel with the outer case plate) and aligned with the brome box shaft. Loosen bearings and adjust if necessary.$
- $t = \Zb k_Xkj \[ Yfo\] Xi\ c\m\Xe[jkiX'^_k]ifd \e[kf \e[ +Fffj\e Xe[X[aljk j\[ Yfo\] ]ifd k_\Z\ek\i and right hand end brackets if necessary. It may also be necessary to make an adjustment of the left hand seed box on the transmission.$
- $t Q_e = gifg icp Xc'^e [) k_ jhlXi Yifd Yfo j_X]k n'ccjc'[ 'ekf k_ [i'm Zflgc'e^ n'k_flk Y'e['e^+ = fXk the inside of the drive coupling with Never-Seize.$

t ;ep fi X ZfdY'eXk'fe f]  $k_X Yfm d'jXc'^ed^k Zfe['k'fej ZX e ZXlj\ k_\ gifYc\d+$ 



### **Brillion Seeder FAQ**

#### Can the Brillion SS Series plant cereal grains such as wheat, oats, rye, barley, etc.?

Yes, it can. However, the SS Series has to be equipped with a Brome Box option. Producers need to keep in mind that Brillion does not recommend use of the SS Series for seeding cereal grains as a harvestable crop because the seed will only be placed in the top  $\frac{1}{4}$ " to  $\frac{1}{2}$ " of soil. This is normally too shallow for a harvestable crop.



#### **AGRICULTURAL SEEDERS**

## Ag Seeders - Mid-Size Series

**Seed Rate Charts** 

SS108, SS110 & SS112 Mid-Size Seeder

55108, 55110 & 55112 MIG-SIZE Sec	cuel															
				IDS PE		RE				P	DUND	S PER		SQ FT		
INDICATOR SETTINGS	1A	2A	3A	4A	5A	6A	7A	8A	1A	2A	3A	4A	5A	6A	7A	A8
Alfalfa (Uncoated)	5	11	17	26	32	38	46	54	0.11	0.26	0.40	0.59	0.73	0.88	1.06	1.25
Bahia	3	8	14	19	26	32	38	43	0.08	0.18	0.33	0.44	0.59	0.73	0.88	0.99
Bermuda (Hulled)	3	10	17	27	35	42	48	56	0.08	0.22	0.40	0.63	0.81	0.95	1.10	1.28
Birdsfoot Trefoil (Broadleaf)	5	13	19	27	42	51	61	72	0.11	0.30	0.44	0.63	0.95	1.17	1.39	1.65
Blue Grass (Kentucky)	2	6	11	16	21	26	30	35	0.04	0.14	0.26	0.37	0.48	0.59	0.70	0.81
Blue Grass (Park Kentucky)	2	5	10	14	19	22	26	29	0.04	0.11	0.22	0.33	0.44	0.52	0.59	0.66
Blue Grass (Sherman Big)	2	3	5	8	10	11	13	16	0.04	0.08	0.11	0.18	0.22	0.26	0.30	0.37
Canola*	3	10	16	21	27	33	40	46	0.07	0.22	0.37	0.48	0.63	0.77	0.92	1.06
Centipede	5	10	13	17	24	27	32	35	0.11	0.22	0.30	0.40	0.55	0.63	0.73	0.81
Chickory (Forage)	2	5	8	12	15	18	22	26	0.04	0.11	0.18	0.27	0.34	0.42	0.50	0.59
Clover (Alsike, Ladino, Sweet, Red)	5	11	19	26	33	42	48	54	0.11	0.26	0.44	0.59	0.77	0.95	1.10	1.25
Clover (Alyce, Calif. Bur., Crimson, Hubam)	3	10	16	24	33	40	48	61	0.08	0.22	0.37	0.55	0.77	0.92	1.10	1.39
Crested Wheat	2	3	5	6	8	10	11	13	0.04	0.08	0.11	0.14	0.18	0.22	0.26	0.30
Crown Vetch	5	13	21	30	40	50	59	67	0.11	0.30	0.48	0.70	0.92	1.14	1.36	1.54
Flax	3	10	16	21	27	32	37	43	0.08	0.22	0.37	0.48	0.63	0.73	0.84	0.99
Harding Grass	3	8	13	17	22	27	32	37	0.08	0.18	0.30	0.40	0.52	0.63	0.73	0.84
Highland Bent	3	6	9	12	15	17	20	23	0.07	0.14	0.21	0.27	0.33	0.40	0.46	0.52
Klein Grass	3	11	19	27	35	45	54	62	0.08	0.26	0.44	0.63	0.81	1.03	1.25	1.43
Lespedeza (Korean Unhulled)	3	8	14	21	27	33	42	48	0.08	0.18	0.33	0.48	0.63	0.77	0.95	1.10
Lespedeza (Korean Hulled)	5	11	19	27	33	42	50	56	0.11	0.26	0.44	0.63	0.77	0.95	1.14	1.28
Lespedeza (Sericea Unhulled)	2	6	11	16	21	26	30	33	0.04	0.14	0.26	0.37	0.48	0.59	0.70	0.77
Lespedeza (Sericea Hulled)	5	13	21	30	38	48	58	66	0.11	0.30	0.48	0.70	0.88	1.10	1.32	1.50
Love Grass (Weeping)	3	11	19	27	35	43	53	62	0.08	0.26	0.44	0.63	0.81	0.99	1.21	1.43
Love Grass (Sand)	3	10	16	22	30	38	45	54	0.08	0.22	0.37	0.52	0.70	0.88	1.03	1.25
Millet	3	11	19	27	35	43	53	61	0.08	0.26	0.44	0.63	0.81	0.99	1.21	1.39
Northrup King Mixture	2	4	5	7	8	10	12	14	0.04	0.08	0.12	0.16	0.19	0.23	0.27	0.31
Red Top	2	5	8	11	13	14	16	19	0.04	0.11	0.18	0.26	0.30	0.33	0.37	0.44
Reed Canary Grass	2	5	8	11	14	17	21	26	0.04	0.11	0.18	0.26	0.33	0.40	0.48	0.59
Scott's Family Grass	1	3	4	6	7	8	10	11	0.03	0.06	0.10	0.13	0.16	0.19	0.22	0.25
Switch Grass (Cleaned and Hulled)	0	5	8	11	14	19	22	27	0.00	0.11	0.18	0.26	0.33	0.44	0.52	0.63
Tillage Radish*	5	12	19	27	34	42	49	57	0.11	0.28	0.43	0.61	0.78	0.96	1.13	1.31
Timothy	3	8	14	22	29	35	43	51	0.08	0.18	0.33	0.52	0.66	0.81	0.99	1.17
Turnip (Purple Top)	3	9	15	22	28	35	41	48	0.07	0.22	0.35	0.51	0.65	0.81	0.95	1.09

<sup>\*</sup>Some Cracked Seeds Were Observed at Setting 2

Brillion assumes no liability pertaining to seeding rates achieved with this seeder. Rates listed are general in nature and should be used as starting points only. Seed varieties and blends listed represent those calibrated through in-house test meters. Variations in actual rates may be realized due to differences in seed lots. For accurate rates with seeds being used, follow the calibration instructions listed on the seed chart inside the box cover or refer to the Operator's Manual. The information listed in the above seed charts is subject to change without notice.



**Mid-Size Series** 



The SS Series Mid-Size Seeder offers alfalfa producers the proven Sure Stand concept with larger capacity seed boxes and closer spaced seed meters for an even better distribution of seed, less time spent filling seed boxes and more time seeding. These models are available in both three-point hitch and pull-type models. Pull-type models include all hydraulic equipment including new implement tires. Brome boxes are not an option on these Mid-Size Seeders.

Standard Machine Specifications											
Pull-Type Models - 5'2" Transport Height	11 1/2" Cast Iron Rear Pulverizer Roller	Seed Box - Micro-Meter									
Pull-Type Models - 10" Road Clearance	12 3/4" Front Pulverizer Axle	Seed Box Meter Spacing - 4 1/4"									
Three-Point Hitch - Cat. II Free Link	8 5/8" Rear Pulverizer Axle	Seed Box Divider Kit									
Three-Point Hitch - Cat. II, IIIN Quick Coupler Hitch	Greaseable Axle Bearings	9.5L x 15-8 Ply Tires on Pull-Type Models									
All Welded Structural Steel Frame Construction	Positive Ground Driven Seed Metering	LED Warning Lights & SMV Emblem									
15 3/4" Cast Iron Front Pulverizer Roller	Pull-Type Models - Safety Chain Kit	Powder Coat Paint									

Horsepower Requirements: 6 to 8 HP per Foot

Approximate Set-Up Time: Factory Assembled (2 Hours of Prep Time)

If Shipped on Commercial Carrier, Set-Up Time: 4 Hours

	Pricing Information									
Model Number	Description	Seed Box Capacity	Seeding Width	Overall Width	Approximate Weight	Suggested List Price				
SSP-108	8' Three-Point Hitch Seeder	6 Bu.	8′	9'6"	1,734 lbs.	\$ 17,277.00				
SS-108	8' Pull-Type Seeder	6 Bu.	8′	11′1″	2,054 lbs.	21,013.00				
SSP-110	10' Three-Point Hitch Seeder	7.5 Bu.	10′	11'4"	2,074 lbs.	19,358.00				
SS-110	10' Pull-Type Seeder	7.5 Bu.	10′	12′11″	2,394 lbs.	23,711.00				
SSP-112	12' Three-Point Hitch Seeder	9 Bu.	12′	13′3″	2,488 lbs.	21,439.00				
SS-112	12' Pull-Type Seeder	9 Bu.	12′	15′0″	2,842 lbs.	25,930.00				

Accessories & Optional Equipment								
Part Number	Description	Approximate Weight	Suggested List Price					
9J931	S-Tine Track Remover for 8' Seeder	148.0 lbs.	\$ 897.00					
9J438	S-Tine Track Remover for 10' Seeder	154.0 lbs.	922.00					
2K496	S-Tine Track Remover for 12' Seeder	159.0 lbs.	965.00					
9J932	Coil Tine Track Remover (Cannot be used with Scraper Kits)	105.0 lbs.	1,144.00					
244061	Scraper Kit for 8' Seeder (Front Roller Only)	99.0 lbs.	760.00					
244062	Scraper Kit for 10' Seeder (Front Roller Only)	135.0 lbs.	992.00					
244063	Scraper Kit for 12' Seeder (Front Roller Only)	150.0 lbs.	1,108.00					
5K745	Electronic Acre Meter Kit For Mid-Size Seeders	2.0 lbs.	701.00					
236948	Brillion Elite Mini Monitor For Mid-Size Seeders (Use with Electric Clutch Option Listed Below) - See Page 53 for More Information	19.0 lbs.	2,844.00					
9J495	Speed Up Kit (Doubles Output)	3.0 lbs.	80.00					
9K439	Electric Clutch - Factory Installed Only (In Lieu of Regular Transmission)	81.0 lbs.	ADD 2,321.00					

**Shipping Notice:** Seeders are factory assembled (except for drawbar, lights and tires) for shipment on factory and dealer trucks. If seeders are to be shipped via commercial carrier, they are shipped knocked down and crating is required. Crating charge is \$500.00. Crate weights are as follows: 8′ - 160 lbs., 10′ - 188 lbs., 12′ - 216 lbs. Please add part number **205551** to order for crating charge for 8′ seeders, **205552** for 10′ seeders, or **205553** for 12′ seeders.



### Ag Seeders - High Capacity Series

**Seed Rate Charts** 

SS2081 High Capacity Seeder

SS2101 High Capacity Seeder

		ı	POUN	IDS F	ER A	CRE					F	POUN	IDS P	ER A	CRE		
INDICATOR SETTINGS	1A	2A	3A	4A	5A	6A	7A	8A	INDICATOR SETTINGS	1A	2A	3A	4A	5A	6A	7A	8A
Alfalfa (Uncoated)	3	8	14	20	25	31	37	42	Alfalfa (Uncoated)	3	8	15	22	27	34	41	46
Bahia	2	6	11	15	20	25	29	32	Bahia	2	7	12	17	22	27	32	35
Bermuda (Hulled)	3	8	14	22	26	32	37	42	Bermuda (Hulled)	3	8	15	24	29	35	41	47
Birdsfoot Trefoil (Broadleaf)	3	9	15	22	32	39	48	56	Birdsfoot Trefoil (Broadleaf)	3	10	17	24	35	42	52	61
Blue Grass (Kentucky)	2	3	5	8	9	12	14	15	Blue Grass (Kentucky)	2	3	5	8	10	14	15	17
Blue Grass (Park Kentucky)	2	3	5	8	12	15	20	26	Blue Grass (Park Kentucky)	2	5	8	14	17	22	25	29
Blue Grass (Sherman Big)	1	2	5	6	8	9	11	12	Blue Grass (Sherman Big)	1	2	5	7	8	10	12	14
Canola*	2	8	12	19	23	28	32	39	Canola*	2	8	14	20	25	30	35	42
Centipede	3	8	9	14	19	22	25	28	Centipede	3	8	10	15	20	24	27	30
Clover (Alsike, Ladino, Sweet, Red)	3	9	14	20	26	32	37	43	Clover (Alsike, Ladino, Sweet, Red)	3	10	15	22	19	35	41	47
Clover (Alyce, Calif. Bur., Crimson, Hubam)	3	8	12	19	26	31	37	46	Clover (Alyce, Calif. Bur., Crimson, Hubam)	3	8	14	20	29	34	41	51
Crested Wheat	1	2	3	5	6	8	9	11	Crested Wheat	1	2	3	5	7	8	10	12
Crown Vetch	3	11	17	23	31	37	45	53	Crown Vetch	3	12	17	25	34	41	49	57
Flax	3	8	12	15	20	25	29	32	Flax	3	8	14	17	22	27	32	35
Harding Grass	2	6	9	14	17	22	25	28	Harding Grass	2	7	10	15	19	24	27	30
Klein Grass	3	8	15	20	28	36	43	48	Klein Grass	3	8	17	22	30	39	47	52
Lespedeza (Korean Unhulled)	2	6	11	15	22	26	32	37	Lespedeza (Korean Unhulled)	2	7	12	17	24	29	35	41
Lespedeza (Korean Hulled)	3	8	14	20	25	32	39	43	Lespedeza (Korean Hulled)	3	8	15	22	27	35	42	47
Lespedeza (Sericea Unhulled)	2	5	8	12	17	20	23	26	Lespedeza (Sericea Unhulled)	2	5	8	14	19	22	25	29
Lespedeza (Sericea Hulled)	3	9	15	23	29	37	45	50	Lespedeza (Sericea Hulled)	3	10	17	25	32	40	49	54
Love Grass (Weeping)	2	9	15	20	26	34	40	48	Love Grass (Weeping)	2	10	17	22	29	37	44	52
Love Grass (Sand)	3	8	12	17	23	29	36	42	Love Grass (Sand)	3	8	14	19	25	32	39	46
Millet	3	9	15	22	28	34	40	48	Millet	3	10	17	24	30	37	44	52
Red Top	2	3	6	8	9	11	12	14	Red Top	2	3	7	8	10	12	14	15
Reed Canary Grass	2	3	6	9	11	14	15	20	Reed Canary Grass	2	3	7	10	12	15	17	22
Switch Grass (Cleaned and Hulled)	1	3	6	8	11	14	17	20	Switch Grass (Cleaned and Hulled)	1	3	7	8	12	15	19	22
Tillage Radish*	3	10	16	22	28	35	41	48	Tillage Radish*	3	10	16	22	29	35	42	49
Timothy	3	6	11	17	22	28	34	39	Timothy	3	7	12	19	24	30	37	42
* Comp Cracked Coods Ware Observed at Cot	4:	102							* Coma Crackad Coods Wara Obsaniad at Co		100						

<sup>\*</sup> Some Cracked Seeds Were Observed at Settings 1 & 2

#### SS2121 High Capacity Seeder

	POUNDS PER ACRE								
INDICATOR SETTINGS	1A	2A	3A	4A	5A	6A	7A	8A	
Alfalfa (Uncoated)	4	8	16	23	28	35	41	47	
Bahia	1	7	12	17	23	28	32	36	
Bermuda (Hulled)	4	8	16	24	29	36	41	48	
Birdsfoot Trefoil (Broadleaf)	4	11	17	24	36	43	53	61	
Blue Grass (Kentucky)	1	4	5	8	11	13	16	17	
Blue Grass (Park Kentucky)	1	5	8	13	17	23	25	29	
Blue Grass (Sherman Big)	1	1	5	7	8	11	12	13	
Canola*	1	8	13	20	25	31	36	43	
Centipede	4	8	11	16	20	24	28	31	
Clover (Alsike, Ladino, Sweet, Red)	4	11	16	23	29	36	41	48	
Clover (Alyce, Calif. Bur., Crimson, Hubam)	4	8	13	20	29	33	41	51	
Crested Wheat	1	1	4	5	7	8	11	12	
Crown Vetch	4	12	19	25	35	41	49	59	
Flax	4	8	13	17	23	28	32	36	
Harding Grass	1	7	11	16	19	24	28	31	
Klein Grass	4	8	17	23	31	39	48	53	
Lespedeza (Korean Unhulled)	1	7	12	17	24	29	36	41	
Lespedeza (Korean Hulled)	4	8	16	23	28	36	43	48	
Lespedeza (Sericea Unhulled)	1	5	8	13	19	23	25	29	
Lespedeza (Sericea Hulled)	4	11	17	25	32	41	49	55	
Love Grass (Weeping)	1	11	17	23	29	37	44	53	
Love Grass (Sand)	4	8	13	19	25	32	39	47	
Millet	4	11	17	24	31	37	44	53	
Red Top	1	4	7	8	11	12	13	16	
Reed Canary Grass	1	4	7	11	12	16	17	23	
Switch Grass (Cleaned and Hulled)	1	4	7	8	12	16	19	23	
Tillage Radish*	3	10	16	23	29	36	42	49	
Timothy	4	7	12	19	24	31	37	43	

<sup>\*</sup> Some Cracked Seeds Were Observed at Settings 1 & 2

Brillion assumes no liability pertaining to seeding rates achieved with this seeder. Rates listed are general in nature and should be used as starting points only. Seed varieties and blends listed represent those calibrated through in-house test meters. Variations in actual rates may be realized due to differences in seed lots. For accurate rates with seeds being used, follow the calibration instructions listed on the seed chart inside the box cover or refer to the Operator's Manual. The information listed in the above seed charts is subject to change without notice.



<sup>\*</sup> Some Cracked Seeds Were Observed at Settings 1 & 2

**High Capacity Series** 



The SS Series High Capacity Seeders are built with many of the same features as the Standard Series and the Mid-Size Series Ag Seeders. A larger seed box capacity with narrow meter spacing provides the ultimate in high efficiency seeding. These units offer the proven Sure Stand concept in both three-point hitch and pull-type models. Pull-type models include all hydraulic equipment including new implement tires. Additional seed boxes are not an option on these High Capacity Series models.

STANDARD MACHINE SPECIFICATIONS								
Pull-Type Models - 6'6" Transport Height	12 3/4" Front Pulverizer Axle	Seed Box - Micro-Meter						
Pull-Type Models - 1'3" Road Clearance	8 5/8" Rear Pulverizer Axle	Seed Box Meter Spacing - 4 1/4"						
Three-Point Hitch - Cat. II Free Link	Greaseable Axle Bearings	9.5L x 15-8 Ply Tires on 8' Pull-Type Models						
Three-Point Hitch - Cat. II, IIIN Quick Coupler Hitch	Positive Ground Driven Seed Metering	11L x 15-12 Ply Tires on 10' & 12' Pull-Type Models						
All Welded Structural Steel Frame Construction	Seed Box Sight Windows	LED Warning Lights & SMV Emblem						
15 3/4" Cast Iron Front Pulverizer Roller	Seed Box Divider Kit	Pull-Type Models - Safety Chain Kit						
11 1/2" Cast Iron Rear Pulverizer Roller	Electric Clutch Kit	Powder Coat Paint						

Horsepower Requirements: 6 to 8 HP per Foot

Approximate Set-Up Time: Factory Assembled (2 Hours of Prep Time)

If Shipped on Commercial Carrier, Set-Up Time: 4 Hours

	Pricing Information								
Model Number	Description	Seed Box Capacity	Seeding Width	Overall Width	Approximate Weight	Suggested List Price			
SS-2081	8' Pull-Type Seeder	15 Bu.	8′	11′5″	2,438 lbs.	\$ 29,508.00			
SSP-2081	8' Three-Point Hitch Seeder	15 Bu.	8′	9'6"	2,101 lbs.	25,453.00			
SS-2101	10' Pull-Type Seeder	19 Bu.	10′	13′5″	2,830 lbs.	31,437.00			
SSP-2101	10' Three-Point Hitch Seeder	19 Bu.	10′	11′4″	2,481 lbs.	27,363.00			
SS-2121	12' Pull-Type Seeder	23 Bu.	12′	15′6″	3,503 lbs.	36,696.00			
SSP-2121	12' Three-Point Hitch Seeder	23 Bu.	12′	13′3″	2,906 lbs.	32,601.00			

Accessories & Optional Equipment								
Part Number	Description	Approximate Weight	Suggested List Price					
9J931	S-Tine Track Remover for 8' Seeder	148.0 lbs.	\$ 897.00					
9J438	S-Tine Track Remover for 10' Seeder	154.0 lbs.	922.00					
2K496	S-Tine Track Remover for 12' Seeder	159.0 lbs.	965.00					
9J932	Coil Tine Track Remover (Cannot be used with Scraper Kits)	105.0 lbs.	1,144.00					
244061	Scraper Kit for 8' Seeder (Front Roller Only)	99.0 lbs.	760.00					
244062	Scraper Kit for 10' Seeder (Front Roller Only)	135.0 lbs.	992.00					
244063	Scraper Kit for 12' Seeder (Front Roller Only)	150.0 lbs.	1,108.00					
5K275	Electronic Acre Meter Kit For High Capacity Seeders	2.0 lbs.	701.00					
236949	Brillion Elite Mini Monitor For High Capacity Seeders - See Page 53 for More Information	19.0 lbs.	2,844.00					

**Shipping Notice:** Seeders are factory assembled (except for drawbar, lights and tires) for shipment on factory and dealer trucks. If seeders are to be shipped via commercial carrier, they are shipped knocked down and crating is required. Crating charge is \$500.00. Crate weights are as follows: 8′ - 202 lbs., 10′ - 237 lbs., 12′ - 272 lbs. Please add part number **7K376** to order for crating charge for 8′ seeders, **7K377** for 10′ seeders or **7K378** for 12′ seeders.



### 4610-16 Agricultural Seeder

#### **Seed Rate Charts**

SS-16 Front Seed Box, 20 Bu., with Micro-Meters

	POUNDS PER ACRE								
INDICATOR SETTINGS	1A	2A	3A	4A	5A	6A	7A	8A	
Alfalfa (Uncoated)	3	7	13	19	23	29	34	39	
Bahia	1	6	10	14	19	23	27	30	
Bermuda (Hulled)	3	7	13	20	24	30	34	40	
Birdsfoot Trefoil (Broadleaf)	3	9	14	20	30	36	44	51	
Blue Grass (Kentucky)	1	3	4	7	9	11	13	14	
Blue Grass (Park Kentucky)	1	4	7	11	14	19	21	24	
Blue Grass (Sherman Big)	0	1	4	6	7	9	10	11	
Canola*	1	7	11	17	21	26	30	36	
Centipede	3	7	9	13	17	20	23	26	
Clover (Alsike, Ladino, Sweet, Red)	3	9	13	19	24	30	34	40	
Clover (Alyce, Calif. Bur., Crimson, Hubam)	3	7	11	17	24	28	34	43	
Crested Wheat	0	1	3	4	6	7	9	10	
Crown Vetch	3	10	16	21	29	34	41	49	
Flax	3	7	11	14	19	23	27	30	
Harding Grass	1	6	9	13	16	20	23	26	
Klein Grass	3	7	14	19	26	33	40	44	
Lespedeza (Korean Unhulled)	1	6	10	14	20	24	30	34	
Lespedeza (Korean Hulled)	3	7	13	19	23	30	36	40	
Lespedeza (Sericea Unhulled)	1	4	7	11	16	19	21	24	
Lespedeza (Sericea Hulled)	3	9	14	21	27	34	41	46	
Love Grass (Weeping)	1	9	14	19	24	31	37	44	
Love Grass (Sand)	3	7	11	16	21	27	33	39	
Millet	3	9	14	20	26	31	37	44	
Red Top	1	3	6	7	9	10	11	13	
Reed Canary Grass	1	3	6	9	10	13	14	19	
Switch Grass (Cleaned and Hulled)	0	3	6	7	10	13	16	19	
Teff - Tiffany Coated	4	9	14	20	27	31	38	44	
Tillage Radish*	3	9	13	19	24	30	35	41	
Timothy	3	6	10	16	20	26	31	36	

<sup>\*</sup> Some Cracked Seeds Were Observed at Settings 1 & 2

SSB-16 Rear Seed Box, 10 Bu., with Blade Agitator

		POUNDS PER ACRE						
INDICATOR SETTINGS	AGITATOR	1	2	3	4	5	6	
Bent Grass (L-93 Creeping)	Blade	20	62	123	183	251	341	
Blue Grass (Sherman Big)	Blade	3	16	42	68	108	147	
Blue Grass (Kentucky - Odyssey)	Blade	11	44	84	128	190	269	
Bluestem (Pawnee Big) (W/Beards)	Blade	0.5	2	4	6	9	13	
Bluestem (WW B. Dahl) (W/O Beards)	Blade	1	4	10	19	33	51	
Bluestem (Itasca Little)(W/O Beards)	Blade	0	0.5	2	3	5	9	
Brome (Meadow)	Blade	1	4	6	10	16	26	
Brome (Smooth)	Blade	2	5	10	16	28	47	
Buffalo Grass	Blade	3	12	36	62	92	123	
Buffel Grass	Blade	0	0.4	1	2	3	4	
Fescue (Creeping Red)	Blade	2	8	19	37	72	109	
Fescue (Tall)	Blade	7	29	64	119	172	236	
Festolium	Blade	9	24	57	83	156	211	
Grama (Side Oats)	Blade	1	3	5	9	14	21	
Indian Grass	Blade	1	2	4	6	8	10	
Orchard Grass (Unhulled)	Blade	3	9	21	42	73	117	
Rye Grass	Blade	3	17	39	66	108	150	
Wheatgrass (Intermediate)	Blade	2	7	17	29	50	75	

Not Recommended: Bluestems Other Than Those Shown, Zorro Fescue

Brillion assumes no liability pertaining to seeding rates achieved with this seeder. Rates listed are general in nature and should be used as starting points only. Seed varieties and blends listed represent those calibrated through in-house test meters. Variations in actual rates may be realized due to differences in seed lots. For accurate rates with seeds being used, follow the calibration instructions listed on the seed chart inside the box cover or refer to the Operator's Manual. The information listed in the



### 4610-16 Agricultural Seeder

The 4610-16 Agricultural Seeder takes the popular Sure Stand Ag Seeder to the next level. The 16' seeding width and 20-bushel capacity front seed box allows the operator to spend more time seeding and less time stopping to

fill the seed boxes, maximizing efficiency. The seeder is equipped with the proven Micro-Meter seed metering system and is able to seed a variety of seeds at the correct depth for optimal germination. The 4610-16

features pneumatic down pressure on the rear roller for better seed coverage while squeezing out air pockets in the seedbed. The heavy-duty frame supports the larger seed boxes delivering more weight per foot on the rollers. Soil clods are easily crushed, further fine-tuning the seedbed for

excellent germination rates. The 16' Seeder is available in a pull-type or three-point hitch configuration and is available with a single Micro-Meter seed box or with an additional rear brome box.

	Standard Machine Specifications									
Pull-Type Models - 7'6" Transport Height	15 3/4" Cast Iron Front Pulverizer Roller	Rear Seed Box Agitator Opening Spacing - 4"								
Pull-Type Models - 17'7" Transport Length	11 1/2" Cast Iron Rear Pulverizer Roller	Electric Clutch								
Pull-Type Models - 16" Road Clearance	12 3/4" Front Pulverizer Axle	Scale Ready								
Pull-Type Models - Cat. II or III Hitch*	8 5/8" Rear Pulverizer Axle	(4) 11L x 15-12 Ply Tires on Pull-Type Models								
Transport Width - 18'	1 3/4" Flange Bearings, Sealed	Pull-Type Models - Safety Chain Kit								
Three-Point Hitch - Cat. II, III Free Link	Positive Ground Driven Seed Metering	LED Warning Lights & SMV Emblem								
Three-Point Hitch - Cat. II, IIIN, III Quick Coupler Hitch	Front Seed Box - Micro-Meter	Convenience Features - Hand Rail, Step, Walkboard								
All Welded Structural Steel Frame Construction	Front Seed Box Meter Spacing - 8"	Powder Coat Paint								
Rear Roller Pneumatic Down Pressure	Rear Seed Box (SSB Models) - Blade Agitator									

Horsepower Requirements: 6 to 8 HP per Foot

Model SSB-16 Shown with Standard Equipment

Approximate Set-Up Time: 6 Hours

Required Three-Point Hitch Lift Capacity: 8,000 lbs. for SSP-16; 9,000 lbs. for SSBP-16

Pricing Information									
Model 4610-16	Description	Seed Box Capacity	Seeding Width	Overall Width	Approximate Weight	Suggested List Price			
SS-16	16' Pull-Type Seeder with Front Seed Box Only	20 Bu.	16′	18′	7,450 lbs.	\$ 59,415.00			
SSP-16	16' Three-Point Hitch Seeder with Front Seed Box Only	20 Bu.	16′	18′	6,125 lbs.	48,557.00			
SSB-16	16' Pull-Type Seeder with Front and Rear Seed Boxes	20 Bu. + 10 Bu.	16′	18′	8,030 lbs.	74,728.00			
SSBP-16	16' Three-Point Hitch Seeder with Front and Rear Seed Boxes	20 Bu. + 10 Bu.	16′	18′	6,610 lbs.	64,765.00			

Accessories & Optional Equipment								
Part Number	Description	Approximate Weight	Suggested List Price					
242477	Coil Tine Track Remover Kit for 16' Seeder	328.0 lbs.	\$ 2,999.00					
242478	S-Tine Track Remover Kit for 16' Seeder	344.0 lbs.	2,083.00					
242479	Hydraulic S-Tine Track Remover Kit for 16' Seeder	378.0 lbs.	3,145.00					
242480	Electronic Acre Meter Kit for 16' Seeder (Basic Clutch Only)	14.0 lbs.	715.00					
242481	Brillion Elite Mini Monitor Kit for SS-16 and SSP-16 - See Page 53 for More Information	20.0 lbs.	2,844.00					
242482	Brillion Elite Mini Monitor Kit for SSB-16 and SSBP-16 - See Page 53 for More Information	29.0 lbs.	3,251.00					
242483	Cage Agitator Kit for SSB-16 and SSBP-16 Rear Seed Box	14.0 lbs.	795.00					
242484	5-Strip Brush Agitator Kit for SSB-16 and SSBP-16 Rear Seed Box	57.0 lbs.	1,670.00					
242485	8-Row Brush Agitator Kit for SSB-16 and SSBP-16 Rear Seed Box	17.0 lbs.	3,061.00					
234480	Scale Kit for 16' Seeder	37.0 lbs.	3,958.00					
244095	Speed Up Kit for Front Seed Box (1 Required)	2.0 lbs.	230.00					

<sup>\*</sup> When ordering the pull-type model (SS-16 or SSB-16), please specify which hitch (Cat. II or Cat. III) is needed. The price of the hitch is included in the base price of the machine.

Prices and Specifications may be subject to change without notice. Prices do not include shipping or setup.