




## FLEXIBLE HARROWS





**Flexible harrows offer versatile designs to match your specific needs:**

- **Ring maintenance** for smooth well prepared traction
- **Pasture renovation**, by breaking up and leveling heavy soil
- **Root aeration**, for better water infiltration and growth
- **Covers broadcasted seed** for effective incorporation
- **Works in fertilizer** to both spread and maximize effectiveness
- **Herbicide incorporation**, as it levels & seals the herbicide in the ground
- **Scarifies** hay and pasture land to stimulate new growth and loosen soil
- **Self-cleaning action** spreads straw and heavy residue
- **Saves time and fuel** as the harrow can be pulled with a truck or ATV
- **Eliminates crusting**, breaks up clods and smooths cultivated ground

## 1. You'll be moving in the right direction.

Depending on the direction in which the harrow is pulled, tines can be adjusted to become passive or aggressive.




## 2. You'll cut work time in half.

The front and rear section of our harrows can be independently adjusted, allowing you to complete two jobs in one pass.



▲ **Smoothing:** Front section—tines up, Rear section—tines up


◀ **Light penetration:** Front section—tines angled down, Rear section—tines angled down



◀ **Maximum penetration:** Front section—tines straight down, Rear section—tines straight down

## 3. You can customize for your needs.

A complete range of different types of harrow sections are available to meet your specific needs. Drawbars are available for widths from 4' to 14'. Connectors are available to couple two sets together to increase the working width range to 24'.



| Harrow Width                  | 4'  | 6'  | 10' |
|-------------------------------|-----|-----|-----|
| Length of tine                | 4"  | 4"  | 4"  |
| Points of contact per section | 120 | 192 | 312 |
| Weight per section            | 132 | 196 | 328 |

## 4. You make the choice.

For pasture applications, we offer harrows that can be pulled by tractors, jeeps, pickups, ATVs, or 4-wheelers.



An affordable approach to maintaining pasture. Effectively prepare your ring, paddock or track.

Perfect for harrowing on pasture grass, tracks and arenas. Offers unmatched tine ground contact.

## 5. You can't buy a better harrow.

We are continuing the spirit of innovation by consistently offering the finest, most innovative harrows available on the market today. We offer a 1/2" tine, superior to any other tine in the industry.

Why settle for anything less?  
Contact your nearest dealer today.







GENERAL  
**Titan**  
FLEXIBLE HARROW



**Flexible Harrows  
modular design  
offers unmatched  
versatility**


- Scarifies hay and pasture land to stimulate new growth and loosen crusted surfaces
- Pasture Renovation by breaking up and leveling heavy soil
- Root Aeration for better water infiltration and growth
- Covers Broadcast Seed for effective germination
- Works In Fertilizer to spread while maximizing effectiveness
- Herbicide Incorporation to level the ground and seal in herbicide for maximum effect
- Self Cleaning Action spreads difficult material without plugging the tines
- Heavy duty construction for industrial and contractor usage
- Excellent for secondary field cultivation





# Titan

FLEXIBLE HARROW



## Based on the original 1885 invention

**You'll be moving in the right direction**  
Depending on the direction in which the harrow is pulled, the tines can be adjusted to become aggressive (A) or passive (B).

**You'll cut work time in half**  
The heavy duty 5/8 steel harrow makes quick work of heavy soils and tough conditions with close tine spacing and non-clogging action.

**You can customize your needs**  
A complete range of different size harrow sections are available to meet your specific needs. Titan sections are available in 4' and 6' widths. Drawbars are available in widths from 4' to 18'. Connectors are available to couple two sets together to increase the working width range to 24', or greater widths with a hydraulic cart.

**You make the choice**  
For pasture applications, we offer Titan harrows in either 6' or 7'4" long.

**You can't buy a better harrow**  
The flexible harrow was invented in 1885. Since that time, Parmiter has continued the spirit of innovation by consistently offering the finest, most innovative harrows on the market today manufactured using the finest quality high-carbon steels.

Titan sections can be used in multiples of 4' or 6'



behind the other in 4' or 8' depths



### 3-POINT LIFT

Ideal for transporting harrows out of the machine shed, down the road, and into the field quickly and efficiently.

- Fits all Cat. I and II 3-point hitches
- Mounts, dismounts quickly and easily
- Provides convenient transportation
- Fits all 4' to 14' Parmiter Harrows
- Does not interfere with action of harrow
- Lifts and lowers on-the-go from tractor seat
- Permits higher speeds, greater maneuverability
- Occupies minimum storage space



Easily mounts to lift carts


| Description/Size (Width x Length) | Weight          | No. of Tines |
|-----------------------------------|-----------------|--------------|
| TITAN 4' X 6' SECTION, 5/8"       | 192 lbs (87kg)  | 80           |
| TITAN 6' X 6' SECTION, 5/8"       | 308 lbs (140kg) | 128          |
| TITAN 4' X 7'4" SECTION, 5/8"     | 234 lbs (107kg) | 100          |
| TITAN 6' X 7'4" SECTION, 5/8"     | 373 lbs (170kg) | 160          |

Titan Pullpoint Spacing - 9.75 inches

Titan Drawbars are available in 4', 6', 8', 10', 12', 14', 16' and 18' lengths  
Connectors Available in 8', 10' and 12' lengths



# VULCAN HARROW



**Check out the New VULCAN section with  
3/4" tines!**





**The Vulcan harrow measures at  
6' wide x 8' deep with 3/4"  
diameter tines.**





## HARROW SECTIONS

| <u>MODEL</u> | <u>DESCRIPTION</u> | <u>WEIGHT</u> | <u>LIST PRICE</u> |
|--------------|--------------------|---------------|-------------------|
| Atlas 4'     | 4'x4' harrow 1/2"  | 67#           | \$246.00          |
| Atlas 6'     | 6'x4' harrow 1/2"  | 108#          | \$361.00          |
| Hercules 4'  | 4'x8' harrow 1/2"  | 135#          | \$457.00          |
| Hercules 6'  | 6'x8' harrow 1/2"  | 217#          | \$719.00          |
| Titan 4'     | 4'x6' harrow 5/8"  | 195#          | \$605.00          |
| Titan 4' XL  | 4'x8' harrow 5/8"  | 234#          | \$739.00          |
| Titan 6'     | 6'x6' harrow 5/8"  | 317#          | \$930.00          |
| Titan 6' XL  | 6'x8' harrow 5/8"  | 373#          | \$1,137.00        |
| Vulcan 6'    | 6'x8' harrow 3/4"  | 450#          | \$1,350.00        |



## DRAWBARS

| <u>MODEL</u> | <u>DESCRIPTION</u> | <u>WEIGHT</u> | <u>LIST PRICE</u> |
|--------------|--------------------|---------------|-------------------|
| 4' DB        | 4' drawbar         | 30#           | \$132.00          |
| 6' DB        | 6' drawbar         | 35#           | \$161.00          |
| 8'DB         | 8' drawbar         | 46#           | \$194.00          |
| 10'DB        | 10' drawbar        | 57#           | \$228.00          |
| 12'DB        | 12' drawbar        | 68#           | \$317.00          |
| 14'DB        | 14' drawbar        | 85#           | \$374.00          |
| 16'DB        | 16' drawbar        | 93#           | \$468.00          |
| 18'DB        | 18' drawbar        | 99#           | \$549.00          |
| 20' CONN     | 20' connector*     | 57#           | \$291.00          |
| 24' CONN     | 24' connector*     | 71#           | \$374.00          |

\*For 1/2" only

