

# **BALEBOSS**

**SQUARE BALE PROCESSOR**



28



## SOMETIMES HAVING ALL YOUR WORK AHEAD OF YOU IS A GOOD THING.

The Boss 1 is a square bale processor that mounts on your skidsteer or tractor loader combining adaptability with accessibility. Now you can feed and bed in the tight spots that are nearly impossible to get to with a trail behind processor. From feeding to bedding, this hydraulically driven processor is ready to take charge.

The unique loader-mount design means you can raise the Boss 1 above gates and pens giving you greater control of where the bale ends up. The versatility of a loader mounted unit makes operating it easier and more comfortable. Because the Boss 1 is upfront, loading bales is quick and simple, just Scoop N' Go.

The Boss 1 handles mid size square bales up to 8 feet long. By simply adjusting the distribution chute your Boss 1 is now ready to go from bedding straw, to fence-line feeding, to filling bunkers, to windrowing large bales for rebaling.

Put hard work behind you and get a Boss 1 upfront.

SPECIFICATIONS	BALE BOSS 1
Min hyd. flow	18 gpm*
Weight	1200 lbs
Width	122"
Length	58"
Height	52"
Bale sizes	32"x34" and 34"x48", up to 96" long

\* for optimal spreading performance high flow is recommended



## FEATURES

### DUAL TOP PADDLE ROLLERS

### OPTIONAL THIRD BEATER

### FLAIL ROTOR

### ADJUSTABLE CHUTE

### SKIDSTEER/LOADER MOUNT

### HYDRAULIC DRIVE



The aggressive dual top paddle rollers make sure you get a consistent feed of the bale.



This optional beater assists with the processing of 3 x 4 bales.



The Boss 1 has 12 flails to provide consistent processing performance.



The variable position chute allows you to go from bedding, to feeding, to windrowing.



A quick attach makes connections a breeze.



The adjustable hydraulic drive gives you total control of bale processing.







## BALE BOSS 2

SQUARE BALE PROCESSOR

### LEAVE IT TO THE BOSS.

The BOSS 2 is the perfect tool for all of your Square bale processing needs. From bedding to feeding, the BOSS 2 can manage it all.

The BOSS 2 is fully adjustable to fit 3'x3', 3'x4' and 4'x4' square bales, up to 9' long monsters. The adjustable distribution chute allows the same machine to bed livestock with bales of straw then feed into bunkers or windrows with only a quick adjustment. The adjustments don't stop there. The BOSS 2 is also equipped with adjustable cutting knives that help to further chop up bedding material for a finer and more consistent spread.

The hydraulic feed is also adjustable, allowing you to control the flow and speed of feeding. The flail roller is PTO-driven and adaptable to either 540 or 1000 RPMs, while the upper paddle roller is hydraulically controlled and also fully adjustable. The hydraulic self-loading forks allow you to load one bale and have another standing by ready to go.

SPECIFICATIONS	BALE BOSS 2
HP Required	80-180
Tire	12.5L x 15
Weight	3860 lbs
Width	143"
Height	93"
Length	130"
PTO	540 or 1000 RPM



## OPTIONS

### ADJUSTABLE CUTTING KNIVES



The adjustable cutting knives can be raised to further process material cutting it as small as 4.5 inches for more uniform bedding material.

## FEATURES

### ADJUSTABLE DISTRIBUTION CHUTE



The adjustable chute allows you to quickly change between fence line feeding, bunker feeding, or windrowing - all with precise control.

### TOP PADDLE ROLLER



The paddle roller feeds the top portion of the bale into the flail. Height and speed adjustments allow for different sized bales.

### ADJUSTABLE HYDRAULICS



All hydraulics on the BOSS are adjustable so you can find the perfect combination of speed and material for your application.

### BELT TENSIONER




The adjustable belt tensioner allows simple worry free servicing of the main drive.



## BALEBOSS 4 SQUARE BALE PROCESSOR

Providing increased capacity the Bale Boss 4 can carry up to four 4'x4'x9'. The bales are easily loaded with the hydraulic self loading deck. Raise the deck to spear your stack then lower it back into position. Equipped with dual apron chains the hydraulically driven drive system simultaneously powers two apron chains, ensuring that the bales glide across the deck and into the awaiting shredder.



## FEATURES

### SPECIFICATIONS

SPECIFICATIONS	BALE BOSS 4
Overall Length	28'
Overall Width	12.5'
Bale Bed Length	17'
Bale Bed Width	8'
Shipping Weight	11000 lbs
Bale Bed Picks Up	4 - 4'x4' bales
Shredder Deck Accepts	4'x4'x9' (removed for shipping)
Tires	Tandem Lug Tires 12.4x24x8
Adjustable Tongue Height	Yes

### SPEARS WITH CUTTING KNIVES



### BALE SHREDDER



### DUAL APRON CHAINS




### APRON CHAIN DRIVE SYSTEM



**BALEBOSS**  
SQUARE BALE PROCESSOR



**GENERAL  
IMPLEMENT**  
DISTRIBUTORS



## BOSS I-4920 - SQUARE BALE PROCESSOR LOADER MOUNT

**\$27,400.00**

- Shreds 4' x 4' x 8' straw/hay bales
- Lays windrows in open fields.
- Fills bunk style feeders
- Spreads straw for bedding
- Hydraulic drive – Min. 20-40 G. .M./3000 P.S.I. required.
- Shipping weight – 3,300 lbs
- Dimensions – 74.75" x 146.5" x 68" (lwh)

- Four adjustable retainer bars for even and controlled feed
- Knives for additional processing
- Large 25" diameter drum
- Two 9" feed rollers
- 16 tines (1/2" x 2")
- Drop rotor housing for feeding or windrowing

**Note:** Bolt on attachment / lugging not included in base price.  
Please add the appropriate mount from below.

### BOLT ON LOADER MOUNTS

<b>BSADB0500</b>	Heavy Duty Universal Skid Steer Mount (for telehandlers and smaller wheel loaders with skid steer mount)	<b>\$625.00</b>
<b>BSAD49</b>	Industrial Quick Attach Lugging (for industrial loaders)	<b>\$2,265.00</b>





## **BOSS I-3720HF - HIGH PERFORMANCE SQUARE BALE PROCESSOR SKID STEER / LOADER MOUNT**

**\$21,500.00**

- Shreds 36" x 36" x 84" straw/hay bales
- 7/16" x 2" flails
- Lays windrows in open fields
- Fills bunk style feeders
- Spreads straw for bedding
- Features a high flow gear motor for increased performance
- Hydraulic drive - Min. 18-40 G. .M./2500 P.S.I. required.
- **Requires case drain to be hooked up**
- Shipping weight – 1,590 lbs
- Dimensions – 52" x 110" x 53" (lwh)
- 2 adjustable retainer bars for even and controlled feed
- Knives for additional processing
- Drop rotor housing for feeding or windrowing
- Comes standard with universal skidsteer mount

**Note:**  
**BSB1127**  
**BS36916**

If not a skidsteer - specify the loader model for exact pricing  
John Deere skidsteers require additional angle adaptor  
Top beater kit for 3 x 4 bales (20 Series)

**\$365-\$955.00**  
**\$410.00**  
**\$1,310.00**

## **ADAPTER BOLT ON KITS**

**BSADA0600**  
**BSADJD540**  
**BSADJD640**

Bolt on Kit - Global Adaptor  
Bolt on Kit - John Deere 540  
Bolt on Kit - John Deere 640

**\$785.00**  
**\$785.00**  
**\$1,055.00**







## **BOSS I-3820HF - HIGH PERFORMANCE SQUARE BALE PROCESSOR SKID STEER / LOADER MOUNT**

**\$22,400.00**

- Shreds 36" x 36" x 96" straw/hay bales
- 7/16" x 2" flails
- Lays windrows in open fields
- Fills bunk style feeders
- Spreads straw for bedding
- Features a high flow gear motor for increased performance
- Hydraulic drive - Min. 18-40 G. .M./2500 P.S.I. required.
- **Requires case drain to be hooked up**

- Shipping weight – 1,640 lbs
- Dimensions – 52" x 122" x 53" (lwh)
- Two adjustable retainer bars for even and controlled feed
- Knives for additional processing
- Drop rotor housing for feeding or windrowing
- Comes standard with universal skidsteer mount

### **OPTIONAL EQUIPMENT (3820)**

<b>Note:</b>	If not a skidsteer - specify the loader model for exact pricing	<b>\$365-\$955.00</b>
<b>BSB1127</b>	John Deere skidsteers require additional angle adaptor	<b>\$410.00</b>
<b>BS36916</b>	Top beater kit for 3 x 4 bales (20 Series)	<b>\$1,310.00</b>

### **ADAPTER BOLT ON KITS**

<b>BSADA0600</b>	Bolt on Kit - Global Adaptor	<b>\$785.00</b>
<b>BSADJD540</b>	Bolt on Kit - John Deere 540	<b>\$785.00</b>
<b>BSADJD640</b>	Bolt on Kit - John Deere 640	<b>\$1,055.00</b>





**BOSS II - SQUARE BALE PROCESSOR  
SELF LOADING TRAILER  
BOSSII5 (540 RPM)  
BOSSII1 (1000 RPM)**

**\$35,650.00**

- Two bale capacity
- Twine guard
- Bale sizes: 3x3, 4x3, or 4x4, up to 8 ft. long
- 540 or 1000 RPM PTO drive
- 80-180 HP requirement
- 12.5L x 15 implement tires
- Shipping weight – 4,170 lbs.
- Length – 126", • Width – 140", • Height – 90"



Optional Special Track Width Shown

## OPTIONAL EQUIPMENT

**BOSSCK  
WHE15LT  
BOSSPT  
43794  
42294**

Adjustable Cutting Knives  
29/12.5 x 15 tractor lug tire (Factory upgrade. Price per set)  
Special Track Width available for produce farming (Factory Install)  
Hydraulic Actuator for Deflector (Runs direct to tractor remote)  
Hydraulic Actuator for Deflector (Runs through diverter valve, off  
bale lift cylinder)

**\$1,435.00  
\$490.00  
\$2,320.00  
\$1,185.00  
\$1,550.00**







**BOSS II HEAVY DUTY - HEAVY DUTY SQUARE BALE PROCESSOR**  
**SELF LOADING TRAILER**  
**BOSSII5 (540 RPM)**  
**BOSSII1 (1000 RPM)**

**\$46,250.00**

- Two bale capacity
- Twine guard
- Bale sizes: 3x3, 4x3, or 4x4, up to 8 ft. long
- 540 or 1000 RPM PTO drive
- 120-250 HP requirement
- 12.5L x 15 implement tires
- Shipping weight – 5,150 lbs.
- Length – 126", • Width – 144", • Height – 94"



Shown with optional WHE15LT tire package.

**OPTIONAL EQUIPMENT**

<b>BOSSCK</b>	Adjustable Cutting Knives	<b>\$1,435.00</b>
<b>WHE15LT</b>	29/12.5 x 15 tractor lug tire (Factory upgrade. Price per set)	<b>\$490.00</b>
<b>BOSSPT</b>	Special Track Width available for produce farming (Factory Install)	<b>\$2,320.00</b>





## **BOSS IV - SQUARE BALE PROCESSOR SELF LOADING TRAILER**

**\$112,550.00**

- Four bale capacity
- Bale sizes: 3x3, 4x3, or 4x4, up to 9 ft. long
- 540 or 1000 RPM PTO drive
- 120-250 HP requirement
- Tandem lug tires 12.4x24x8
- Adjustable tongue height

- Bale bed length 204", Bale bed width 96"
- Overall Dimensions: 336"x150"
- Shipping weight: 11,000 lbs.
- Shipping Dimensions: 204"x100"

