

*Worksaver.*

*Designed.  
Engineered.  
Remarkable  
Value.*



# Box Scrapers

**Ideal for the owner who requires a rugged built  
Box Scraper for long dirt moving life.**



## Worksaver Box Scrapers

- Built rugged for long dirt moving life.
- Formed Moldboard for superior performance.
- Reversible cutting edges are ½ x 6” resulting in greater durability.
- Heat-treated (dimple- on) tips for extended life of scarifiers.
- Ideal for leveling, finish grading and backfilling at building sites, feedlots and outdoor arenas.
- Features cuttings front and rear.
- Heat-treated steel shanks scarify the ground for excellent soil preparation.
- Scarifiers are height adjustable.

### BOX SCRAPER SPECIFICATIONS

Model	BX-42	SBX-4	SBX-5	SBX-5-1/2	SBX-6	SBX-7	SBX-8
Item No.	341615	341320	341325	341330	341335	341340	341345
Working Width	42 in.	4 ft.	5 ft.	5-1/2 ft.	6 ft.	7 ft.	8 ft.
Overall Depth	21-1/2 in.	21-1/2 in.	21-1/2 in.	21-1/2 in.	21-1/2 in.	21-1/2 in.	21-1/2 in.
Hitch Category	Cat. 0	Cat. 0/I	Cat. I	Cat. I	Cat. I	Cat. I	Cat.I
Scarifiers	None	3	4	4	5	6	7
Cutting Edge	½ x 6”	½ x 6”	½ x 6”	½ x 6”	½ x 6”	½ x 6”	½ x 6”
Recommended HP	15-20	18-25	20-25	25-40	25-40	30-40	35-45
Shipping Weight lbs.	124 lbs.	298 lbs.	376 lbs.	418 lbs.	454 lbs.	530 lbs.	568 lbs.



**READ AND UNDERSTAND OPERATOR'S MANUAL BEFORE OPERATION.**




**BE SURE FRONT OF TRACTOR IS PROPERLY COUNTERBALANCED WITH WEIGHTS.**



**NEVER ALLOW CHILDREN OR BYSTANDERS AROUND TRACTOR WHEN YOU ARE USING EQUIPMENT.**

Worksaver Inc. has a corporate policy of continuous product improvement and development; therefore, specifications are subject to change without any advance notice. Worksaver Inc. is not responsible for differences between specifications or illustrations contained in this publication and the actual equipment.

## Acreage Attachments

<b>Box Scrapers</b>					
Fixed back design with reversible 6" cutting edges. Cat. I (7/8" pins)					
	<b>SBX-4</b>	341320	4-ft Std. (3 Shanks) For Tractors 18 –25 hp Cat. I (7/8" pins), Quick Hitch Compatible	320	1,036.00
	<b>SBX-5</b>	341325	5-ft Std (4 Shanks) For Tractors 20-32 hp Cat. I (7/8" pins), Quick Hitch Compatible	378	1,211.00
	<b>SBX-6</b>	341335	6 –ft Std (5 Shanks) For Tractors 25 – 40 hp Cat. I (7/8" pins), Quick Hitch Compatible	428	1,421.00
	<b>SBX-7</b>	341340	7-ft Std (6 Shanks) For Tractors 25 –40 hp Cat. I (7/8" pins), Quick Hitch Compatible	469	1,792.00