

SEEDERS/SPREADERS

Worksaver.

*Designed.
Engineered.
Remarkable
Value.*



WORKSAVER®

Model CS-694, CS-1094 CSP-1094 Spreaders

Available in six or ten bushel capacity to meet all your spreading requirements.



Choice of (3) Spread Patterns

SEEDERS/SPREADERS

Worksaver Model CS-694, CS-1094, CSP-1094

MODEL CS-694 SPECIFICATIONS

Capacity	Six (6) bu. (500 lb.)
Hopper construction	Steel
Main frame construction	Tubular Steel
O.D. size of steel tubing (in/mm)	2-3/8 / (60mm)
Drive system	Tractor PTO
PTO driveline	Metric Series I
PTO speed	540 rpm
Fully shield drive	Standard
Spreader drive	PTO / Gear Box
Spreader patterns	Left, Center, Right
Hitch requirement	Cat. I (7/8" Dia. Lift pins)
Shipping weight (lb./kg)	110 / (50 kg)
Product Computer Number	420700

MODEL CS-1094 / CSP-1094 SPECIFICATIONS

Capacity	Ten (10) bu. (800 lb.)
Hopper construction	Steel (CS-1094) Poly (CSP-1094)
Main frame construction	Tubular Steel
O.D. size of steel tubing (in/mm)	2-3/8 / (60mm)
Drive system	Tractor PTO
PTO driveline	Metric Series I
PTO speed	540 rpm
Fully shield drive	Standard
Spreader drive	PTO / Gear Box
Spreader patterns	Left, Center, Right
Hitch requirement	Cat. I (7/8" Dia. Lift pins)
Shipping weight (lb./kg) (Steel Hopper).....	122 / (55 kg)
(Poly Hopper).....	112 / (51 kg)
Product Computer Number	420800 (CS-1094)
Product Computer Number.....	420850 (CSP-1094)

- Choice of (3) spread patterns.
- Adjustable spinner fins.
- Accurate broadcasting of grass seed, wheat or fertilizer.
- PTO operated for optimum performance.
- Fits Category I three-point hitches.
- Tubular steel main frame.
- Optional rotating wheel agitator for lime.
- Symmetric spreading for optimum overlap.
- Cone shaped hopper provides easy material flow.



READ AND UNDERSTAND OPERATOR'S MANUAL BEFORE OPERATION.


Worksaver Inc. has a corporate policy of continuous product improvement and development; therefore, specifications are subject to change without any advance notice. Worksaver Inc. is not responsible for differences between specifications or illustrations contained in this publication and the actual equipment.

SEEDERS/SPREADERS

Prices Effective as of 4-22



Acreage Attachments

Seeders / Spreaders – PTO Driven					
Tractor 3-pt mounted Cat I w/ 7/8" pins					
Product	Model	Item #	Description	Lbs.	List
	CS-694	420700	6-bushel steel cone PTO Seeder / Spreader. Designed for standard tractors Holds approximately 480 lbs.	110	1,043.00
	CS-1094	420800	10-bushel steel cone PTO Seeder / Spreader. Designed for standard tractors. Holds approximately 900 lbs.	122	1,120.00
		420725	Optional wheel-type lime agitator for CS-series cone seeders	3	105.00



Prices and Specifications may be subject to change without notice. Prices do not include shipping or setup.