

Snow Blades

Designed for skid steers and tractor front loaders, heavy duty snow blades remove snow easily from driveways, parking lots or other large areas. Available in 5, 6, 7½ and 9 foot widths. 7½ and 9′ blades feature 5 degree lateral oscillation allowing these wider blades to easily follow the ground contour. SBS models utilize the "Universal" skid steer mounting system. SBFL models offer interfacing brackets for most tractor front loaders. SBC models easily install on compact tractors by clamping onto the bucket for fast snow removal.

- Ideal for residential or commercial snow removal.
- Two trip springs for controlled break over in snow.
- Blade floats to clean uneven surfaces.
- Reinforced 21" or 27" high 10-gauge moldboards provide long service life.
- 3/8" x 6" reversible cutting edge of 1044 steel.
- Two clamp-on models for compact tractors.
- Step-through design allows for easy access to skid steer seat.
- Quick hook up on skid steers or front loaders equipped with "Universal" mounting plate.
- Select models integrate either the Euro/Global or John Deere 400/500 series mounting for easier hook up.
- Blade angles right or left.
- Adjustable skid shoes are ½" thick and rotate for longer life.













Snow Blades Specifications

For skid steers and tractors with a recommended HP of 40-95 HP.

	SBFL-27108A	SSB-27108A	SBG-27108A	SBJD-27108A	SBFL-2790A	SBS-2790A	SBG-2790A	SBJD-2790A
Overall Width (in/cm)	108 / 274	108 / 274	108 / 274	108 / 274	90 / 229	90 / 229	90 / 229	90 / 229
Overall Height (in/cm)	27 / 69	27 / 69	27 / 69	27 / 69	27 / 69	27 / 69	27 / 69	27 / 69
Moldboard Thickness	10-gauge	10-gauge	10-gauge	10-gauge	10-gauge	10-gauge	10-gauge	10-gauge
Cutting Edge (in/mm) 3/8 x 6 / 9.525 x 152.4	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
5° Lateral Oscillation	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Extension Trip Springs	2	2	2	2	2	2	2	2
Manual Angle Positions	N/A	N/A	N/A	N/A	5	5	5	5
Width @ Full Angle	96 / 244	96 / 244	96 / 244	96 / 244	80 / 203	80 / 203	80 / 203	80 / 203
Tractor Loader Mount	*Brackets Req.	N/A	Euro / Global	400 / 500 JD	*Brackets Req.	N/A	Euro / Global	400 / 500 JD
Skid Steer Mount	N/A	Universal	N/A	N/A	N/A	Universal	N/A	N/A
Adjustable Skid Shoes	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Horse Power Rating	50-95 HP	50-95 HP	50-95 HP	50-95 HP	40-80 HP	40-80 HP	40-80 HP	40-80 HP
Weight (lbs/kg)	748 / 339	735 / 333	717 / 325	765 / 347	660 / 299	646 / 293	630 / 286	675 / 306
Hydraulic Angle Kit	Standard	Standard	Standard	Standard	Optional	Optional	Optional	Optional
Crossover Ref. Valve	Standard	Standard	Standard	Standard	Optional	Optional	Optional	Optional
Optional Top Deflector	360230	360230	360230	360230	360227	360227	360227	360227
Optional Sight Indicator	360235	360235	360235	360235	360235	360235	360235	360235
Product No.	360075	360070	360078	360275	360040	360000	360090	360270

^{*}Optional interfacing quick attach brackets available for most popular models.



WARNING: Read and understand the operator's manual before operation. Be sure tractor/skid steer is properly counterbalanced. Damage to equipment or personal injury could occur.











Snow Blades Specifications

Models 2160 & 2172 are for skid steers and tractors with a recommended HP of 25-45 HP. SBC clamp-on models are for tractors with a recommended HP up to 35 HP.

	SBFL-2172	SBS-2172	SBC-2172	SBJD-2172	SBFL-2160	SBS-2160	SBC-2160	SBJD-2160
Overall Width (in/cm)	72 / 183	72 / 183	72 / 183	72 / 183	60 / 152	60 / 152	60 / 152	60 / 152
Overall Height (in/cm)	21 / 53	21 / 53	21 / 53	21 / 53	21 / 53	21 / 53	21 / 53	21 / 53
Moldboard Thickness	10-gauge	10-gauge	10-gauge	10-gauge	10-gauge	10-gauge	10-gauge	10-gauge
Cutting Edge (in/mm) 3/8 x 6 / 9.525 x 152.4	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Extension Trip Springs	2	2	2	2	2	2	2	2
Manual Angle Positions	5	5	5	5	5	5	5	5
Width @ Full Angle	62 / 157	62 / 157	62 / 157	62 / 157	52 / 132	52 / 132	52 / 132	52 / 132
Tractor Loader Mount	*Brackets Req.	N/A	Clamp-On	200 / 400 JD	*Brackets Req.	N/A	Clamp-On	200 / 400 JD
Skid Steer Mount	N/A	Universal	N/A	N/A	N/A	Universal	N/A	N/A
Adjustable Skid Shoes	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Horse Power Rating	<45 HP	<45 HP	<35 HP	<45 HP	<45 HP	<45 HP	<35 HP	<45 HP
Weight (lbs/kg)	360 / 163	353 / 160	335 / 152	373 / 169	335 / 152	325 / 147	305 / 138	345 / 156
Hydraulic Angle Kit	Optional	Optional	N/A	Optional	Optional	Optional	N/A	Optional
Crossover Ref. Valve	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Optional Top Deflector	360223	360223	360223	360223	360220	360220	360220	360223
Optional Sight Indicator	360235	360235	360235	360235	360235	360235	360235	360235
Product No.	360160	360130	360290	360225	360140	360100	360280	360250

^{*}Optional interfacing quick attach brackets available for most popular models.





Snow Blades for Skid Steers & Front Loaders

All snow blades have trip springs for controlled break over in snow, or lock for light grading of loose dirt or gravel. All have 3/8" x 6" reversible steel cutting edges/ height adjustable skid shoes (6" x ½" thick) rotate for long wear. Manual angle adjustment is std. on 5-ft., 6-ft., & 7.5-ft. models (optional hyd. angle kits avail.). 9-ft. blades have hyd. angle adj. & cross-over relief valve as std. equip. 7.5-ft. & 9-ft. models have 5° lateral oscillation feature as std. equip.

& cross-over relief valve as std. equip. 7.5-ft. & 9-ft. models have 5° lateral oscillation feature as std. equip.								
Product	Model	Item #	Description	Lbs.	List			
	Recommend	ed HP 50 -	- 95 / Maximum Operating Weight 10,000	lbs.				
			HD 9-ft Snow Blade for skid steer loaders. 5°					
	SBS-27108A	360070	lateral oscillation and hyd. angle adj. with	735	5.537.00			
			cross-over relief valve, 27" high moldboard.					
			HD 9-ft Snow Blade for tractor front loaders.					
			5° lateral oscillation and hyd. angle adj. With					
	SBFL-27108A	360075	cross-over relief valve, 27" high moldboard.	748	5,453.00			
			Opt. interfacing brackets page 57-72.					
			HD 9-ft. Snow Blade for tractor front loaders					
			w/ Global / Euro carrier system. 5° degree	717	5,537.00			
	SBG-27108A	360078	lateral oscillation and hyd. Angle adj. w/					
			crossover relief valve, 27" high moldboard.					
			HD 9-ft. Snow Blade for JD 400/500 series					
	SBJD-27108A	360275	front loaders. 5° degree lateral oscillation and	765	5,656.00			
			hyd. Angle adj. w/ crossover relief valve,					
	_		27" high moldboard					
	Recomme	nded HP 40	0-80 / Maximum Operating Weight 10,000 lbs	•				
			HD 7.5-ft Snow Blade for skid steer loaders.					
	SBS-2790A	360080	5° lateral oscillation & man. angle adj. std.	646	3,962.00			
			27" high moldboard.					
			Opt. Hyd. Angle Adj. Kit for SBS-2790A					
		360165	installed on a skid steer. Cylinders, 6' hoses /	45	819.00			
			flat faced couplers					
			HD 7.5-ft Snow Blade for tractor front					
	SBFL-2790A	360085	loaders. 5° lateral oscillation and man. angle	660	3,878.00			
			adj. std. 27" high moldboard. Opt. interfacing					
			brackets on pg. 57-72.					
	CD C 4=00.4	2 < 0.000	HD 7.5-ft. Snow Blade for tractor front		206200			
	SBG-2790A	360090	loaders w/ Global / Euro carrier system. 5°	630	3,962.00			
			lateral oscillation and man. Angle adj. std. 27"					
			high moldboard. HD 7.5-ft. Snow Blade for JD 400/500 series					
	CD ID 2500 A	260270		<i>(75</i>	4 170 00			
	SBJD-2790A	360270	front loaders. 5° lateral oscillation and man.	675	4,179.00			
			Angle adj. std. 27" high moldboard					
			Opt. Hyd. Angle Adj. Kit for SBFL-2790A, SBG-2790A, or SBS-2790A installed on a					
		260160	front loader. Incl. cylinders, fittings / hoses	40	£11.00			
		360168	between cylinders. Does not include remote	40	511.00			
			hoses / quick couplers.					
			Opt. crossover relief valve. Fits all hyd. angle					
		360065	adj. kits for snow blades. Protects blade from	7	392.00			
		200003	damage.	'	372.00			
L	1		Gairiage.	1				





Snow Blades for Skid Steers & Front Loaders

Designed for Tractors and Skid Steers 40 hp. and Less

All snow blades have trip springs for controlled break over in snow and lock for light grading of loose dirt or gravel. All have 3/8" x 6" reversible hard steel cutting edge and height adjustable skid shoes (6" x ½" thick) that rotate for long wear. Manual angle adjustment is standard on 5-ft., 6-ft. models

Product	Model	Item #	Description	Lbs.	List		
			d HP 25 - 45 / Maximum Operating Weight 5,0				
			5-ft. Snow Blade for compact tractors 40-hp				
	SBS-2160	360100	or less w/ loaders that utilize the "Universal"	325	2,898.00		
			quick-attach system. 21" high moldboard.		_,05 0100		
			5-ft. Snow Blade for compact tractors 40-hp				
	SBFL-2160	360140	or less. 21" high moldboard. Shipped less	335	2,828.00		
			brackets. Optional interfacing brackets				
			listed on page 14.				
	SBJD-2160	360250	5-ft Snow Blade for JD	345	2,884.00		
			200/300/400/D120/H120/H130/D160/H160				
			H165 (not compatible with 240,245 260,265)				
_		_	loaders equipped with JD QA System.	00.11			
	Re	commende	d HP 25 - 45 / Maximum Operating Weight 5,0	00 lbs.			
	CDC 2152	260120	6-ft. Snow Blade for compact tractors 40-hp	2.52	• • • • • • •		
	SBS-2172	360130	or less w/ loaders that utilize the "Universal"	353	2,996.00		
			quick-attach system. 21" high moldboard.				
	SBFL-2172	260160	6-ft. Snow Blade for compact tractors 40-hp or less. 21" high moldboard. Shipped less	260	2 970 00		
	SDFL-2172	360160	brackets. Optional interfacing brackets listed	360	2,870.00		
			on page 14.				
	SBJD-2172	360255	6-ft Snow Blade for JD	373	3,052.00		
	5000 2172	300233	200/300/400/D120/H120/H130/D160/H160	373	3,032.00		
			H165 (not compatible with 240,245,260,265)				
			loaders equipped with JD QA System.				
			Optional Hydraulic Angle Adjustment Kit for				
			SBS & SBFL - 5-ft and 6-ft. snow blades.				
		360170	Includes cylinders, fittings and hoses between	40	588.00		
			cylinders. Does not include hoses to tractor				
			remotes or quick couplers.				
			Optional crossover relief valve. Fits all				
		360065	hydraulic angle adjustment kits for snow	7	392.00		
		260220	blades. Protects blade from damage.		155.00		
		360220	Optional top deflector for 5-ft blade		177.00		
		360223	Optional top deflector for 6-ft blade		206.00		
	Optional Rubber Cutting Edge Kits for 5, 6, 7.5 and 9 foot Snow Blades. Includes Rubber edge, Retaining Bar & Hardware						
		T					
Edge Kit			9 9		336.00		
	Edge Ki		Rubber cutting edge kit for 6-ft Blade		378.00		
	Edge K		<u> </u>		469.00		
	Edge K	it 3580	Rubber cutting edge kit for 9-ft Blade		511.00		





	Snow Blades Continued							
Product	Model	Item #	Description	Lbs.	List			
		360227	Optional top defector for 7.5-ft blade		236.00			
		360230	Optional to deflector for 9-ft blade		294.00			
		358058	Rubber cutting edge kit for 7.5-ft blade		469.00			
		358059	Rubber cutting edge kit for 9-ft blade		511.00			
		360235	Optional sight indicator (pair) for all blades		59.00			
			lades for Compact Tractors up to 35 hp.					
	Eas	ily clamps	on to the bucket for quick installation					
			5-ft Clamp-on Snow Blade for compact					
2	SBC-2160	360280	tractors. Uses chain & turnbuckle system.	305	2,562.00			
			Moldboard height 21-inches					
			6-ft Clamp-on Snow Blade for compact					
	SBC-2172	360290	tractors. Uses chain & turnbuckle system.	335	2,660.00			
			Moldboard height 21-inches					
			ni Skid Steer Snow Blades					
	Models	available	for universal mount or Bobcat MT-Series	1				
			Designed for Mini Skid Steers / Compact					
	SBMS-50	360245	Tool Carriers, Moldboard is 50" wide with	280	2,275.00			
			dual trip springs, reversible cutting edge.					
			21" high moldboard					
	CDMC 50 D/C		Designed for Bobcat MT – series (MT-50,					
	SBMS-50 B/G	360260	MT-52, MT-55) & S-70 and Gehl 1640E	285	2,345.00			
			Moldboard is 50" wide with dual trip					
			springs, reversible cutting edge.					
			21" high moldboard					





20-Series Snow Pushers for Sub-Compact Tractors

Designed to fit Sub-Compact tractors with loaders that utilize either the "universal" skid steer attaching system or John Deere loaders using the 200/300, D120, H120, H130, hook and pin attaching system. 20-Series Snow Pusher is 20" deep and 20" tall. Replaceable 1" x 4" rubber cutting edge (reversible) is standard on the "R" models and 3/8" x 4" (reversible) harden steel cutting edge is standard on the "M" models.

Optional Pull-Back Kits are available.									
Product	Model	Item #	Description	Lbs.	List				
	20-Series Designed for use on loaders using the universal skid steer attaching system								
Recommended up to 30 HP, Maximum Operating Weight 1,800 lbs.									
	SPS-2048R	358160	4-ft Snow Pusher with Rubber Cutting Edge	146	1,259.00				
	SPS-2048M	358165	4-ft Snow Pusher with Metal Cutting Edge	163	1,225.00				
	SPS-2060R	358170	5-ft Snow Pusher with Rubber Cutting Edge	159	1,316.00				
	SPS-2060M	358175	5-ft Snow Pusher with Metal Cutting Edge	180	1,274.00				
	20-Series Des	signed for	use on John Deere Loaders with the	1 1					
200/		_	ck-change attachment carrier (hook & p	oin)					
R	ecommended uj	to 30 HF	P, Maximum Operating Weight 1,800 lbs						
	SPJD-2048R	358180	4-ft JD Snow Pusher w/ Rubber Edge	131	1,259.00				
	SPJD-2048M	358185	4-ft JD Snow Pusher w/ Metal Edge	148	1,225.00				
	SPJD-2060R	358190	5-ft JD Snow Pusher w/ Rubber Edge	145	1,316.00				
	SPJD-2060M	358195	5-ft JD Snow Pusher w/ Metal Edge	166	1,274.00				
Pull-Back Kits			ers, ideal for pulling snow away from ov	erheac	d doors				
			Replaceable Rubber Cutting Edge						
	4-ft Pull-Back	358200	4-ft Pull-Back Kit w/rubber edge		427.00				
	5-ft Pull-Back	358205	5-ft Pull-Back Kit w/rubber edge		532.00				
	4.0.35.13		ck Metal Cutting Edge		177.00				
	4-ft Metal Pull-Back	358230	4-ft Metal Pull-Back Kit for 20-Series		175.00				
	5-ft Metal	358235	5-ft Metal Pull-Back Kit for 20-Series		189.00				
	Pull-Back	330233	5 it Wetai i aii-back Kit for 20-belles		107.00				
		tting Edg	e Kits for 20-Series Snow Pushers.						
			dge, Retaining Bar & Hardware						
	Edge Kit (R)	358210	Rubber cutting edge kit for 4-ft Pusher		259.00				
	Edge Kit (R)	358220	Rubber cutting edge kit for 5-ft Pusher		306.00				
	Metal Cu	tting Edge	e Kits for 20-Series Snow Pushers						
		Includes N	Metal edge & Hardware						
	Edge Kit (M)	358215	Metal cutting edge kit for 4-ft Pusher		147.00				
	Edge Kit (M)	358225	Metal cutting edge kit for 5-ft Pusher		170.00				
	Poly SI	kid Shoe I	Kit for 20-Series Snow Pushers						
	Poly Skid	358240	Pair of Poly Skid Shoes for 20-Series	27	329.00				
	Shoes Kit		pushers. Includes mounts & hardware						





24-Series Snow Pushers

Designed to fit Compact tractors with loaders that utilize the "universal" skid steer attaching system. Models are also available for John Deere loaders using the 200/300/400 attaching system. **24-Series** Snow Pusher is 24" deep and 24" tall. Replaceable 1" x 6" rubber cutting edge (reversible) is standard on the "R" models and 3/8" x 6" (reversible) harden steel cutting edge is standard on the "M" models. Optional Pull-Back Kits are available.

cutting edge is standard on the "M" models. Optional Pull-Back Kits are available.							
Product	Model	Item #	Description	Lbs.	List		
24-Series Designed for use on loaders using the universal skid steer attaching system							
Recommended up to 40 HP, Maximum Operating Weight 3,500 lbs.							
	SPS-2460R	358000	5-ft Snow Pusher with Rubber Cutting Edge	390	1,757.00		
	SPS-2460M	358005	5-ft Snow Pusher with Metal Cutting Edge	410	1,722.00		
	SPS-2472R	358010	6-ft Snow Pusher with Rubber Cutting Edge	430	1,897.00		
	SPS-2472M	358015	6-ft Snow Pusher with Metal Cutting Edge	450	1,848.00		
1.47	SPS-2484R	358020	7-ft Snow Pusher with Rubber Cutting Edge	465	2,058.00		
	SPS-2484M	358025	7-ft Snow Pusher with Metal Cutting Edge	485	2,002.00		
	24-Series Des	signed for	use on John Deere Loaders with the				
200/300/400/D		_	60/H165/D170/H180 quick-change attach	ment	carrier		
			P, Maximum Operating Weight 3,500 lbs				
	SPJD-2460R	358030	5-ft JD Snow Pusher w/ Rubber Edge	379	1,757.00		
	SPJD-2460M	358035	5-ft JD Snow Pusher w/ Metal Edge	399	1,722.00		
	SPJD-2472R	358040	6-ft JD Snow Pusher w/ Rubber Edge	415	1,897.00		
	SPJD-2472M	358045	6-ft JD Snow Pusher w/ Metal Edge	435	1,848.00		
	SPJD-2484R	358050	7-ft JD Snow Pusher w/ Rubber Edge	450	2,058.00		
	SPJD-2484M	358055	7-ft JD Snow Pusher w/ Metal Edge	470	2,002.00		
Pull-Back Kits	s for 24-Series S	now Push	ers, ideal for pulling snow away from ov	erhead	doors		
	5-ft Pull-Back	358095	5-ft Pull-Back Kit w/rubber edge	79	679.00		
	6-ft Pull-Back	358105	6-ft Pull-Back Kit w/rubber edge	95	759.00		
	7-ft Pull-Back	358115	7-ft Pull-Back Kit w/rubber edge	108	833.00		
	Rubber Cu	tting Edg	e Kits for 24-Series Snow Pushers.				
	Includes	Rubber e	dge, Retaining Bar & Hardware				
	Edge Kit (R)	358054	Rubber cutting edge kit for 5-ft Pusher	38	336.00		
	Edge Kit (R)	358056	Rubber cutting edge kit for 6-ft Pusher	45	378.00		
	Edge Kit (R)	358057	Rubber cutting edge kit for 7-ft Pusher	53	420.00		
	Metal Cut	tting Edge	e Kits for 24-Series Snow Pushers				
		Includes N	Metal edge & Hardware				
	Edge Kit (M)	358137	Metal cutting edge kit for 5-ft Pusher	40	\$196.00		
	Edge Kit (M)	358138	Metal cutting edge kit for 6-ft Pusher	49	\$217.00		
	Edge Kit (M)	358139	Metal cutting edge kit for 7-ft Pusher	59	\$238.00		
	Poly Skid	358245	Pair of Poly Skid Shoes for 24-Series	34	371.00		
	Shoe Kit		pushers Includes mounts & hardware				





36-Series Snow Pushers

Designed to fit Skid Steer and Tractors with loaders that utilize the "universal" skid steer attaching system. Models are also available for John Deere loaders using the 400/500 series attaching system, and loaders that use the Euro/Global tool carrier. **36-Series** Snow Pusher is 36" deep and 36" tall. Replaceable 1.5" x 8" rubber cutting edge (reversible) is standard on the "R" models. Optional Pull-Back Kits are available for all sizes to clear snow from tight areas.

Product	Model	Item #	Description	Lbs.	List		
36-Series Designed for use on loaders using the universal skid steer attaching system.							
		Recomr	nended HP 50-90 HP				
	SPS-3696R	358060	8-ft Snow Pusher with Rubber Cutting Edge	815	4,172.00		
	SPS-36120R	358090	10-ft Snow Pusher w/ Rubber Cutting Edge	905	4,466.00		
36-Series Desi	igned for use on	JD 400/50	00/H160/H165/D170/H180/H240/H260 Se	eries L	oaders		
		Recomr	nended HP 50-90 HP				
	SPJD-3696R	358070	8-ft Snow Pusher with Rubber Cutting Edge	780	4,214.00		
	SPJD-36120R	358100	10-ft Snow Pusher w/ Rubber Cutting Edge	870	4,508.00		
36	-Series Designed	l for use o	n Loaders with Euro/Global Tool Carrie	er			
Recommended HP 50-90 HP							
	SPG-3696R	358080	8-ft Snow Pusher with Rubber Cutting Edge	810	4,172.00		
	SPG-36120R	358110	10-ft Snow Pusher w/ Rubber Cutting Edge	900	4,508.00		
Universal Blar	ık Back 36-Serie	es allowing	g interfacing Quick Attach Brackets to b	e weld	led-on.		
	Mo		rackets listed on pages 57-71				
	SPB-3696R	358130	8-ft Snow Pusher w/ Rubber Cutting Edge,		4,060.00		
			Blank back to allowing brackets	762			
	CDD 44440D	250125	to be welded-on		127100		
	SPB-36120R	358135	10-ft Snow Pusher w/ Rubber Cutting Edge,	0.65	4,354.00		
			Blank back to allowing brackets to be welded-on	865			
36-Series Oui	ick Connection I	Rucket Mc	ount Snow Pushers. Mounts over bucket	cuttin	a edae		
50-Series Qui			chains and turnbuckles.	Cuttiii	g cuge		
	SPC-3696R	358140	8-ft Bucket Mount (chain on) Snow Pusher	845	4,494.00		
			w/rubber Cutting Edge.		,		
	SPC-36120R	358150	10-ft Bucket Mount (chain on) Snow Pusher	935	4,788.00		
			w/rubber Cutting Edge				
Pull-Back Kit	s for 36-Series S	now Push	ers, ideal for pulling snow away from ov	erheac	d doors		
	8-ft Pull-Back	358120	8-ft Pull-Back Kit with rubber edge	190	1,218.00		
	10-ft Pull-Back	358125	10-ft Pull-Back Kit with rubber edge	230	1,435.00		





