

# DEL MORINO ROTARY TILLERS



## Fixed rotary tillers

**Flash** / 12 - 25 HP

**Thunder** / 12 - 40 HP

**Eagle** / 12 - 50 HP

**URT HF** / 30 - 70 HP

**HRA** / 50 - 95 HP



## Flash

12 - 25 HP

85 / 96 / 105 /  
125



## Thunder

12 - 40 HP

85 / 105 / 125 /  
145



## Eagle

12 - 50 HP

85 / 105 / 125 /  
145 / 165



## URT HF

30 - 70 HP

168 / 186 / 204 /  
222



## HRA

50 - 95 HP

160 / 180 / 200 /  
225 / 250



## Side shift rotary tillers

**Holiday R** / 15 - 40 HP

**Holiday RS** / 15 - 50 HP

**URT ED** / 20 - 50 HP

## Side shift rotary tillers



## Holiday R

15 - 40 HP

85 / 105 / 125 /  
145



## Holiday RS

15 - 50 HP

85 / 105 / 125 / 145



## URT ED

20 - 50 HP

96 / 114 / 132 /  
150 / 160

# DEL MORINO ROTARY TILLERS

## Flash

Rotary tiller & stone burier

HP

12 - 25

kW

10 - 20

rpm

540



cm 16 - inch 6







Since it is very easy to use this machine can satisfy the expectations of semi-professional farmers to achieve a perfect tilling of small plots of land or in the field of horticulture.

### STANDARD FEATURES

- 3 POINT HITCH, CATEGORY 1, SIDE SHIFT
- TWO COMER GEARBOXES, VERTICAL TRANSMISSION WITH SHEAR BOLT PROTECTION
- ROTOR WITH 4 HOES PER FLANGE
- ADJUSTABLE SKIDS
- UNIVERSAL PTO SHAFT FOR POSITION CATEGORY 1 - 700 MM



Prices and Specifications may be subject to change without notice. Prices do not include shipping or setup.

| Model            | hp      |  |     |  |     |  |  | Pricing |            |
|------------------|---------|---|-----|---|-----|--|---|---------|------------|
|                  |         | cm  | in  | cm  | in  |  |   |         | n.         |
| <b>Flash 85</b>  | 12 - 25 | 85  | 34" | 100   | 39" | 16   | 118   | 260     | \$1,922.00 |
| <b>Flash 96</b>  | 12 - 25 | 96  | 38" | 110   | 43" | 20   | 128   | 282     | \$1,988.00 |
| <b>Flash 105</b> | 12 - 25 | 105   | 42" | 120   | 47" | 20   | 130   | 287     | \$2,014.00 |
| <b>Flash 125</b> | 12 - 25 | 125   | 50" | 140   | 55" | 24   | 140   | 309     | \$2,080.00 |

| Model | OPTIONAL |
|-------|----------|
|-------|----------|



**R**

Reverse of the rotation direction

| Model | Type | kg | Pricing |
|-------|------|----|---------|
|-------|------|----|---------|



**KI**

Stone burier kit

|           |    |          |
|-----------|----|----------|
| Flash 85  | 21 | \$496.00 |
| Flash 96  | 22 | \$544.00 |
| Flash 105 | 22 | \$612.00 |
| Flash 125 | 24 | \$620.00 |

| Model | Type | kg | Pricing |
|-------|------|----|---------|
|-------|------|----|---------|



**GA**

Cage roller

|           |    |          |
|-----------|----|----------|
| Flash 85  | 33 | \$705.00 |
| Flash 96  | 38 | \$757.00 |
| Flash 105 | 38 | \$792.00 |
| Flash 125 | 41 | \$848.00 |

| Model | Type | kg | Pricing |
|-------|------|----|---------|
|-------|------|----|---------|




**GR**

Wire roller

|           |    |            |
|-----------|----|------------|
| Flash 85  | 45 | \$971.00   |
| Flash 96  | 53 | \$1,011.00 |
| Flash 105 | 55 | \$1,046.00 |
| Flash 125 | 57 | \$1,101.00 |

**DIMENSIONS**

| Type      | A (cm) | B (cm) | C (cm) |
|-----------|--------|--------|--------|
| Flash 65  | 120    | 80     | 90     |
| Flash 85  | 120    | 80     | 90     |
| Flash 96  | 120    | 80     | 90     |
| Flash 105 | 140    | 80     | 90     |
| Flash 125 | 160    | 80     | 90     |



**PACKAGING** Single metal crate



# DEL MORINO ROTARY TILLERS

## Thunder

Rotary tiller & Reverse


**HP**  
**12 - 40**

kW

10 - 30

rpm

540





 cm 15 - inch 6



Easy to use machine for small to medium plots. For deeper penetration of the ground the reverse configuration is recommended.

### STANDARD FEATURES

- 3 POINT HITCH, CATEGORY 1
- CAST IRON GEARBOX 540 RPM
- CHAIN DRIVE ASA 80 IN OIL BATH WITH AUTOMATIC TENSIONER
- ROTOR WITH 4 HOES PER FLANGE
- ADJUSTABLE SKIDS
- UNIVERSAL PTO SHAFT CATEGORY 4 - 700 MM
- "REVERSE" CONFIGURATION

| Model              | hp      |  |     |  |     |  |  |     | Pricing    |
|--------------------|---------|---|-----|---|-----|--|---|-----|------------|
|                    |         | cm  | in  | cm  | in  |  | n.  | kg  |            |
| <b>Thunder 85</b>  | 12 - 40 | 85  | 34" | 100   | 40" | 16   | 154   | 340 | \$1,755.00 |
| <b>Thunder 105</b> | 12 - 40 | 105   | 42" | 120   | 48" | 20   | 166   | 366 | \$1,821.00 |
| <b>Thunder 125</b> | 12 - 40 | 125   | 50" | 140   | 56" | 24   | 180   | 397 | \$1,915.00 |
| <b>Thunder 145</b> | 12 - 40 | 145   | 58" | 160   | 64" | 28   | 193   | 425 | \$1,991.00 |

| Model | OPTIONAL |
|-------|----------|
|-------|----------|



**R**

Reverse of the rotation direction

| Model | pricing |
|-------|---------|
|-------|---------|



**F**

Slip clutch PTO shaft

\$163.00

| Model | Pricing |
|-------|---------|
|-------|---------|




**B**

Shear bolt PTO shaft

\$163.00

**DIMENSIONS**

| Type        | A (cm) | B (cm) | C (cm) |
|-------------|--------|--------|--------|
| Thunder 85  | 120    | 80     | 95     |
| Thunder 105 | 125    | 80     | 95     |
| Thunder 125 | 145    | 80     | 95     |
| Thunder 145 | 165    | 80     | 95     |



**PACKAGING**

Single metal crate



# DEL MORINO ROTARY TILLERS

## Eagle

Fixed rotary tiller

HP

12 - 50

kW

10 - 40

rpm

540

 cm 16 - inch 6







This rotary tiller combines style, functionality and power to break up the ground. It can optionally be supplied with 6 hoes per flange for even better results.




### STANDARD FEATURES

- 3 POINT HITCH, CATEGORY 1
- ONE PIECE, 4 MM STEEL FRAME
- CAST IRON GEARBOX 540 RPM
- CHAIN DRIVE ASA 80 IN OIL BATH WITH AUTOMATIC TENSIONER
- ROTOR WITH 4 HOES PER FLANGE  
OPTIONAL 6 HOES PER FLANGE
- SIDE SHIFT THROUGH MOVEABLE 3 POINT HITCH COUPLINGS
- ADJUSTABLE SKIDS
- UNIVERSAL PTO SHAFT CATEGORY 4 - 700 MM

| Model            | hp      |  |     |  |     |  | kg  | lbs | Pricing    |
|------------------|---------|---|-----|---|-----|--|-----|-----|------------|
|                  |         | cm  | in  | cm  | in  |  |     |     |            |
| <b>Eagle 85</b>  | 12 - 50 | 85  | 34" | 100   | 40" | 16   | 159 | 351 | \$2,331.00 |
| <b>Eagle 105</b> | 12 - 50 | 105   | 42" | 120   | 48" | 20   | 178 | 392 | \$2,484.00 |
| <b>Eagle 125</b> | 12 - 50 | 125   | 50" | 140   | 56" | 24   | 188 | 414 | \$2,646.00 |
| <b>Eagle 145</b> | 12 - 50 | 145   | 58" | 160   | 64" | 28   | 206 | 454 | \$2,800.00 |
| <b>Eagle 165</b> | 12 - 50 | 165   | 62" | 180   | 72" | 32   | 223 | 492 | \$2,961.00 |


| Model   | OPTIONAL             | Type      | Pricing  |
|---|----------------------|-----------|----------|
|  | N° 6 hoes per flange | Eagle 85  | \$130.00 |
|   |                      | Eagle 105 | \$137.00 |
|   |                      | Eagle 125 | \$145.00 |
|   |                      | Eagle 145 | \$153.00 |
|   |                      | Eagle 165 | \$166.00 |

| Model   | Pricing  |
|---|----------|
|  | \$163.00 |

| Model   | Pricing  |
|---|----------|
|  | \$163.00 |

**DIMENSIONS**

| Type      | A (cm) | B (cm) | C (cm) |
|-----------|--------|--------|--------|
| Eagle 85  | 120    | 80     | 95     |
| Eagle 105 | 125    | 80     | 95     |
| Eagle 125 | 145    | 80     | 95     |
| Eagle 145 | 165    | 80     | 95     |
| Eagle 165 | 185    | 80     | 95     |



**PACKAGING**

Single metal crate



# DEL MORINO ROTARY TILLERS

## URT HF

Fixed rotary tiller

HP

30 - 70

kW

30 - 50

rpm

540



cm 19 - inch 8

This machine demonstrates Del Morino's experience in both the quality of construction and the final result in the field. It is suitable for the professional farmer working in open fields.







### STANDARD FEATURES


- 3 POINT HITCH, CATEGORY 2
- CAST IRON GEARBOX 540 RPM
- CHAIN DRIVE ASA 100 IN OIL BATH WITH AUTOMATIC TENSIONER
- ROTOR WITH 4 HOES PER FLANGE
- OPTIONAL WITH 6 HOES PER FLANGE
- ADJUSTABLE SKIDS
- UNIVERSAL PTO SHAFT, CATEGORY 4 - 700 MM
- FRONT REINFORCEMENT BAR




Prices and Specifications may be subject to change without notice. Prices do not include shipping or setup.



| Model             | hp             |  |            |  |            |  |  |            | Pricing           |
|-------------------|----------------|---|------------|---|------------|--|---|------------|-------------------|
|                   |                | cm  | in         | cm  | in         |  | n.  | kg         |                   |
| <b>URT HF 150</b> | <b>30 - 70</b> | <b>150</b>  | <b>59"</b> | <b>160</b>  | <b>63"</b> | <b>32</b>  | <b>290</b>  | <b>640</b> | <b>\$3,424.00</b> |
| <b>URT HF 168</b> | <b>30 - 70</b> | <b>168</b>  | <b>67"</b> | <b>180</b>  | <b>72"</b> | <b>36</b>  | <b>320</b>  | <b>705</b> | <b>\$3,537.00</b> |
| <b>URT HF 186</b> | <b>30 - 70</b> | <b>186</b>  | <b>71"</b> | <b>200</b>  | <b>80"</b> | <b>40</b>  | <b>330</b>  | <b>728</b> | <b>\$3,708.00</b> |
| <b>URT HF 204</b> | <b>30 - 70</b> | <b>204</b>  | <b>81"</b> | <b>220</b>  | <b>88"</b> | <b>44</b>  | <b>362</b>  | <b>798</b> | <b>\$4,179.00</b> |
| <b>URT HF 222</b> | <b>30 - 70</b> | <b>222</b>  | <b>96"</b> | <b>240</b>  | <b>96"</b> | <b>48</b>  | <b>381</b>  | <b>840</b> | <b>\$4,330.00</b> |


| Model   | OPTIONAL | Type                 | Pricing    |                 |
|---|----------|----------------------|------------|-----------------|
|  | <b>Z</b> | N° 6 hoes per flange | Urt Hf 150 | <b>\$199.00</b> |
|   |          |                      | Urt Hf 168 | <b>\$212.00</b> |
|   |          |                      | Urt Hf 186 | <b>\$223.00</b> |
|   |          |                      | Urt Hf 204 | <b>\$249.00</b> |
|   |          |                      | Urt Hf 222 | <b>\$273.00</b> |

| Model   |          | Pricing               |
|---|----------|-----------------------|
|  | <b>F</b> | Slip clutch PTO shaft |
|   |          | <b>\$163.00</b>       |

| Model   |          | Pricing              |
|---|----------|----------------------|
|  | <b>B</b> | Shear bolt PTO shaft |
|   |          | <b>\$163.00</b>      |

**DIMENSIONS**

| Type       | A (cm)     | B (cm)    | C (cm)    |
|------------|------------|-----------|-----------|
| URT HF 168 | <b>180</b> | <b>80</b> | <b>95</b> |
| URT HF 186 | <b>200</b> | <b>80</b> | <b>95</b> |
| URT HF 204 | <b>220</b> | <b>80</b> | <b>95</b> |
| URT HF 222 | <b>240</b> | <b>80</b> | <b>95</b> |



**PACKAGING**

Single metal crate



# DEL MORINO ROTARY TILLERS

## HRA

Fixed rotary tiller

## HP

### 50 - 95

kW

40 - 70

rpm

540



cm 23 - inch 9







This rotary tiller is suitable for heavy tilling thanks to the strength and elasticity of the components used in its construction.



#### STANDARD FEATURES

- 3 POINT HITCH, CATEGORY 2
- CAST IRON GEARBOX 540 RPM, SINGLE SPEED
- CHAIN DRIVE ASA 100 IN OIL BATH WITH AUTOMATIC TENSIONER
- ROTOR WITH 6 HOES PER FLANGE
- ADJUSTABLE SKIDS
- ADJUSTABLE LOWER ARM ATTACHMENT POINTS
- UNIVERSAL PTO SHAFT, CATEGORY 5, WITH SLIP CLUTCH - 1200 MM
- REINFORCED THREE POINT HITCH FRAME

| Model          | hp      |  |      |  |      |  |  |      | Pricing    |
|----------------|---------|---|------|---|------|--|---|------|------------|
|                |         | cm  | in   | cm  | in   |  | n.  | kg   |            |
| <b>HRA 160</b> | 50 - 95 | 160   | 63"  | 185   | 74"  | 42   | 531   | 1171 | \$7,338.00 |
| <b>HRA 180</b> | 50 - 95 | 180   | 72"  | 210   | 84"  | 48   | 566   | 1248 | \$7,667.00 |
| <b>HRA 200</b> | 50 - 95 | 200   | 81"  | 230   | 92"  | 54   | 604   | 1132 | \$8,243.00 |
| <b>HRA 225</b> | 50 - 95 | 225   | 90"  | 250   | 100" | 60   | 642   | 1415 | \$8,761.00 |
| <b>HRA 250</b> | 50 - 95 | 250   | 100" | 275   | 110" | 66   | 690   | 1521 | \$9,422.00 |

| Model | OPTIONAL | Pricing |
|-------|----------|---------|
|-------|----------|---------|




I

Gear side transmission

\$687.00

**DIMENSIONS**

| Type    | A (cm) | B (cm) | C (cm) |
|---------|--------|--------|--------|
| HRA 160 | 190    | 90     | 110    |
| HRA 180 | 210    | 90     | 110    |
| HRA 200 | 230    | 90     | 110    |
| HRA 225 | 255    | 90     | 110    |
| HRA 250 | 280    | 90     | 110    |



**PACKAGING**

Single metal crate



# DEL MORINO ROTARY TILLERS

## Holiday R

Side shift rotary tillers

HP

15 - 40

kW

12 - 30

rpm

540







cm 15 - inch 6





This machine is suitable for tilling in orchards or tree farms. The side shift permits tilling close to the tree trunks. It is suitable for small to medium HP tractors.


### STANDARD FEATURES

- 3 POINT HITCH, CATEGORY 1 AND 2
- CAST-IRON GEARBOX 540 RPM
- SIDE CHAIN ASA 80 RUNNING IN OIL BATH WITH AUTOMATIC TENSIONER
- ROTOR WITH 4 HOES PER FLANGE
- ADJUSTABLE SKIDS
- MANUAL SIDE SHIFT
- UNIVERSAL PTO SHAFT CATEGORY 4 - 700 MM

| Model                | hp      |  |     |  |     |  |  |     | Pricing    |
|----------------------|---------|---|-----|---|-----|--|---|-----|------------|
|                      |         | cm  | in  | cm  | in  |  | n.  | kg  |            |
| <b>Holiday R 85</b>  | 15 - 40 | 85  | 34" | 105   | 42" | 16   | 139   | 306 | \$2,269.00 |
| <b>Holiday R 105</b> | 15 - 40 | 105   | 42" | 125   | 50" | 20   | 152   | 335 | \$2,409.00 |
| <b>Holiday R 125</b> | 15 - 40 | 125   | 50" | 145   | 58" | 24   | 167   | 368 | \$2,564.00 |
| <b>Holiday R 145</b> | 15 - 40 | 145   | 58" | 165   | 66" | 28   | 188   | 414 | \$2,704.00 |


| Model   | OPTIONAL                     | Pricing  |
|---|------------------------------|----------|
|  | <b>V</b> Side shift by screw | \$112.00 |

| Model   | OPTIONAL                       | Pricing  |
|---|--------------------------------|----------|
|  | <b>F</b> Slip clutch PTO shaft | \$163.00 |

| Model   | OPTIONAL                      | Pricing  |
|---|-------------------------------|----------|
|  | <b>B</b> Shear bolt PTO shaft | \$163.00 |

**DIMENSIONS**

| Type          | A (cm) | B (cm) | C (cm) |
|---------------|--------|--------|--------|
| Holiday R 85  | 120    | 80     | 90     |
| Holiday R 105 | 125    | 80     | 90     |
| Holiday R 125 | 145    | 80     | 90     |
| Holiday R 145 | 165    | 80     | 90     |



**PACKAGING**

Single metal crate



# DEL MORINO ROTARY TILLERS

## Holiday RS

Side shift rotary tiller

HP

15 - 50

kW

12 - 40

rpm

540







cm 16 - inch 7

This machine is suitable for tilling in orchards or tree farms. The side shift allows to till close to tree trunks. It is suitable for medium HP tractors.

### STANDARD FEATURES

- 3 POINT HITCH, SIDE-SHIFT, CATEGORY 1 AND 2
- CAST IRON GEARBOX 540 RPM
- SIDE CHAIN ASA 80 RUNNING IN OIL BATH WITH AUTOMATIC TENSIONER
- ROTOR WITH 4 HOES PER FLANGE
- OPTION KIT 6 HOES PER FLANGE
- ADJUSTABLE SKIDS
- MANUAL SIDE SHIFT
- UNIVERSAL PTO SHAFT CATEGORY 4 - 700 MM



| Model                 | hp      |  |     |  |     |  |  |     | Pricing    |
|-----------------------|---------|---|-----|---|-----|--|---|-----|------------|
|                       |         | cm  | in  | cm  | in  |  | n.  | kg  |            |
| <b>Holiday RS 85</b>  | 15 - 50 | 85  | 34" | 105   | 42" | 16   | 169   | 373 | \$2,488.00 |
| <b>Holiday RS 105</b> | 15 - 50 | 105   | 42" | 125   | 50" | 20   | 175   | 386 | \$2,654.00 |
| <b>Holiday RS 125</b> | 15 - 50 | 125   | 50" | 145   | 58" | 24   | 188   | 414 | \$2,820.00 |
| <b>Holiday RS 145</b> | 15 - 50 | 145   | 58" | 165   | 66" | 28   | 202   | 445 | \$2,978.00 |

| Model | OPTIONAL | Pricing |
|-------|----------|---------|
|-------|----------|---------|



**V**

Side shift by screw

\$112.00

| Model | Type | Pricing |
|-------|------|---------|
|-------|------|---------|



**Z**

N° 6 hoes per flange

|                |          |
|----------------|----------|
| Holiday RS 85  | \$130.00 |
| Holiday RS 105 | \$137.00 |
| Holiday RS 125 | \$145.00 |
| Holiday RS 145 | \$153.00 |

| Model | Pricing |
|-------|---------|
|-------|---------|



**F**

Slip clutch PTO shaft

\$163.00

| Model | Pricing |
|-------|---------|
|-------|---------|




**B**

Shear bolt PTO shaft

\$163.00

**DIMENSIONS**

| Type           | A (cm) | B (cm) | C (cm) |
|----------------|--------|--------|--------|
| Holiday RS 85  | 120    | 80     | 100    |
| Holiday RS 105 | 125    | 80     | 100    |
| Holiday RS 125 | 145    | 80     | 100    |
| Holiday RS 145 | 165    | 80     | 100    |



**PACKAGING** Single metal crate



# DEL MORINO ROTARY TILLERS

## URT ED

Side shift rotary tiller

HP

20 - 50

kW

15 - 40

rpm

540



cm 18 - inch 7





### STANDARD FEATURES


- 3 POINT HITCH, CATEGORY 1 AND 2, SIDE-SHIFT WITH SPINDLE
- CAST IRON GEARBOX 540 RPM
- CHAIN DRIVE ASA 80 IN OIL BATH WITH AUTOMATIC TENSIONER
- ROTOR WITH 4 HOES PER FLANGE
- OPTIONAL WITH 6 HOES PER FLANGE
- ADJUSTABLE SKIDS
- UNIVERSAL PTO SHAFT, CATEGORY 4 - 700 MM


This rotary tiller is suitable for heavy tilling in orchards and tree farms. The side-shift allows the tiller to till close to the trees. It is suitable for medium HP tractors.






| Model             | hp      |  |     |  |     | n. | kg  | lbs | Pricing    |
|-------------------|---------|---|-----|---|-----|----|-----|-----|------------|
|                   |         | cm  | in  | cm  | in  |    |     |     |            |
| <b>URT ED 96</b>  | 20 - 50 | 96  | 38" | 110   | 44" | 20 | 206 | 454 | \$3,037.00 |
| <b>URT ED 114</b> | 20 - 50 | 114   | 46" | 130   | 52" | 24 | 218 | 481 | \$3,178.00 |
| <b>URT ED 132</b> | 20 - 50 | 132   | 52" | 145   | 58" | 28 | 230 | 507 | \$3,268.00 |
| <b>URT ED 150</b> | 20 - 50 | 150   | 60" | 165   | 66" | 32 | 248 | 547 | \$3,384.00 |
| <b>URT ED 168</b> | 20 - 50 | 168   | 67" | 185   | 74" | 36 | 266 | 586 | \$3,527.00 |


| Model  | OPTIONAL             | Type       | Pricing  |
|--|----------------------|------------|----------|
|  | N° 6 hoes per flange | URT ED 96  | \$157.00 |
|  |                      | URT ED 114 | \$166.00 |
|  |                      | URT ED 132 | \$168.00 |
|  |                      | URT ED 150 | \$176.00 |
|  |                      | URT ED 168 | \$181.00 |

| Model   | Pricing                          |
|---|----------------------------------|
|  | F Slip clutch PTO shaft \$163.00 |

| Model   | Pricing                         |
|---|---------------------------------|
|  | B Shear bolt PTO shaft \$163.00 |

**DIMENSIONS**

| Type       | A (cm) | B (cm) | C (cm) |
|------------|--------|--------|--------|
| URT ED 96  | 120    | 80     | 100    |
| URT ED 114 | 130    | 80     | 100    |
| URT ED 132 | 150    | 80     | 100    |
| URT ED 150 | 170    | 80     | 100    |
| URT ED 168 | 180    | 80     | 100    |



**PACKAGING**

Single metal crate

