

STALK CHOPPER/SEEDBED CONDITIONER

McFARLANE

FIELD FINISHER



MULTIPURPOSE DESIGN

Choose from several finishing options to break up and level the toughest soil types. Heavy-duty flexible spike tooth harrows combined with single or double rolling baskets make it the perfect combination tool for your disk, field cultivator or vertical tillage tool. Damp fields can be aerated and dried in a single pass and chemicals are incorporated to recommended depths. The soil can be conditioned, breaking down clods and separating small- and large-size particles for excellent seed-to-soil contact.

The RBH Series is a great match to any tillage tool, creating a one-pass system for seedbed preparation. The single hydraulic circuit control to lift and fold, the long telescoping hitch and the narrow transport make it ideal for towing behind your existing tools.



STALK CHOPPER/SEEDBED CONDITIONER

SINGLE & DOUBLE ROLLING BASKETS



The angle iron 3- or 5-bar spike harrow features 3/4" teeth on 11" spacing allowing for superior residue flow and leveling. The flexible linkage features heat-treated wear bushings for long-lasting performance.

FEATURES:

Telescoping hitch

Narrow transport

Floating wing

All-hydraulic fold on single circuit

Baskets have adjustable down pressure and heavy-duty 1 1/4" bearings

Available with 5-bar harrow and single basket or 3-bar harrow and double basket



FIELD FINISHER

RBH-100 Series

Single Basket With 5-Bar Harrow

Model #	Width	Weight	Model #	Width	Weight
RBH-118-5	18' 2"	3653	RBH-128-5	29' 2"	4777
RBH-120-5	20' 0"	3774	RBH-130-5	31' 0"	4900
RBH-122-5	21' 10"	3895	RBH-132-5	32' 10"	5685
RBH-124-5	23' 8"	4140	RBH-134-5	34' 8"	5821
RBH-126-5	27' 4"	4655	RBH-136-5	36' 6"	5943

RBH-200 Series

Double Basket With 3-Bar Harrow

Model #	Width	Weight	Model #	Width	Weight
RBH-218-3	18' 2"	3695	RBH-228-3	29' 2"	4842
RBH-220-3	20' 0"	3819	RBH-230-3	31' 0"	4967
RBH-222-3	21' 10"	3941	RBH-232-3	32' 10"	5754
RBH-224-3	23' 8"	4190	RBH-234-3	34' 8"	5891
RBH-226-3	27' 4"	4718	RBH-236-3	36' 6"	6016

RBH Series available without harrow sections and in larger sizes.

SPECIFICATIONS:

Transport Width: 11' 9" (18'-30')
13' 3" (32'-36')

Transport Height: 10' 4" (maximum)

Tires: 11"L x 15" (main)
9.5"L x 15" (wing)

Rolling Basket: 12" diameter and
8" blades



Superior Tools for Better Yields!

©2011 McFarlane Manufacturing Company, Inc.
design: Concentre Communications, Inc.®



STALK CHOPPER/SEEDBED CONDITIONER

McFARLANE STALK CHOPPER

3-Point No-Till Rolling Stalk Chopper

Ideal For Conservation Corn Ground Preparation

McFarlane's No-Till Stalk Chopper is an excellent way to chop standing stalks. This 3-point mounted machine features two rows of spiders holding reels with 8 hardened steel chopping knives on the front bar and 6 hardened knives on the rear bar. The front row chops the ridge stalks and the rear row is offset for valley tilling. The spiders are design to permit adjustable row spacing. In addition, chopping knives can be set to run straight or at right or left angles. This permits McFarlane's Stalk Chopper to work efficiently in practically any ridge-till field.




Features


- 7" square heavy-wall toolbar
- Combination CAT II/III hitch
- Flexible or rigid connectors
- 21" & 12" wide chopping blades
- Wide units have folding toolbar

Sizes & Options

- Single and Double toolbar
- Sizes from 4 row 30" to 12 row 36"
- Optional gauge wheels
- Optional 3-bar flexible spike tooth harrow
- Optional 5-bar flexible spike tooth harrow



Front row chops ridge stalks



Rear row chops valley



STALK CHOPPER/SEEDBED CONDITIONER

McFARLANE SEEDBED CONDITIONER

3-Point Spiral Reel Stalk Chopper

Features

- Hardened spiral blades
- Triple-lip seals on reel bearings
- 7" square heavy-wall toolbar
- Optional double spiral reels
- Adjustable gauge wheels
- Optional feathering board
- Optional rolling basket
- Optional 5-Bar Harrow



The Seedbed Conditioner is a multipurpose field preparation tool used for either chopping stalks and/or preparing fields for planting. It is a unique combination of tools that can chop stalks, stir loosened soil and leave a level seedbed. With several options, the Seedbed Conditioner can be tailored to a growers specific needs. With either a rigid or folding toolbar, the units can be configured to virtually any row spacing and cutting width, up to a 12 row 40" configuration.

Raised-Bed Conditioner

When equipped with cultivator sweeps and double rolling basket, the Seedbed Conditioner is an ideal tool for using on crops grown on raised beds. Remove the previous crop's root ball and prepare the top of the bed for planting by removing the crust and leaving it level. Gauge wheels provide a consistent operating height and ensure a consistent bed height. The full width spiral reels and rolling baskets ensure complete coverage across the machine.



McFARLANE

Superior Tools for Better Yields!

STALK CHOPPER/SEEDBED CONDITIONER

FIELD FINISHER

FIELD FINISHERS

price Effective as of 10-22



- Telescoping hitch.
- Baskets have adjustable down pressure and heavy-duty 1½" bearings.
- Floating wing.
- Lift and fold on single circuit.
- Features our FA series heavy duty angle iron harrows.

Field Finisher models are available without harrow sections. Larger sizes are available up to 50'. Call for pricing. Light Kits now included in base price.



- Trussed toolbar eliminates need for wing pull cable
- Transport wheels lift completely off the ground, eliminating wheel tracks
- Maintenance free basket hubs and basket pivots
- Telescoping hitch makes it ideal to pull behind vertical tillage and other finishing implements

100/200 SERIES

MODEL	Size	Weight	List Price
RBH-100 Single Rolling Basket with Heavy-Duty 5-Bar Harrow			
RBH-118-5	18'-2"	3,695 lbs.	\$21,623
RBH-120-5	20'-0"	3,819 lbs.	\$22,077
RBH-122-5	21'-10"	3,941 lbs.	\$22,507
RBH-124-5	23'-8"	4,190 lbs.	\$23,339
RBH-126-5	27'-4"	4,718 lbs.	\$27,256
RBH-128-5	29'-2"	4,842 lbs.	\$27,714
RBH-130-5	31'-0"	4,967 lbs.	\$28,188
RBH-132-5	32'-10"	5,754 lbs.	\$29,659
RBH-134-5	34'-8"	5,891 lbs.	\$29,881
RBH-136-5	36'-6"	6,016 lbs.	\$30,310
RBH-200 Double Rolling Basket with Heavy-Duty 3-Bar Harrow			
RBH-218-3	18'-2"	3,695 lbs.	\$22,673
RBH-220-3	20'-0"	3,819 lbs.	\$23,284
RBH-222-3	21'-10"	3,941 lbs.	\$23,830
RBH-224-3	23'-8"	4,190 lbs.	\$24,954
RBH-226-3	27'-4"	4,718 lbs.	\$28,795
RBH-228-3	29'-2"	4,842 lbs.	\$29,667
RBH-230-3	31'-0"	4,967 lbs.	\$30,012
RBH-232-3	32'-10"	5,754 lbs.	\$31,704
RBH-234-3	34'-8"	5,891 lbs.	\$32,202
RBH-236-3	36'-6"	6,016 lbs.	\$32,715

RBH 200 PHAROH Field Finisher

MODEL	Size	Weight	List Price
RBH-218-P	18'-2"	3,316 lbs.	\$21,845
RBH-220-P	20'-0"	3,546 lbs.	\$23,629
RBH-222-P	21'-10"	3,649 lbs.	\$23,867
RBH-224-P	23'-8"	3,751 lbs.	\$24,245
RBH-226-P	27'-4"	4,379 lbs.	\$29,913
RBH-228-P	29'-2"	4,481 lbs.	\$30,137
RBH-230-P	31'-0"	4,584 lbs.	\$30,362
RBH-232-P	32'-10"	4,915 lbs.	\$31,689
RBH-234-P	34'-8"	5,017 lbs.	\$31,833
RBH-236-P	36'-6"	5,119 lbs.	\$31,979



Prices and Specifications may be subject to change without notice. Prices do not include shipping or setup.

STALK CHOPPER/SEEDBED CONDITIONER

price Effective as of 10-22

RIDGE-TILL ROLLING STALK CHOPPER



- 11 $\frac{3}{4}$ " & 20 $\frac{3}{4}$ " Straight blade chopping reels.
- Available with single or double toolbar.
- Category II/III combination hitch.
- 7" Heavy-wall square tool bar.
- Hardened steel replaceable blades.
- Optional gauge wheels.

(SR) Single/Non-Folding

(SF) Single/Folding

(DRR) Double/Non-Folding/Rigid Connectors

(DRF) Double/Non-Folding/Flexible Connectors

(DFR) Double/Folding/Rigid Connectors

(DFF) Double/Folding/Flexible Connectors

MODEL	Size	Weight	List Price
SC 6R36-SR	6 Row 36"	1,947 lbs.	\$9,231
SC 6R36-DRR	6 Row 36"	3,267 lbs.	\$16,532
SC 6R36-DRF	6 Row 36"	3,262 lbs.	\$17,780
SC 8R36-SR	8 Row 36"	2,125 lbs.	\$11,873
SC 8R36-DRR	8 Row 36"	4,196 lbs.	\$21,782
SC 8R36-DRF	8 Row 36"	4,151 lbs.	\$23,022
SC 8R36-SF	8 Row 36"	2,633 lbs.	\$15,564
SC 8R36-DFR	8 Row 36"	5,129 lbs.	\$26,613
SC 8R36-DFF	8 Row 36"	5,013 lbs.	\$27,346
SC 10R36-SF	10 Row 36"	3,283 lbs.	\$18,191
SC 10R36-DFR	10 Row 36"	6,524 lbs.	\$32,027
SC 10R36-DFF	10 Row 36"	6,329 lbs.	\$33,598
SC 12R36-SF	12 Row 36"	3,839 lbs.	\$20,659
SC 12R36-DFR	12 Row 36"	7,637 lbs.	\$37,047
SC 12R36-DFF	12 Row 36"	7,374 lbs.	\$36,885

**Folding units include cylinders and hoses to the center of the unit.*



STALK CHOPPER/SEEDBED CONDITIONER

price Effective as of 10-22

3-POINT MOUNTED SPIRAL REEL STALK CHOPPER



- Toolbar is a heavy-wall 7" square tubing.
- Spiral reels with 7 blades for excellent soil loosening and mixing.
- Hardened steel spiral reels are mounted using triple-lip regreasable bearings for endurance.
- Optional heavy-duty 5-Bar flexible spike-tooth harrow for leveling, stirring and firming.
- Optional Adjustable feathering board for use in high residue conditions.

MODEL	Description	Weight	List Price
STANDARD MODELS			
SPR 6R36	6 Row 36" rigid toolbar	1,867 lbs.	\$11,442
SPR 8R36	8 Row 36" rigid toolbar	2,184 lbs.	\$13,653
SPR 8R36F	8 Row 36" folding toolbar	2,802 lbs.	\$18,982
SPR 10R36F	10 Row 36" folding toolbar	3,198 lbs.	\$20,577
SPR 12R36F	12 Row 36" folding toolbar	3,628 lbs.	\$24,449
OPTIONAL Rear Spiral Reel w/ Connectors			
SPR 6R36D	Fits SPR 6R36	1,871 lbs.	\$11,061
SPR 8R36D	Fits SPR 8R36	2,280 lbs.	\$12,777
SPR 8R36DF	Fits SPR 8R36F	2,658 lbs.	\$17,791
OPTIONAL 5-Bar Harrow and Feathering Board			
SPR 6R36-FA5LB	Fits SPR 6R36	1,621 lbs.	\$10,513
SPR 8R36-FA5LB	Fits SPR 8R36	2,196 lbs.	\$13,432
SPR 8R36F-FA5LB	Fits SPR 8R36F	2,336 lbs.	\$13,432
SPR 10R36F-FA5LB	Fits SPR 10R36F	3,079 lbs.	\$19,030
SPR 12R36F-FA5LB	Fits SPR 12R36F	3,456 lbs.	\$22,605

(F) Folding units include cylinders and hoses to the center of the unit.



Prices and Specifications may be subject to change without notice. Prices do not include shipping or setup.

3-POINT MOUNTED SPIRAL REEL STALK CHOPPER

STALK CHOPPER/SEEDBED CONDITIONER

price Effective as of 10-22

ROLLER CRIMPER



- Crimp mature cover crops to kill without chemical application
- Crimp immature cover crops to provide mulch, which suppresses weeds
- Lightly till in cover crop seeds; size residue at the same time
- Full width coverage, using Dura-Reel
- Sizes up to 12 row 30", folding and rigid toolbars
- Unique bearing guard protects against wrapping / plugging
- Blades will penetrate ground in uneven conditions to get full crimp
- Setup on rear or front mount 3 point
- Weight built into frame, 7x7 toolbar
- Beveled blades require less weight than conventional crimpers that use flat bars
- Aggressive blades can also be used to incorporate seed

MODEL	Size	Tool Bar	Weight	List Price
SPR 6R30-DC	15'	Rigid	2,200 lbs	\$10,857
SPR 12R30F-DC	30'	Folding	4,400 lbs	\$29,055



Bearing Guard



15 foot option



Prices and Specifications may be subject to change without notice. Prices do not include shipping or setup.

ROLLER CRIMPER

STALK CHOPPER/SEEDBED CONDITIONER

price Effective as of 10-22

REEL SEEDBED CONDITIONER



- Toolbar is a heavy-wall 7" square tubing.
- Hardened steel blades for soil loosening and mixing.
- Heavy-duty 5-Bar flexible spike-tooth harrow for leveling, stirring and firming.
- Adjustable feathering board for use in high residue conditions.
- Optional 3-Bar and rolling basket for heavy residue.
- Operate at speeds of 7-10 mph.

LB-1008 Light Kit Included in Price

Pull Type with Spiral Choppers, 5-Bar Harrow Sections, & Feathering Board

MODEL	Width	Weight	List Price
SPR-1020-5	20'-0"	7,555 lbs.	\$42,309
SPR-1026-5	25'-6"	8,579 lbs.	\$46,315
SPR-1030-5	31'-3"	9,860 lbs.	\$55,556
SPR-1036-5	36'-6"	11,090 lbs.	\$63,866
SPR-1040-5	40'-2"	11,720 lbs.	\$66,773

Pull Type with Spiral Choppers, 3-Bar Harrow Sections, & Rolling Basket

MODEL	Width	Weight	List Price
SPR-1020-3RB	20'-0"	7,555 lbs.	\$44,931
SPR-1026-3RB	25'-6"	8,579 lbs.	\$47,340
SPR-1030-3RB	31'-3"	9,860 lbs.	\$56,994
SPR-1036-3RB	36'-6"	11,090 lbs.	\$65,700
SPR-1040-3RB	40'-2"	11,720 lbs.	\$71,469

Pull Type with Spiral Choppers Only

MODEL	Width	Weight	List Price
SPR-1020	20'-0"	6,175 lbs.	\$32,826
SPR-1026	25'-6"	6,915 lbs.	\$35,136
SPR-1030	31'-3"	7,474 lbs.	\$39,038
SPR-1036	36'-6"	8,276 lbs.	\$46,528
SPR-1040	40'-2"	9,071 lbs.	\$48,177



Prices and Specifications may be subject to change without notice. Prices do not include shipping or setup.

STALK CHOPPER/SEEDBED CONDITIONER

price Effective as of 10-22

3-POINT BED CONDITIONER



Units include shank with foot piece, 5-blade spiral reels mounted to 7x7 vertical fold toolbar and double rolling basket. Gauge wheels are included on all models.

MODEL	Size	List Price
SPR 6R38R-BC	6 row 36" rigid toolbar	\$28,821
SPR 6R38F-BC	6 row 38"	\$34,022
SPR 8R38F-BC	8 row 38"	\$38,251
SPR 12R30F-BC	12 row 30"	\$36,071
SPR 12R36F-BC	12 row 36"	\$47,028
SPR 12R38F-BC	12 row 38"	\$42,969
SPR 12R40F-BC	12 row 40"	\$50,553
SPR 16R30F-BC	16 row 30"	\$70,520

Bed Conditioner Components Only

MODEL	Size	List Price
SPR-BC 12R30	12 row 30"	\$27,916
SPR-BC 12R36	12 row 36"	\$28,525
SPR-BC 12R38	12 row 38"	\$30,344
SPR-BC 12R40	12 row 40"	\$30,344
SPR-BC 16R30	16 row 30"	\$31,357

Packages include shank with foot piece, 5-blade spiral reels, and double rolling basket to fit stack-fold toolbar.

Bed Conditioner Shank \$389
Includes shank, mount, and foot piece (one row).



Prices and Specifications may be subject to change without notice. Prices do not include shipping or setup.

3-POINT SEEDBED CONDITIONER