

SKID STEER TRENCHERS

PREMIER
ATTACHMENTS

MINI SKID STEER TRENCHERS

T100 TRENCHER

		MIN/MAX HYD: 8-12		MIN/MAX PSI: 2,500-3,500	
		MIN/MAX RPM: 102-154		MIN/MAX TORQUE: 597-716	
BOOM LEN.	CUT WIDTH	DOUBLE STD CHAIN	50/50 SHARK TOOTH CHAIN	50/50 BULLET TOOTH CHAIN	70/30 SCORPION CHAIN
2'	4"	T100-24DS-4W	T100-24ST55-4W	T100-24BT55-4W	T100-24ST73-4W
	6"	T100-24DS-6W	T100-24ST55-6W	T100-24BT55-6W	T100-24ST73-6W
	8"	T100-24DS-8W			
	10"	T100-24DS-10W			
	12"	T100-24DS-12W			
2.5'	4"	T100-30DS-4W	T100-30ST55-4W	T100-30BT55-4W	T100-30ST73-4W
	6"	T100-30DS-6W	T100-30ST55-6W	T100-30BT55-6W	T100-30ST73-6W
	8"	T100-30DS-8W			
	10"	T100-30DS-10W			
	12"	T100-30DS-12W			
3'	4"	T100-36DS-4W	T100-36ST55-4W	T100-36BT55-4W	T100-36ST73-4W
	6"	T100-36DS-6W	T100-36ST55-6W	T100-36BT55-6W	T100-36ST73-6W
	8"	T100-36DS-8W			
	10"	T100-36DS-10W			
	12"	T100-36DS-12W			

T125 TRENCHER WITH DUO-TACH™ (PATENT PENDING)

		MIN/MAX HYD: 10-15		MIN/MAX PSI: 2,500-3,000	
		MIN/MAX RPM: 101-151		MIN/MAX TORQUE: 765-918	
BOOM LEN.	CUT WIDTH	DOUBLE STD CHAIN	50/50 SHARK TOOTH CHAIN	50/50 BULLET TOOTH CHAIN	70/30 SCORPION CHAIN
2'	4"	T125-24DS-4W	T125-24ST55-4W	T125-24BT55-4W	T125-24ST73-4W
	6"	T125-24DS-6W	T125-24ST55-6W	T125-24BT55-6W	T125-24ST73-6W
	8"	T125-24DS-8W			
	10"	T125-24DS-10W			
	12"	T125-24DS-12W			
2.5'	4"	T125-30DS-4W	T125-30ST55-4W	T125-30BT55-4W	T125-30ST73-4W
	6"	T125-30DS-6W	T125-30ST55-6W	T125-30BT55-6W	T125-30ST73-6W
	8"	T125-30DS-8W			
	10"	T125-30DS-10W			
	12"	T125-30DS-12W			
3'	4"	T125-36DS-4W	T125-36ST55-4W	T125-36BT55-4W	T125-36ST73-4W
	6"	T125-36DS-6W	T125-36ST55-6W	T125-36BT55-6W	T125-36ST73-6W
	8"	T125-36DS-8W			
	10"	T125-36DS-10W			
	12"	T125-36DS-12W			



SKID STEER TRENCHERS

PREMIER
ATTACHMENTS

SKID STEER TRENCHERS

T155 TRENCHER

MIN/MAX HYD: 15–19		MIN/MAX PSI: 2,500–3,500			
MIN/MAX RPM: 116–146		MIN/MAX TORQUE: 995–1393			
BOOM LEN.	CUT WIDTH	DOUBLE STD CHAIN	50/50 SHARK TOOTH CHAIN	50/50 BULLET TOOTH CHAIN	70/30 SCORPION CHAIN
3'	6"	T155-3DS-6W	T155-3ST55-6W	T155-3BT55-6W	T155-3ST73-6W
	8"	T155-3DS-8W			
	10"	T155-3DS-10W			
	12"	T155-3DS-12W			
4'	6"	T155-4DS-6W	T155-4ST55-6W	T155-4BT55-6W	T155-4ST73-6W
	8"	T155-4DS-8W	T155-4ST55-12W		

T255 TRENCHER

MIN/MAX HYD: 19–27		MIN/MAX PSI: 2,500–3,500			
MIN/MAX RPM: 120–170		MIN/MAX TORQUE: 1,219–1,706			
BOOM LEN.	CUT WIDTH	DOUBLE STD CHAIN	50/50 SHARK TOOTH CHAIN	50/50 BULLET TOOTH CHAIN	70/30 SCORPION CHAIN
3'	6"	T255-3DS-6W	T255-3ST55-6W	T255-3BT55-6W	T255-3ST73-6W
	8"	T255-3DS-8W			
	10"	T255-3DS-10W			
	12"	T255-3DS-12W			
4'	6"	T255-4DS-6W	T255-4ST55-6W	T255-4BT55-6W	T255-4ST73-6W
	8"	T255-4DS-8W			

T350 TRENCHER

MIN/MAX HYD: 30–39		MIN/MAX PSI: 2,500–3,500			
MIN/MAX RPM: 155–202		MIN/MAX TORQUE: 1,480–2,072			
BOOM LEN.	CUT WIDTH	DOUBLE STD CHAIN	50/50 SHARK TOOTH CHAIN	50/50 BULLET TOOTH CHAIN	70/30 SCORPION CHAIN
3'	6"	T350-3DS-6W	T350-3ST55-6W	T350-3BT55-6W	T350-3ST73-6W
	8"	T350-3DS-8W			
	10"	T350-3DS-10W			
	12"	T350-3DS-12W			
4'	6"	T350-4DS-6W	T350-4ST55-6W	T350-4BT55-6W	T350-4ST73-6W
	8"	T350-4DS-8W			
5'	6"	T350-5DS-6W	T350-5ST55-6W	T350-5BT55-6W	T350-5ST73-6W




TRENCHERS

Premier Trencher Attachments utilize the power of the host machine to deliver high performance

- Premier's new Patent Pending **DUO-TACH™ Mounting System** allows trenchers to be used on both universal skid steer and mini skid steer mounting systems. Disconnect the mount from your full-size skid steer and re-connect it to your mini skid steer without changing anything.
- Heavy Duty Planetary Drive system eliminates chain reduction
- Heavy-Duty crumpler shoe accessory for loose soil removal
- Replaceable spoil auger mounds most soil to one side of the trench
- Manual side-shift for trenching close to the structure
- Built-in skid shoe provides proper auger depth control
- Built-in mechanical depth gauge
- 2 Year Motor and Planetary/ 1 Year Frame Warranty

TRENCHER CHAIN OPTIONS

- **Double Standard Chain (1)**
Recommended for harder, drier soil conditions
- **50/50 Bullet Tooth Chain (2)**
Recommended for hard soils, frost, and rocky conditions
- **50/50 Shark Tooth Chain (3)**
Recommended for consistent hard soil/rock conditions
- **70/30 Scorpion Tooth Chain (4)**
Recommended for hard soil, rock, asphalt, and frozen ground conditions



SKID STEER TRENCHERS

Prices Effective as of 2-23

TRENCHER ATTACHMENTS

MODEL T100 - MINI SKID STEER TRENCHER

*Mini Trenchers come complete with Standard Mini-Skid Steer Mounting Bracket, Hose Kit, Flat Faced Couplers. *Additional Mounts Available for Mini-Excavators and the Bobcat MT Machines.

Model/Item #	Description	Approx Weight	Suggested List Price (US \$)
T100 36DS 4W	36" Dig Depth, 4" Wide, Double Standard Chain	610 lbs	\$5,258.00
T100 36DS 6W	36" Dig Depth, 6" Wide, Double Standard Chain	615 lbs	\$5,377.00
T100 36DS 8W	36" Dig Depth, 8" Wide, Double Standard Chain	620 lbs	\$5,722.00
T100 36DS 10W	36" Dig Depth, 10" Wide, Double Standard Chain	625 lbs	\$5,934.00
T100 36DS 12W	36" Dig Depth, 12" Wide, Double Standard Chain	630 lbs	\$6,012.00
T100 36ST73 4W	36" Dig Depth, 4" Wide, 70/30 Carbide Scorpion Tooth	650 lbs	\$5,460.00
T100 36ST73 6W	36" Dig Depth, 6" Wide, 70/30 Carbide Scorpion Tooth	665 lbs	\$5,603.00
T100 36BT55 4W	36" Dig Depth, 4" Wide, 50/50 Bullet Tooth	650 lbs	\$5,712.00
T100 36BT55 6W	36" Dig Depth, 6" Wide, 50/50 Bullet Tooth	665 lbs	\$5,994.00
T100 36ST55 4W	36" Dig Depth, 4" Wide, 50/50 Shark Tooth	660 lbs	\$5,700.00
T100 36ST55 6W	36" Dig Depth, 4" Wide, 50/50 Shark Tooth	670 lbs	\$5,986.00

MODEL T125 - MINI SKID STEER TRENCHER (IMS AVAILABLE)

For Machines equipped with 10-15 GPM. *NEW Integrated Mounting Solution. *ADD \$450 for the Integrated Mounting Solution (IMS), 90 lbs. to weight, and add letter "I" to back of part # (Example T125I 3DS 6W). *Mini Trenchers come complete with Standard Mini-Skid Steer Mounting Bracket, Hose Kit, Flat Faced Couplers. *Additional Mounts Available for Mini-Excavators and the Bobcat MT Machines.

Model/Item #	Description	Approx Weight	Suggested List Price (US \$)
T125 36DS 4W	36" Dig Depth, 4" Wide, Double Standard Chain	610 lbs	\$5,575.00
T125 36DS 6W	36" Dig Depth, 6" Wide, Double Standard Chain	615 lbs	\$5,700.00
T125 36DS 8W	36" Dig Depth, 8" Wide, Double Standard Chain	620 lbs	\$6,073.00
T125 36DS 10W	36" Dig Depth, 10" Wide, Double Standard Chain	625 lbs	\$6,293.00
T125 36DS 12W	36" Dig Depth, 12" Wide, Double Standard Chain	630 lbs	\$6,375.00
T125 36ST73 4W	36" Dig Depth, 4" Wide, 70/30 Carbide Scorpion Tooth	650 lbs	\$5,785.00
T125 36ST73 6W	36" Dig Depth, 6" Wide, 70/30 Carbide Scorpion Tooth	665 lbs	\$5,941.00
T125 36BT55 4W	36" Dig Depth, 4" Wide, 50/50 Bullet Tooth	650 lbs	\$6,055.00
T125 36BT55 6W	36" Dig Depth, 6" Wide, 50/50 Bullet Tooth	665 lbs	\$6,352.00
T125 36ST55 4W	36" Dig Depth, 4" Wide, 50/50 Shark Tooth	660 lbs	\$6,046.00
T125 36ST55 6W	36" Dig Depth, 4" Wide, 50/50 Shark Tooth	670 lbs	\$6,348.00



Prices and Specifications may be subject to change without notice. Prices do not include shipping or setup.

SKID STEER TRENCHERS

Prices Effective as of 2-23

TRENCHER ATTACHMENTS

MODEL T155 - SKID STEER LOADER TRENCHER

All Prices include Base Unit, Mounting Bracket, Boom, Spoil Auger, Chain and Teeth, Quick-Disconnect and Hoses. *For Machines equipped with 15 to 25 GPM

Model/Item #	Description	Approx Weight	Suggested List Price (US \$)
T155 3DS 6W	T155 Trencher, 3' Boom, 6" Double Standard Chain	1070 lbs	\$7,024.00
T155 3DS 8W	T155 Trencher, 3' Boom, 8" Double Standard Chain	1080 lbs	\$7,289.00
T155 3DS 10W	T155 Trencher, 3' Boom, 10" Double Standard Chain	1105 lbs	\$7,477.00
T155 3DS 12W	T155 Trencher, 3' Boom, 12" Double Standard Chain	1140 lbs	\$7,547.00
T155 3ST55 6W	T155 Trencher, 3' Boom, 6" 50/50 Shark Tooth Chain	1129 lbs	\$7,859.00
T155 3BT55 8W	T155 Trencher, 3' Boom, 6" 50/50 BulletTooth Chain	1132 lbs	\$7,842.00
T155 3ST73 6W	T155 Trencher, 3' Boom, 6" 70/30 Scorpion Tooth Chain	1083 lbs	\$7,701.00
T155 4DS 6W	T155 Trencher, 4' Boom, 6" Double Standard Chain	1135 lbs	\$7,278.00
T155 4DS 8W	T155 Trencher, 4' Boom, 8" Double Standard Chain	1145 lbs	\$7,505.00
T155 4ST55 6W	T155 Trencher, 4' Boom, 6" 50/50 Shark Tooth Chain	1207 lbs	\$8,222.00
T155 4BT55 6W	T155 Trencher, 4' Boom, 6" 50/50 BulletTooth Chain	1217 lbs	\$8,447.00
T155 4ST73 6W	T155 Trencher, 4' Boom, 6" 70/30 Scorpion Tooth Chain	1143 lbs	\$8,042.00

Deeper/Wider Trenching Options Available Upon Request

MODEL T255 - SKID STEER LOADER TRENCHER

All Prices include Base Unit, Mounting Bracket, Boom, Spoil Auger, Chain and Teeth, Quick-Disconnect and Hoses. *For Machines equipped with 20 to 30 GPM

Model/Item #	Description	Approx Weight	Suggested List Price (US \$)
T255 3DS 6W	T255 Trencher, 3' Boom, 6" Double Standard Chain	1070 lbs	\$7,275.00
T255 3DS 8W	T255 Trencher, 3' Boom, 8" Double Standard Chain	1080 lbs	\$7,532.00
T255 3DS 10W	T255 Trencher, 3' Boom, 10" Double Standard Chain	1105 lbs	\$7,733.00
T255 3DS 12W	T255 Trencher, 3' Boom, 12" Double Standard Chain	1140 lbs	\$7,805.00
T255 3ST55 6W	T255 Trencher, 3' Boom, 6" 50/50 Shark Tooth Chain	1129 lbs	\$8,099.00
T255 3BT55 6W	T255 Trencher, 3' Boom, 6" 50/50 Bullet Tooth Chain	1132 lbs	\$8,242.00
T255 3ST73 6W	T255 Trencher, 3' Boom, 6" 70/30 Scorpion Tooth Chain	1083 lbs	\$7,946.00
T255 4DS 6W	T255 Trencher, 4' Boom, 6" Double Standard Chain	1135 lbs	\$7,508.00
T255 4DS 8W	T255 Trencher, 4' Boom, 8" Double Standard Chain	1145 lbs	\$7,816.00
T255 4ST55 6W	T255 Trencher, 4' Boom, 6" 50/50 Shark Tooth Chain	1207 lbs	\$8,538.00
T255 4BT55 6W	T255 Trencher, 4' Boom, 6" 50/50 Bullet Tooth Chain	1217 lbs	\$8,691.00
T255 4ST73 6W	T255 Trencher, 4' Boom, 6" 70/30 Scorpion Tooth Chain	1143 lbs	\$8,206.00

Deeper/Wider Trenching Options Available Upon Request



Prices and Specifications may be subject to change without notice. Prices do not include shipping or setup.

SKID STEER TRENCHERS

Prices Effective as of 2-23

TRENCHER ATTACHMENTS

MODEL T350 - SKID STEER LOADER TRENCHER

*All Prices include Base Unit, Mounting Bracket, Boom, Spoil Auger, Chain and Teeth. *Quick-Disconnects and Hoses are optional and are listed and sold. Call Factory for Additional Pricing and Replacement Parts. For Machines equipped with 30 to 45 GPM. No Case Drain Required

Model/Item #	Description	Approx Weight	Suggested List Price (US \$)
T350 3DS 6W	T350 Trencher, 3' Boom, 6" Double Standard Chain	1130 lbs	\$8,622.00
T350 3DS 8W	T350 Trencher, 3' Boom, 8" Double Standard Chain	1140 lbs	\$8,647.00
T350 3DS 10W	T350 Trencher, 3' Boom, 10" Double Standard Chain	1165 lbs	\$8,898.00
T350 3DS 12W	T350 Trencher, 3' Boom, 12" Double Standard Chain	1200 lbs	\$9,089.00
T350 3ST55 6W	T350 Trencher, 3' Boom, 6" 50/50 Shark Tooth Chain	1189 lbs	\$9,300.00
T350 3BT55 6W	T350 Trencher, 3' Boom, 6" 50/50 Bullet Tooth Chain	1192 lbs	\$9,505.00
T350 3ST73 6W	T350 Trencher, 3' Boom, 6" 70/30 Scorpion Tooth Chain	1143 lbs	\$8,995.00
T350 4DS 6W	T350 Trencher, 4' Boom, 6" Double Standard Chain	1195 lbs	\$8,885.00
T350 4DS 8W	T350 Trencher, 4' Boom, 8" Double Standard Chain	1205 lbs	\$9,087.00
T350 4ST55 6W	T350 Trencher, 4' Boom, 6" 50/50 Shark Tooth Chain	1267 lbs	\$9,706.00
T350 4BT55 6W	T350 Trencher, 4' Boom, 6" 50/50 Bullet Tooth Chain	1277 lbs	\$10,011.00
T350 4ST73 6W	T350 Trencher, 4' Boom, 6" 70/30 Scorpion Tooth Chain	1203 lbs	\$9,203.00
T350 5DS 6W	T350 Trencher, 5' Boom, 6" Double Standard Chain	1215 lbs	\$9,201.00
T350 5ST55 6W	T350 Trencher, 5' Boom, 6" 50/50 Shark Tooth Chain	1292 lbs	\$10,563.00
T350 5BT55 6W	T350 Trencher, 5' Boom, 6" 50/50 Bullet Tooth Chain	1305 lbs	\$10,152.00
T350 5ST73 6W	T350 Trencher, 5' Boom, 6" 70/30 Scorpion Tooth Chain	1235 lbs	\$9,690.00

TRENCHER HOSES & COUPLERS

Model/Item #	Description	Approx Weight	Suggested List Price (US \$)
61050	1/2" Hydraulic Hoses 108" Long (Models T150 & T250)	15 lbs	\$195.00
61006	1/2" Female Flat Faced Coupler (Models T150 & T250)	3 lbs	\$77.00
61007	1/2" Male Flat Faced Coupler (Models T150 & T250)	1 lbs	\$39.00
61051	3/4" Hydraulic Hoses 108" Long (Models T350)	25 lbs	\$365.00
61043	3/4" Female Flat Faced Coupler (Model T350)	5 lbs	\$175.00
61044	3/4" Male Flat Faced Coupler (Model T350)	2 lbs	\$106.00
61008	5/8" Female Flat Faced Coupler	5 lbs	\$109.00
61009	5/8" Male Flat Faced Coupler	2 lbs	\$68.00



Prices and Specifications may be subject to change without notice. Prices do not include shipping or setup.