

BACKHOES



BK/200-230 BACKHOES

TECHNICAL SPECIFICATIONS

	DESCRIPTION	BK/200	BK/230
	A - Digging Depth (two foot flat bottom)	74,8" 190 cm	90,5" 230 cm
B - Swing Arc	180°	180°	
C - Loading Height (bucket at 60°)	70,9" 180 cm	86,6" 220 cm	
D - Reach from Center Line of Swing Pivot	108,3" 275 cm	120" 305 cm	
E - Stabilizer Spread, down position	57,5" 146 cm	57,5" 146 cm	
F - Stabilizer Spread, up position	85" 216 cm	85" 216 cm	
Ripping Force at the Tooth	4400 lb - 2000 kg	4850 lb - 2200 kg	
Shipping Weight (with bucket)	770 lb - 350 kg	840 lb - 380 kg	

BACKHOES



BK/300 BACKHOES

TECHNICAL SPECIFICATIONS

	DESCRIPTION	BK/300
	A - Digging Depth (two foot flat bottom)	122" 310 cm
	B - Swing Arc	180°
	C - Loading Height (bucket at 60°)	106,3" 270 cm
	D - Reach from Center Line of Swing Pivot	151,5" 385 cm
	E - Stabilizer Spread, down position	63" 160 cm
	F - Stabilizer Spread, up position	102,4" 260 cm
	Ripping Force at the Tooth	6390 lb - 2900 kg
	Shipping Weight (with bucket)	1608 lb - 730 kg

BACKHOES

A6 Technical data



Technical data		BK 200	BK 230	BK 300
A	mm / inch	1800 / 70.9"	2200 / 86.6"	2700 / 106.3"
B	mm / inch	1900 / 74.8"	2300 / 90.5"	3100 / 122"
C	mm / inch	2600 / 102.4"	2900 / 114.2"	3700 / 145.7"
D	mm / inch	2750 / 108.3"	3050 / 120"	3850 / 151.6"
E	mm / inch	2160 / 85"	2160 / 85"	2600 / 102.4"
F	mm / inch	1460 / 57.5"	1460 / 57.5"	1600 / 63"
G	mm / inch	550 / 21.7"	550 / 21.7"	550 / 21.7"
Ripping force at the tooth	(kg)/(lbs)	2000 / 4400	2200 / 4850	2900 / 6390
Rotation angle		180°	180°	180°
Pump max capacity	(l/min)/(gal/min)	15 / 4	20 / 5.3	38 / 10
Working pressure	(Bar)/(PSI)	180 / 2570	180 / 2570	180 / 2570
Tank capacity	(l)/(gal)	25 / 6.6	25 / 6.6	50 / 13.2
Digging Bucket	(mm)/(inch)	250 - 400 / 9.8" - 15.7"		250-600 / 9.8"-23.6"
Weight with bucket	(Kg)/(lbs)	350 / 770	380 / 840	730 / 1610
Tractor min. weight	(Kg)/(lbs)	1000 / 2200	1100 / 2425	2500 / 5510
Tractor min. power*	(Hp)	18	20	70

Note: tractor specific characteristics permitting, refer to the use and maintenance manual of the tractor to check if the tractor is fit for the backhoe installation.

BACKHOES

Prices Effective as of 2-23



<u>MODEL</u>	<u>BUCKET SIZE</u>	<u>DIGGING DEPTH</u>	<u>SHIPPING WT.</u>	<u>LIST PRICE</u>
BK200	12"	6' 3"	900#	\$13,580
BK230	12"	7' 6"	1180#	\$14,055
BK300	20"	10' 2"	1695#	\$23,835



Prices and Specifications may be subject to change without notice. Prices do not include shipping or setup.