



**EAGLE LINE**  
EQUIPMENT INC. →

## TILLAGE EQUIPMENT

### ECONOMY GRADER BLADE



- \*QUICK HITCH READY
- \*COMPACT HITCH
- \*THREE ANGLE POSITIONS FRONT AND REAR
- \*3/16" THICK MOLDBOARD DOUBLE FORMED FOR ADDED STRENGTH
- \*CAT. 1 WITH REPLACEABLE PINS
- \*HITCH IS 3" X 3" REINFORCED SQUARE TUBE
- \*REINFORCED ROTATION ASSEMBLY
- \*CUTTING EDGE IS 3/8" X 6" ABRASION RESISTANT STEEL, INTERCHANGEABLE AND REVERSIBLE
- \*15- 25 HP RECOMMENDED

<u>Description</u>	<u>Model</u>	<u>Weight</u>	<u>HP (advised)</u>	<u>Price</u>
4 Ft.	BGE40	147	15 - 25	\$698.00
5 Ft.	BGE50	182	15 - 25	\$753.00
6 Ft.	BGE60	220	15 - 25	\$829.00





## TILLAGE EQUIPMENT

### GRADER – DITCHER – BLADE



\*QUICK HITCH READY

\*COMES ASSEMBLED INSTALL A-FRAME AND  
READY TO USE

\*DITCHING BLADE ROTATION ALLOWS ANGLING  
OF 15 AND 30 DEGREES

\*1/4"THICK MOLDBOARD DOUBLE FORMED FOR  
ADDED STRENGTH

\*REINFORCED BLADE ROTATION ASSEMBLY  
WITH 5 POSITIONS FORWARD AND REVERSE

\*A-FRAME HITCH IS 6" X 3" X 3/16" TUBE  
REINFORCED WITH 5" X 3/8" TOP AND BOTTOM,  
3" X 3/8" A- FRAME, WITH 1 1/4" PIVOT BOLT ON  
6 FT., 7 FT., AND 8 FT.

\*A-FRAME HITCH IS 5" X 3" X 3/16" TUBE  
REINFORCED WITH 4" X 3/8" TOP AND BOTTOM,  
3" X 3/8" A-FRAME, WITH 1" PIVOT BOLT ON 4 FT.  
AND 5 FT.

\*CUTTING EDGE IS 3/8" X 6" ABRASION  
RESISTANT STEEL, INTERCHANGEABLE AND  
REVERSIBLE

Description		Model	Weight	HP (advised)	Price
4 Ft.	5 Positions	BGD40	201	15 - 25	\$1,150.00
5 Ft.	5 Positions	BGD50	223	25 - 40	\$1,201.00
6 Ft.	5 Positions	BGD60	282	25 - 40	\$1,248.00
7 Ft.	5 Positions	BGD70	305	25 - 40	\$1,305.00
8 Ft.	5 Positions	BGD80	328	25 - 40	\$1,401.00





# TILLAGE EQUIPMENT

## GRADER – HYDRAULIC – BLADE



**\*QUICK HITCH READY**

**\*COMES ASSEMBLED INSTALL A-FRAME AND  
READY TO USE**

**\*HYDRAULIC CYLINDER INCLUDED**

**\*REINFORCED BLADE ROTATION ASSEMBLY**

**\*1/4" THICK MOLDBOARD DOUBLE FORMED AND  
REINFORCED WITH TUBING FOR EXTRA  
STRENGTH**

**\*A-FRAME HITCH WITH 1 1/4" PIVOT BOLT IS  
COMPACT CAT. 1 WITH REPLACEABLE LIFT ARM  
PINS**

**\*CUTTING EDGE IS 3/8" X 6" ABRASION  
RESISTANT STEEL, INTERCHANGEABLE AND  
REVERSIBLE**

**\*OPTIONAL: HOSE KIT WITH PIONEER COUPLER**

<b>Description</b>	<b>Model</b>	<b>Weight</b>	<b>HP (advised)</b>	<b>Price</b>
4 Ft.	BGH40	218	20 - 35	\$1,705.00
5 Ft.	BGH50	232	20 - 35	\$1,795.00
6 Ft.	BGH60	248	20 - 35	\$1,886.00
7 Ft.	BGH70	276	25 - 35	\$2,020.00





## TILLAGE EQUIPMENT

### GRADER – SLIDER – BLADE



**\*QUICK HITCH READY**

**\*COMES ASSEMBLED INSTALL A-FRAME AND READY TO USE**

**\*SLIDER STYLE ALLOWS BLADE TO OFFSET RIGHT OR LEFT UP TO 16"**

**\*1/4" THICK MOLDBOARD DOUBLE FORMED FOR ADDED STRENGTH**

**\*REINFORCED BLADE ROTATION ASSEMBLY WITH 5 POSITIONS FORWARD & REVERSE**

**\*A-FRAME HITCH IS 6" X 3" X 3/16" TUBE REINFORCED WITH 5" X 3/8" TOP AND BOTTOM, 3" X 3/8" A- FRAME, WITH 1 1/4" PIVOT BOLT ON 6 FT., 7 FT., AND 8 FT.**

**\*A-FRAME HITCH HAS 5" X 3" X 3/16" TUBE REINFORCED WITH 4" X 3/8" TOP AND BOTTOM, 3" X 3/8" A-FRAME, WITH 1" PIVOT BOLT ON 4 FT. AND 5 FT.**

**\*CUTTING EDGE IS 3/8" X 6" ABRASION RESISTANT STEEL, INTERCHANGEABLE AND REVERSIBLE**

<b>Description</b>	<b>Model</b>	<b>Weight</b>	<b>HP (advised)</b>	<b>Price</b>
4 Ft. 3 Positions	BGS40	187	15 - 25	\$939.00
5 Ft. 3 Positions	BGS50	211	15 - 25	\$983.00
6 Ft. 5 Positions	BGS60	274	25 - 40	\$1,045.00
7 Ft. 5 Positions	BGS70	296	25 - 40	\$1,106.00
8 Ft. 5 Positions	BGS80	318	25 - 40	\$1,205.00



**GENERAL  
IMPLEMENT**  
DISTRIBUTORS



EAGLE LINE  
EQUIPMENT INC. →

## TILLAGE EQUIPMENT

### ROAD GRADER BLADE WITH SHANKS



\*QUICK HITCH READY

\*COMES ASSEMBLED, INSTALL HITCH AND  
READY TO USE

\*RECYCLES GRAVEL BY TURNING, MIXING,  
SIFTING, AND LEVELING WITH NO WASHBOARD  
EFFECT ON UNPAVED ROADS

\*DUAL CUTTING EDGES ARE ANGLED FOR  
CONSTANT DOWN PRESSURE RESULTING IN  
BETTER CUTTING AND LEVELING

\*DIGGING OF THE DUAL CUTTING EDGES  
CAUSES GRASS AND DEBRIS TO FLOW THROUGH  
EVENLY

\*5/16" THICK END PLATES AND 12" HIGH

\*REAR TUBE FOR ADDED STRENGTH

\*CUTTING EDGES ARE 3/8" X 6" ABRASION  
RESISTANT STEEL, INTERCHANGEABLE AND  
REVERSIBLE

\* SCARIFIER SHANKS HAVE 3 DEPTH SETTINGS,  
AND REPLACEABLE POINTS

Description			Model	Weight	Price
4 Ft.	4 Shanks	12" Sides	BGR401	444	\$2,232.00
5 Ft.	5 Shanks	12" Sides	BGR501	525	\$2,360.00
6 Ft.	6 Shanks	12" Sides	BGR601	567	\$2,487.00
7 Ft.	7 Shanks	12" Sides	BGR701	649	\$2,715.00
8 Ft.	8 Shanks	12" Sides	BGR801	742	\$4,023.00





# TILLAGE EQUIPMENT

## ROAD GRADER BLADE



- \*QUICK HITCH READY
- \*COMES ASSEMBLED, INSTALL HITCH AND READY TO USE
- \*RECYCLES GRAVEL BY TURNING, MIXING, SIFTING, AND LEVELING WITH NO WASHBOARD EFFECT ON UNPAVED ROADS
- \*DUAL CUTTING EDGES ARE ANGLED FOR CONSTANT DOWN PRESSURE RESULTING IN BETTER CUTTING AND LEVELING
- \*DIGGING OF THE DUAL CUTTING EDGES CAUSES GRASS AND DEBRIS TO FLOW THROUGH EVENLY
- \*5/16" THICK END PLATES
- \*END PLATES ARE 12" HIGH ON 4 FT., 5 FT., 6 FT., & 7 FT. AND
- \*END PLATES ARE 16" HIGH ON 8 FT. & 9 FT.
- \*CUTTING EDGES ARE 3/8" X 6" ABRASION RESISTANT STEEL, INTERCHANGEABLE AND REVERSIBLE
- \*OPTIONAL: STRAIGHT DUAL CUTTING EDGES

Description	Model	Weight	HP (advised)	Price
4 Ft. with 12" Sides	BGR40	413		\$1,979.00
5 Ft. with 12" Sides	BGR50	486	30	\$2,106.00
6 Ft. with 12" Sides	BGR60	520	35	\$2,252.00
7 Ft. with 12" Sides	BGR70	594	40	\$2,322.00
8 Ft. with 16" Sides	BGR80	679		\$4,149.00
9 Ft. with 16" Sides	BGR90	764		\$4,666.00

