

# THE FIRST STEP IN PROGRESS

## PROVEN DESIGN INCREASED POSSIBILITIES

- Delivers up to 82000 lbs. of impact force with each cycle
- Breaks up to 9" thick reinforced concrete
- Operates on any skid-steer with 12-30 GPM\* without additional setup
- Free fall design creates smooth operation with less shock back to the vehicle
- Anti-dry fire feature prevents unnecessary firing and improves durability of the machine
- Less maintenance with drop hammer design
- CB40 breaker kit available to convert any Hammer post driver into a concrete breaker
- 1-Year Warranty

\*Breaker will still operate on machines with less than 12 GPM, but with fewer strokes per minute



Made in the U.S.A.

*"Good enough won't do - it must be right." - K.B. Danuser, Founder 1910*

[danuser.com](http://danuser.com)

# HAMMER CB40



No setup required,  
it's ready to go to work!

## A HISTORY OF INNOVATION

Established in 1910, DANUSER has been family owned and operated by four generations. We have manufactured auger systems since the mid-1940's. With decades of design and manufacturing experience, our machines have stood the test of time. Today our commitment to our customer remains to design and build products that are the benchmark of quality, reliability, and longevity. In the words of our founder K.B. Danuser, "Good enough won't do – it must be right."

DANUSER manufactures several attachments for various equipment, serving several industries worldwide. Please visit [www.danuser.com](http://www.danuser.com) to see our full line of attachments.

Danuser reserves the right to make changes in design, specifications, and prices without notice and without incurring any obligation relating to such changes.

 **DANUSER**

 **GENERAL  
IMPLEMENT**  
DISTRIBUTORS




PD 5011A



## HAMMER CB40 - Concrete Breaker

### 1-Year Warranty

**⚠ WARNING** This product can expose you to chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov/product](http://www.P65Warnings.ca.gov/product).



PN	DESCRIPTION	WT.	PRICE
21017	<b>Hammer CB40</b> Hydraulic continuous chain drive, 500 lb. hammer weight, 40" stroke, up to 35 strokes per minute. Can break up to 9" thick reinforced concrete. <b>Includes</b> 96" length hoses with flat face couplers.	1080	\$8,075.00

### REPAIR PARTS & SAFETY SIGNS

To find repair parts and safety signs, see Danuser's online Parts Catalog at [parts.danuser.com](http://parts.danuser.com).

The Parts Catalog includes all current user-friendly, accessible, and portable format.

Be sure to have model and serial number at hand to find the correct items.



## CB40

PART ID: 21017

The Danuser Hammer model CB40 has a 40" drop hammer design that breaks up to 9" thick reinforced concrete. This low maintenance concrete breaker achieves a full stroke with every cycle, delivering 82,000 lbs of impact force. An innovative anti-dry fire feature prevents unnecessary firing which improves the durability of the machine. This is a great product for the industrial or commercial job site. Ideal for the demolition of parking lots, foundations, flooring, sidewalks, curbs, and more!

Have a Hammer Post Driver already? Convert your post driver into a Hammer Concrete Breaker with the CB40 Breaker Kit

### Warranty

1-year

### Specifications

Impact Force:	82,000 lbs.
Length of Stroke:	40
Hammer Weight:	500
Strokes per Minute:	35

	Model CB40
Overall Length	45.5"
Overall Width	25"
Overall Height	64"
Machine Weight	1080 lbs
Hammer Weight	500 lbs
Length of Stroke	40"
Max. Strokes per Minute	35
Hydraulic Requirements	1,500-3,000 PSI *12-30 GPM
Maximum Concrete Thickness	9"
Impact Force	82,000 lbs
Impact Energy	1,709 ft-lbs

**\*Hammer will still operate on machines with less than 12 GPM with fewer strokes per minute.**