

# SWATHER HEAD HAULER™



SH26D - D.O.T. Compliant Swather Head Hauler Trailer. Shown with Optional Features:  
801195 - Header Bar Package and  
801265 - Draper Head U-Saddle Support Arms




28" x 132" Frame Access for Header Lift Arms. Adjustable Header Supports Accomodate most Swather and Windrower Headers



Loading 16' Rotary Disc Header on SH24LT




SH24LT - Loaded 16' Sickle Head




Optional: 801265 - Draper Head U-Saddle Support Arms, Pin-On and Adjustable Height



Loading 16' Rotary Disc Header on SH24D (Rear View)



SH30LT - Loaded with 30' Draper Head



(4) Adjustable Header Support Chocks,  
(2) Adjustable Header Supports, (4) Self Aligning Strap Brackets and (4) 2" x 27' Straps and Strap Wrappers Standard Equipment



Duo Lift Swather Head Hauler Trailers are Capable of Hauling Most Swather and Windrower Headers  
SH24LT Shown with 19'4" Rotary Disc Header



# SWATHER HEAD HAULER™

Manufactured by **DUO LIFT** Mfg. Co., Inc.



Model: SH26D  
Shown with Optional Features:  
Main Frame Tubes



Trailer Frame

<u>STANDARD MODELS</u>	<u>GVWR</u>	<u>MAIN FRAME</u>	<u>OPTIONAL HEADER BAR</u>
SH24LT	12,000 Lbs.	8" X 3" X 23' X 3/8"	6" X 4" X 25' X 3/16"
SH26LT	12,000 Lbs.	8" X 3" X 26' X 3/8"	6" X 4" X 25' X 3/16"
SH30LT	12,000 Lbs.	8" X 3" X 31' X 3/8"	6" X 4" X 32' X 3/16"
SH36LT Tandem R. Axles	16,000 Lbs.	8" X 3" X 36" X 3/8"	6" X 4" X 37' X 3/16"
SH40LT Tandem R. Axles	16,000 Lbs.	8" X 3" X 41' X 3/8"	6" X 4" X 42' X 3/16"

<u>D.O.T. MODELS</u>	<u>GVWR</u>	<u>MAIN FRAME</u>	<u>OPTIONAL HEADER BAR</u>
SH24D	12,000 Lbs.	8" X 3" X 23' X 3/8"	6" X 4" X 25' X 3/16"
SH26D	12,000 Lbs.	8" X 3" X 26' X 3/8"	6" X 4" X 25' X 3/16"
SH30D	12,000 Lbs.	8" X 3" X 31' X 3/8"	6" X 4" X 32' X 3/16"
SH36D Tandem R. Axles	16,000 Lbs.	8" X 3" X 36" X 3/8"	6" X 4" X 37' X 3/16"
SH40D Tandem R. Axles	16,000 Lbs.	8" X 3" X 41' X 3/8"	6" X 4" X 42' X 3/16"

**Standard Features All Models**

- Black Color
- Single Rear Torsion Axle
- Heavy Duty Frame
- Heavy Duty Gooseneck with Torque Tube
- Dolly Wheel Tongue and Front Axle Assembly
- Highway Speed 8 Bolt Wheel Hubs
- 16 x 6 - 8 Bolt on 6.5, White Spoke Wheels
- Tires: 235/80R16 LRE Radial Tires
- (2) 3/8" Safety Tow Chains
- (1) 3/8" Ball Safety Chain
- Welded On Clevis Hitch for 1" Hitch Pin
- Ag Lights
- Ag Conspicuity Tape
- (3) Front and (3) Rear Header Tie Down Locations
- (4) Ratchets and (4) 2" x 27' Straps with Wire Hooks
- (4) Strap Wrappers
- (4) Self Aligning Tie Down Brackets
- Adjustable Chocks
- Pin-On Top Wind Tongue Jack
- (2) Multi Position Cutter Bar Supports
- (2) Sickle Header Mounting Brackets
- 28" x 132" Frame Access for Header Lift Arms

**Optional Features**

- Header Bar Package for Mounting Grain Swathing Draper Heads
- Front Torsion Axle (SH24LT)
- Electric Brakes (SH24LT)
- Lockable Sickle Storage in Header Bar Option Package
- Front and/or Rear Steel Fenders (SH24LT)
- 2 5/16" Ball Coupler - Bolt On (SH24LT)
- 3" Lunette Eye - Bolt On
- Header Bar Adjustment Pkg.
- E-Z Hook Up Tongue (SH24LT)
- Spare Tire & Carrier
- Bolt On 14" x 41" x 6" Storage Basket
- Sickle and Guard Cover
- Stainless Steel Tool Box
- U-Saddle Pin-On Flipper Inserts
- Colors: Blue, Green, Red or Yellow

**Standard/D.O.T. Models**

**D.O.T. Models Include:**

Highway Light Package, All Wheel Electric Brakes, All Torsion Axles, Extended Coverage Front and Rear Fenders, Splash Guards, Conspicuity Tape, E-Z Hook Up Tongue and Jack, Bolt-On 2 5/16" Ball Coupler, 3/8" Safety Chains and Rear Bumper According to Federal Code CFR49.



**GENERAL  
IMPLEMENT**  
DISTRIBUTORS

# SH24D Swather Head Hauler Trailer with a Krone 16' Rotary Disc Head





# SH24D Swather Head Hauler Trailer with AGCO Massey 16' Rotary Disc Head







MODEL SHOWN: DL42XL HEAD HAULER, HAULING A JOHN DEERE FD40F RIDGE FRAME FLEX DRAPER

**XL SERIES - 32' / 37' / 42' / 47' / 52' / 24'\***

**FRONT STEER HEAD HAULERS**

**XL SERIES - STANDARD HEADER TRAILER TECHNICAL DATA**

MODEL	GVWR	MAIN FRAME	HEADER BAR	TIRES	AXLES	HEADER SUPPORTS	STRAPS	HITCH
DL32XL	12,000 LBS	10" x 4" x 25' X 1/4"	6" x 4" x 32'	235/80R16E on 16 x 6 x 8 bolt on 6.5 HWY speed white spoke wheels	Single torsion rear axle suspension	2	2	2 5/16" Ball coupler
DLT32XL	16,000 LBS	10" x 4" x 25' x 1/4"	6" x 4" x 32'	235/80R16E on 16 x 6 x 8 bolt on 6.5 HWY speed white spoke wheels	Tandem torsion rear axle suspension	2	2	2 5/16" Ball coupler
DLT37XL	18,000 LBS	10" x 4" x 30' x 5/16"	6" x 4" x 37'	235/80R16E on 16 x 6 x 8 bolt on 6.5 HWY speed white spoke wheels	Tandem torsion rear axle suspension	3	2	2 5/16" Ball coupler
DLT42XL	18,000 LBS	10" x 4" x 35' x 3/8"	6" x 4" x 42'	235/80R16 LRE on 16 x 6 x 8 bolt on 6.5 HWY speed white spoke wheels	Tandem torsion rear axle suspension	3	2	2 5/16" Ball coupler
DLT47XL	18,000 LBS	10" x 4" x 40' x 3/8"	6" x 4" x 48'	235/80R16 LRE on 16 x 6 x 8 bolt on 6.5 HWY speed white spoke wheels	Tandem torsion rear axle suspension	4	4	2 5/16" Ball coupler
DLT52XL	23,000 LBS	10" x 4" x 48' x 3/8"	(2) 6" x 4" x 27'	215/75R17.5LRH on 17.5 x 6.75 x 8 bolt silver solid plate wheels	7K Front and 8KTandem Torsion Rear Axle Suspension	4	5	2 5/16" Ball coupler
DLT24XL	18,000 LBS	10" x 4" x 24' x 3/8"	6" x 4" x 24'	235/85R16 LRG tires on 6 x 6 x 8 bolt on mod wheels	7k Rear Tandem Torsion Rear Axle Suspension	3	4	2 5/16" Ball coupler

\*DLT24XL - FOR 12-ROW, 30" FOLDING CORNHEADS, OR 16-ROW, 30" FOLDING CORNHEADS OR 18' ROW, 20" FOLDING CORNHEADS

**Standard Features**

- TORSION SUSPENSION FRONT AND REAR AXLE(S)
- DOLLY WHEEL AXLE WITH 8' E-Z HOOK UP EXTENSION TONGUE ASSEMBLY WITH (2) 3/8" (24' TO 37') OR 1/2" (52' ONLY) SAFETY TOW CHAINS
- HEAVY DUTY TAPERED GOOSENECK WITH BALL HITCH ON FRONT AXLE AND (1) SAFETY CHAIN
- AGRICULTURAL LIGHT PACKAGE
- BLACK TRAILER FRAME AND TONGUE
- SICKLE STORAGE INSIDE HEADER BAR END CAP
- HEAVY DUTY FULLY ADJUSTABLE AND REVERSIBLE HEADER SUPPORT BED, INCLUDING FULL LENGTH HEADER BAR SUPPORT.
- (4) MOVABLE AND ADJUSTABLE HEADER SUPPORTS WITH PIN-ON FLAT HEADER SUPPORT INSERTS
- PIN-ON TOP WIND TONGUE JACK WITH 10" TRAVEL
- EXTENDED COVERAGE FRONT STEEL FENDERS
- 2-WHEEL ELECTRIC BRAKES ON FIRST REAR AXLE
- 4-WHEEL BRAKES ON DLT52XL
- 27' STRAPS, RATCHETS AND WINDERS (SEE BELOW FOR QUANTITIES) WITH SELF-ALIGNING BRACKETS
- MANUAL AND MANUAL CANISTER



MODEL SHOWN: DLT24XL - IDEAL FOR CARRYING FOLDING CORNHEADS IN FOLDED POSITION FOR TRANSPORT.





**XL SERIES - 32' / 37' / 42' / 47' / 52' / 24'\***

**FRONT STEER HEAD HAULERS**




800951 MECHANICAL HEADER BAR ADJUSTMENT PACKAGE



801003 - EXTENDED COVERAGE FRONT FENDER WITH GRAVEL GUARD



60291 - 235/85R LRG STEEL BELTED RADIAL TIRE ON ALUMINUM WHEEL  
80681 REMOVABLE REAR FENDER



Adjustable and adaptable header supports for mounting all types and sizes of headers with ease



ADJUSTABLE HEADER SUPPORT CHOCK, SELF ALIGNING STRAP RATCHET BRACKET, FLAT HEADER SUPPORT INSERT AND STRAP WRAPPER. OPTIONAL U-SADDLE HEADER SUPPORT INSERT SHOWN IN STORAGE LOCATION



801158- LED AMBER STROBE LIGHT PACKAGE







MODEL SHOWN: DL32LT HEAD HAULER WITH MACDON FD230 FLEX DRAPER HEAD

**LT SERIES - 27' / 32' / 37' / 42' / 47'**

# FRONT STEER HEAD HAULERS

## LT SERIES - STANDARD HEADER TRAILER TECHNICAL DATA

MODEL	GVWR	MAIN FRAME	HEADER BAR	TIRES	AXLES	HEADER SUPPORTS	STRAPS	HITCH
DL27LT	12,000 LBS	8" X 3" X 20' X 1/4"	6" X 4" X 27'	225/75R15D ON 15 X 6 X 6 BOLT ON 5.5 HWY SPEED WHITE SPOKE WHEELS	SOLID FRONT AXLE, SINGLE REAR TORSION AXLE, E-Z LUBE HUBS	2	2	WELDED CLEVIS FOR 1" PIN
DL32LT	12,000 LBS	10" X 4" X 25' X 1/4"	6" X 4" X 32' HD	235/80R16E ON 16 X 6 X 8 BOLT ON 6.5 HWY SPEED WHITE SPOKE WHEELS	SOLID FRONT AXLE, SINGLE REAR TORSION AXLE, E-Z LUBE HUBS	2	2	WELDED CLEVIS FOR 1" PIN
DLT32LT	16,000 LBS	10" X 4" X 25' X 1/4"	6" X 4" X 32' HD	235/80R16E ON 16 X 6 X 8 BOLT ON 6.5 HWY SPEED WHITE SPOKE WHEELS	SOLID FRONT AXLE, TANDEM TORSION REAR AXLE SUSPENSION, E-Z LUBE HUBS	2	2	WELDED CLEVIS FOR 1" PIN
DLT37LT	18,000 LBS	10" X 4" X 30' X 5/16"	6" X 4" X 37' HD	235/80R16E ON 16 X 6 X 8 BOLT ON 6.5 HWY SPEED WHITE SPOKE WHEELS	SOLID FRONT AXLE, TANDEM TORSION REAR AXLE SUSPENSION, E-Z LUBE HUBS	3	2	WELDED CLEVIS FOR 1" PIN
DLT42LT	18,000 LBS	10" X 4" X 35' HD X 3/8"	6" X 4" X 42' HD	235/80R16E ON 16 X 6 X 8 BOLT ON 6.5 HWY SPEED WHITE SPOKE WHEELS	SOLID FRONT AXLE, TANDEM TORSION REAR AXLE SUSPENSION, E-Z LUBE HUBS	4	2	WELDED CLEVIS FOR 1" PIN
DLT47LT	18,000 LBS	10" X 4" X 40' HD X 3/8"	6" X 4" X 48' HD	235/80R16E ON 16 X 6 X 8 ON 6.5 HWY SPEED WHITE SPOKE WHEELS	SOLID FRONT AXLE, TANDEM TORSION REAR AXLE SUSPENSION, E-Z LUBE HUBS	4	4	WELDED CLEVIS FOR 1" PIN

### Standard Features

- TORSION SUSPENSION REAR AXLE(S)
- DOLLY WHEEL FRONT 7K AXLE, WITH 8' FIXED LENGTH TONGUE ASSEMBLY WITH (2) 3/8" SAFETY TOW CHAINS
- HEAVY DUTY TAPERED GOOSENECK WITH BALL HITCH ON FRONT AXLE AND (1) SAFETY CHAIN
- WELDED CLEVIS HITCH FOR 1" HITCH PIN
- AGRICULTURAL LIGHT PACKAGE
- BLACK TRAILER FRAME AND TONGUE
- MANUAL AND MANUAL CANISTER
- SICKLE STORAGE INSIDE HEADER BAR END CAP
- HEAVY DUTY FULLY ADJUSTABLE HEADER SUPPORT BED, INCLUDING FULL LENGTH HEADER BAR SUPPORT.
- (2) MOVABLE, ADJUSTABLE HEADER SUPPORTS WITH PIN-ON FLAT HEADER SUPPORT INSERTS
- 27' STRAPS, (2) RATCHETS AND (2) STRAP WINDERS WITH (2) SELF ALIGNING RATCHET BRACKETS
- PIN-ON TOP WIND TONGUE JACK WITH 10" TRAVEL





**LT SERIES - 27' / 32' / 37' / 42' / 47'**

# FRONT STEER HEAD HAULERS



800951 MECHANICAL HEADER BAR ADJUSTMENT PACKAGE



801003 - EXTENDED COVERAGE FRONT FENDER WITH GRAVEL GUARD



60291 - 235/85R LRG STEEL BELTED RADIAL TIRE ON ALUMINUM WHEEL  
80681 REMOVABLE REAR FENDER



Adjustable and adaptable header supports for mounting all types and sizes of headers with ease



ADJUSTABLE HEADER SUPPORT CHOCK, SELF ALIGNING STRAP RATCHET BRACKET, FLAT HEADER SUPPORT INSERT AND STRAP WRAPPER. OPTIONAL U-SADDLE HEADER SUPPORT INSERT SHOWN IN STORAGE LOCATION



801158- LED AMBER STROBE LIGHT PACKAGE FOR DOT MODELS





**SH24LT Swather Head Hauler Trailer**  
**with**  
**Deere 500 Rotary Head and Flail Conditioner**













## Duo Lift SH24LT Swather Head Hauler Trailer with New Holland Model 419 Rotary Disc Header







 **GENERAL  
IMPLEMENT**  
DISTRIBUTORS













 **GENERAL  
IMPLEMENT**  
DISTRIBUTORS





 **GENERAL  
IMPLEMENT**  
DISTRIBUTORS