

STM MOUNTED HARROW

STM MOUNTED HARROW



5-Bar Open End Flexible Leverless Harrows

| MODEL | Size | Weight | List Price |
|-----------|-------|----------|------------|
| FH-500-5H | 3'-9" | 114 lbs. | \$555 |
| FH-600-5H | 4'-6" | 129 lbs. | \$569 |
| FH-700-5H | 5'-3" | 144 lbs. | \$615 |
| FH-800-5H | 6'-0" | 159 lbs. | \$659 |
| FH-900-5H | 6'-9" | 174 lbs. | \$700 |

5-Bar Harrow Packages

| MODEL | Size | Weight | List Price |
|-----------|---------|----------|------------|
| STM-5039H | 3'-9" | 285 lbs. | \$1,349 |
| STM-5046H | 4'-6" | 304 lbs. | \$1,398 |
| STM-5053H | 5'-3" | 331 lbs. | \$1,471 |
| STM-5060H | 6'-0" | 356 lbs. | \$1,514 |
| STM-5069H | 6'-9" | 361 lbs. | \$1,553 |
| STM-5076H | 7'-6" | 492 lbs. | \$2,292 |
| STM-5083H | 8'-3" | 507 lbs. | \$2,326 |
| STM-5090H | 9'-0" | 568 lbs. | \$2,551 |
| STM-5099H | 9'-9" | 595 lbs. | \$2,624 |
| STM-5106H | 10'-6" | 610 lbs. | \$2,668 |
| STM-5114H | 11'-4" | 625 lbs. | \$2,715 |
| STM-5120H | 12'-0" | 652 lbs. | \$2,786 |
| STM-5129H | 12'-10" | 667 lbs. | \$2,826 |
| STM-5137H | 13'-7" | 682 lbs. | \$2,866 |
| STM-5144H | 14'-4" | 859 lbs. | \$3,788 |
| STM-5151H | 15'-1" | 876 lbs. | \$3,834 |
| STM-5159H | 15'-10" | 889 lbs. | \$3,878 |
| STM-5167H | 16'-7" | 915 lbs. | \$3,956 |

- Fits virtually all makes and models of field cultivators.
- Designed for 3" and 4" rear tool bars (special mounts are available upon request).
- Adjustable pull point for varying heights/conditions.
- Sections are suspended with hardened chain to allow full flotation and maximum flexibility for residue clearance.
- Teeth are on 9" centers to prevent sections from plugging in heavy residue.
- Heavy wall harrow pipe (1.90" O.D. & .145" wall) for 5-bar option.

STM MOUNTED HARROW (CONTINUED)



Specify Make/Model or toolbar size when ordering harrow packages.

Packages include all mounting brackets and harrows. No other hardware is required.

STM Series accommodates 3" and 4" toolbars.

8-Bar Harrow Packages

| MODEL | Size | Weight | List Price |
|----------|---------|------------|------------|
| STM-8039 | 3'-9" | 402 lbs. | \$1,737 |
| STM-8046 | 4'-6" | 416 lbs. | \$1,814 |
| STM-8053 | 5'-3" | 434 lbs. | \$1,897 |
| STM-8060 | 6'-0" | 442 lbs. | \$1,966 |
| STM-8069 | 6'-9" | 460 lbs. | \$2,046 |
| STM-8076 | 7'-6" | 681 lbs. | \$2,883 |
| STM-8083 | 8'-3" | 689 lbs. | \$2,955 |
| STM-8090 | 9'-0" | 765 lbs. | \$3,303 |
| STM-8099 | 9'-9" | 785 lbs. | \$3,413 |
| STM-8106 | 10'-6" | 793 lbs. | \$3,481 |
| STM-8114 | 11'-4" | 801 lbs. | \$3,552 |
| STM-8120 | 12'-0" | 821 lbs. | \$3,659 |
| STM-8129 | 12'-10" | 829 lbs. | \$3,735 |
| STM-8137 | 13'-7" | 837 lbs. | \$3,810 |
| STM-8144 | 14'-4" | 1,136 lbs. | \$4,939 |
| STM-8151 | 15'-1" | 1,146 lbs. | \$5,010 |
| STM-8159 | 15'-10" | 1,152 lbs. | \$5,082 |
| STM-8167 | 16'-7" | 1,172 lbs. | \$5,183 |

CTM MOUNTED HARROW

- Fits virtually all makes and models of chisel plows.
- Adjustable pull point for varying heights/conditions.
- Flexible linkages have replaceable wear bushing.
- Heavy-duty angle tooth bars are heavy enough to level, yet won't plug.

CTM 4-Bar Mounted Harrows are recommended for V-rippers

Please specify the make/model and size of the toolbar.

Additional information may be required.

Specify Make/Model or toolbar size when ordering harrow packages.

Packages include all mounting brackets and harrows. No other hardware is required.

CTM Series accommodates 4", 5" and 6" toolbars.

4-Bar Heavy-Duty Flexible Angle-Bar Harrows

| MODEL | Size | Weight | List Price |
|-------|-------|----------|------------|
| CT-50 | 4'-7" | 210 lbs. | \$1,022 |
| CT-60 | 5'-5" | 230 lbs. | \$1,102 |
| CT-70 | 6'-5" | 250 lbs. | \$1,218 |

Harrow Packages

| MODEL | Size | Weight | List Price |
|----------|---------|------------|------------|
| CTM-504 | 4'-7" | 384 lbs. | \$2,051 |
| CTM-505 | 5'-5" | 410 lbs. | \$2,181 |
| CTM-506 | 6'-5" | 437 lbs. | \$2,305 |
| CTM-509 | 9'-2" | 672 lbs. | \$3,566 |
| CTM-5105 | 10'-0" | 757 lbs. | \$3,930 |
| CTM-510 | 10'-10" | 777 lbs. | \$4,021 |
| CTM-511 | 11'-10" | 811 lbs. | \$4,105 |
| CTM-512 | 12'-10" | 831 lbs. | \$4,326 |
| CTM-513 | 13'-9" | 1,065 lbs. | \$5,577 |
| CTM-514 | 14'-7" | 1,098 lbs. | \$5,693 |
| CTM-515 | 15'-7" | 1,118 lbs. | \$5,829 |
| CTM-516 | 16'-3" | 1,150 lbs. | \$5,897 |
| CTM-517 | 17'-3" | 1,222 lbs. | \$6,177 |
| CTM-518 | 18'-3" | 1,256 lbs. | \$6,448 |
| CTM-519 | 19'-3" | 1,276 lbs. | \$6,585 |

V-Frame Mounting Kit

\$1,211

Add this kit to CTM 3-, 4-, or 5-bar harrow packages when mounting to V frames or disk rippers. Most models can be accommodated including DMI/Case IH Ecolo-Tiger®, Case IH MRX 690, Landoll Weatherproofer, M&W Earthmaster, and Sunflower disk rippers.



CTM MOUNTED HARROW (CONTINUED)



- Fits virtually all makes and models of chisel plows.
- Adjustable pull point for varying heights/conditions.
- Flexible linkages have replaceable wear bushing.
- Heavy-duty angle tooth bars are heavy enough to level, yet won't plug.

Specify make/model or toolbar size when ordering harrow packages.

Packages include all mounting brackets and harrows. No other hardware is required.

CTM series accommodates 4", 5", and 6" toolbars.

The 500 series is for straight frames.

Packages include all mounting brackets and harrows.

No other hardware is required.

5-Bar Heavy-Duty Flexible Formed Angle-Bar Harrows

| MODEL | Size | Weight | List Price |
|----------|-------|----------|------------|
| FA-500-5 | 4'-5" | 223 lbs. | \$1,254 |
| FA-600-5 | 5'-4" | 256 lbs. | \$1,361 |
| FA-700-5 | 6'-3" | 288 lbs. | \$1,454 |
| FA-800-5 | 7'-2" | 321 lbs. | \$1,559 |
| FA-900-5 | 8'-1" | 354 lbs. | \$1,654 |

Harrow Packages

| MODEL | Size | Weight | List Price |
|------------|---------|------------|------------|
| CTM-504-5 | 4'-5" | 402 lbs. | \$2,286 |
| CTM-505-5 | 5'-4" | 438 lbs. | \$2,405 |
| CTM-506-5 | 6'-3" | 473 lbs. | \$2,531 |
| CTM-507-5 | 7'-2" | 506 lbs. | \$2,657 |
| CTM-508-5 | 8'-1" | 543 lbs. | \$2,791 |
| CTM-509-5 | 8'-11" | 707 lbs. | \$4,017 |
| CTM-510-5 | 9'-11" | 796 lbs. | \$4,370 |
| CTM-511-5 | 10'-10" | 830 lbs. | \$4,530 |
| CTM-5119-5 | 11'-9" | 864 lbs. | \$4,654 |
| CTM-512-5 | 12'-8" | 802 lbs. | \$4,782 |
| CTM-513-5 | 13'-7" | 990 lbs. | \$5,132 |
| CTM-514-5 | 14'-6" | 1,025 lbs. | \$5,245 |
| CTM-515-5 | 15'-5" | 1,061 lbs. | \$5,391 |
| CTM-516-5 | 16'-4" | 1,101 lbs. | \$5,543 |
| CTM-517-5 | 17'-3" | 1,140 lbs. | \$6,935 |
| CTM-518-5 | 18'-2" | 1,220 lbs. | \$7,076 |
| CTM-519-5 | 19'-1" | 1,256 lbs. | \$7,243 |
| CTM-520-5 | 20'-0" | 1,276 lbs. | \$7,386 |

Harrow Packages for John Deere 510 & 512 Disk Rippers

| MODEL | Size | Weight | List Price |
|-------------|--------|------------|------------|
| CTM-JD510-5 | 17'-2" | 1,570 lbs. | \$8,058 |
| CTM-JD510-7 | 21'-9" | 1,867 lbs. | \$9,997 |
| CTM-JD512-5 | 17'-9" | 1,637 lbs. | \$8,058 |
| CTM-JD512-7 | 21'-9" | 2,260 lbs. | \$9,997 |
| CTM-JD512-9 | 27'-4" | 3,080 lbs. | \$13,930 |

CTM MOUNTED HARROW (CONTINUED)



McFarlane's 3-bar Mounted Harrow attaches directly to the rear of the DMI Ecolo-Tiger® or the John Deere 2700 Mulch Ripper. It provides the finishing touch necessary to help finish fields in a single pass. The McFarlane Mounted Harrow prepares the soil so spring field preparation and planting can be done quicker and easier.

¹ Disk leveler has stepped toolbar.

² Disk leveler toolbar cannot be folded when using this package.

³ Disk leveler toolbar must fold vertically when using this package.

* All Case IH 870 models must have a single disc leveler toolbar, without a reel or harrow.

** Disk leveler toolbar must be extended 6" to accommodate a main arm.

Specify make/model or toolbar size when ordering harrow packages.

Packages include all mounting brackets and harrows. No other hardware is required.

3-Bar Heavy-Duty Flexible Formed Angle-Bar Harrow Components

| MODEL | Size | Weight | List Price |
|---------|-------|----------|------------|
| CT-40-3 | 3'-4" | 142 lbs. | \$696 |
| CT-50-3 | 4'-3" | 157 lbs. | \$767 |
| CT-60-3 | 5'-2" | 172 lbs. | \$819 |
| CT-70-3 | 6'-1" | 187 lbs. | \$926 |
| CT-80-3 | 7'-0" | 211 lbs. | \$993 |

Harrow Packages for Disk Rippers with Disc Levelers

| MODEL | Fits | Size | Weight | List Price |
|------------|---|---------|------------|------------|
| CTM-512-3 | DMI 527 & 527B | 12'-6" | 678 lbs. | \$3,529 |
| CTM-513-3 | DMI 530/530B/530C JD2700 5-30" | 13'-5" | 831 lbs. | \$4,259 |
| CTM-516-3S | JD2700 7-24" ¹ | 16'-2" | 947 lbs. | \$4,736 |
| CTM-516-3 | CASE IH 870-7* | 16'-2" | 910 lbs. | \$4,736 |
| CTM-518-3 | DMI 730 ² | 18'-0" | 977 lbs. | \$4,979 |
| CTM-519-3E | JD2700 9-24" JD2700 7-30" | 18'-11" | 1,049 lbs. | \$5,344 |
| CTM-519-3S | JD 2700 w/narrow transport ² | 18'-11" | 1,049 lbs. | \$5,437 |
| CTM-520-3 | DMI 730B & 730C ³ CASE IH 870-9** | 19'-10" | 1,281 lbs. | \$6,659 |
| CTM-523-3 | DMI 9300 CASE IH 870-11* | 23'-6" | 1,362 lbs. | \$6,956 |
| CTM-527-3 | CASE IH 870-13* | 27'-8" | 1,442 lbs. | \$7,710 |