

SNOW THROWERS

Features

- 5 year limited warranty on gearbox
- · High tensile steel flighting
- 3PH quick attach compatible
- 5 blade fan/impeller
- SB48, SB54, and SB60 comes standard with manual rotators
- · Manual chute deflector

Options

- Hydraulic rotators (all models)
- · Manual rotators optional on all models
- Hydraulic chute deflector

SPECIFICATIONS



Models	SB48	SB54	SB60
HP (Rec.)	12 HP	15 HP	20 HP
Cutting Width	48"	54"	60"
Cutting Edge	1⁄4 x 1-1⁄2	3/8 x 1	3/8 x 1
Auger Diam.	12"	14"	14"
Fan Diam.	19"	21"	21"
Chute Diam.	7"	8"	8"
Chute Rotation (Man/Hyd)		Select Option	
Chute Deflector	Manual	Manual Standard/ Hydrau	Ilic Option (see pg. 18)
Main Body Height	22.5"	25"	25"
3PH Mount	Cat. 1	Cat. 1	Cat. 1
Weight (LBS.)	266	366	396
List Price (manual rotator)	\$4,025.00	\$4,170.00	\$4,345.00
. ,			
with Hydraulic Rotator	\$4,755.00	\$4,900.00	\$5,075.00
with Electric Rotator	\$5,605.00	\$5,750.00	\$5,925.00



Prices Effective as of 10-24

MKMARTIN



Meteor - Double Auger



FEATURES

- 5 Blade impelle
- 7 year limited warrant
- High tensile steel flighting on top an bottom augers
- Cat. 2 3PH on model SB87
- Cat. 2 & Cat. 3 on SB97D-SB120
- Hydraulic chute rotator standar (SB97D - SB120D)
- Manual chute deflector on all model
- Skid shoe

OPTIONS

- Optional hydraulic chute deflecto on all models
- Optional 1000 RPM adapto (SB97D - SB120D)

1000 RPM PTO KIT

Available for 97D, 108D and 120D models, this kit allows larger tractors to run at 1000 RPM PTO.

The 1000 RPM Kit also raises the input shaft to allow the PTO shaft to run at a lesser angle on larger tractors increasing the efficiency and life of the driveline components. The reduction box allows you to reverse the rotation so you can mount a regular snow blower to the front of a tractor.

PTO shaft not included.

Part #	List Price
SB97/1081000	\$3,875.00
SB1201000	\$4,195.00









SPECIFICATIONS

Models	SB87D		SB97D	S	B108D	SB	120D
Opt. 1000 RPM	-		Yes		Yes	,	Yes
HP (Rec.)	60 HP		100 HP		125 HP	20	10 HP
Cutting Width	87"		97"		108"	1	20"
Cutting Edge	½ x 2		1⁄2 X 6*		½ x 6*	1/2	x 6*
Auger Diam.	15" (x2)		15" (x1) 19" (x1)	1	5" (x1) 9" (x1)	15 23	" (x1) " (x1)
Fan Diam.	27"		32"		32"	;	36"
Chute Diam.	12"		13"		13"		13"
Chute Rotation (Man/Hyd)	Selection Req. (Pg. 13)			Hydra	ulic Standard		
Chute Deflector (Man/Hyd)		Man	ual Deflector Stan	dard/Hydraulic (Option Pg.18		
Main Body Height	36"		43"		43"		47"
3PH Mount	Cat. 2	C	Cat. 2 & 3	С	at. 2 & 3	Cat	. 2 & 3
Weight (LBS.)	1,161		1,900		1,980	3	,010
Tube	3 1⁄2" OD	4 ½" OI	D HEAVY WALL	4 ½" OE	HEAVY WALL	4 ½" OD H	HEAVY WALL
Flighting	5/16 x 2 ¼	5,	/16 x 2-¼	5/	16 x 2-¼	1/	ź x 3
Roller Chain	#60 Heavy		#80		#80	#	100
Fan Depth	10"		12"		12"		12"
Auger Drive Shaft	1 1⁄4"		1-3⁄4"		1-3⁄4"	1	-3⁄4"
Fan Output Shaft	40mm		2"		2"	2	2 1/2"
List Price	\$8635.00	SB97D	\$12,645.00	SB108D	\$13,195.00	SB120D	\$26,325.00
		SB97D 175	\$13,245.00	SB108D175	\$14,195.00	SB120DF1.75	\$32,605.00
		SB97DF1.75	\$16,965.00	SB108DF1.75	\$17,800.00	SB120DF	\$31,545.00
		SB97DF	\$16,970.00	SB108DF	\$17,690.00	SB120DF Truck	\$40,765.00







Single Auger Models



FEATURES

- 7 year limited warrant
- High tensile steel flightin
- 3PH quick attach compatibl
- 5 blade fan/impelle
- SB48, SB54, and SB60 comes standar with manual rotators
- Manual chute deflecto

OPTIONS

- Hydraulic rotators (all models
- Manual rotators optional on all model
- Hydraulic chute deflecto

WING KITS

- Fits SB54, SB60, SB68, and SB7
- 18" tall. Made with 10 gauge stee
- Increases path 2" per sid

Part #	List Price	
55399	\$95.00	

HP (Rec.) 30 HP 35 HP 50 HP 60 HP 7 Cutting Width 68" 72" 78" 87" 1 Cutting Edge 3/8 x 1 3/8 x 1 ½ x 1-½ ½ x 2 ½ Auger Diam. 14" 14" 15" 19" 1 Fan Diam. 21" 21" 23" 27" 1 Chute Diam. 10" 10" 10" 12" 1 Chute Diam. 10" 10" 10" 12" 1 Chute Diam. 10" 10" 10" 1 1 Chute Botation (Man/Hyd) Select Option Chute Deflector Manual Standard/ Hydraulic Option (see pg. 18) 1 Main Body Height 25" 25" 29" 36" 3PH Mount Cat. 1 Cat. 1 Cat. 1 & 2 Cat. 2 C						
Cutting Width 68" 72" 78" 87" Cutting Edge 3/8 x 1 3/8 x 1 1/2 x 1-1/2 1/2 x 2 1/2 Auger Diam. 14" 14" 15" 19" 1 Fan Diam. 21" 21" 23" 27" 1 Chute Diam. 10" 10" 10" 12" 1 Chute Diam. 10" 10" 10" 2 1 Chute Diam. 10" 10" 10" 2 1 Chute Diam. 10" 10" 10" 12" 1 Chute Deflector Manual Standard/ Hydraulic Option (see pg. 18) 3	Models	SB68	SB72	SB78	SB87	SB97
Cutting Edge 3/8 x 1 3/8 x 1 1/2 x 1-1/2 1/2 x 2 1/2 Auger Diam. 14" 14" 15" 19" 19" Fan Diam. 21" 21" 23" 27" 10" 10" 12" Chute Diam. 10" 10" 10" 12" 10" 12" 10"<	P (Rec.)	30 HP	35 HP	50 HP	60 HP	75 HP
Auger Diam. 14" 15" 19" Fan Diam. 21" 23" 27" Fan Diam. 21" 23" 27" Chute Diam. 10" 10" 10" 12" Chute Diam. 10" 10" 12" 20" 36" Chute Rotation (Man/Hyd) Select Option Chute Deflector Manual Standard/ Hydraulic Option (see pg. 18) Main Body Height 25" 29" 36" 3PH Mount Cat. 1 Cat. 1 Cat. 2 Cat. 2 Cat. 2	utting Width	68"	72"	78"	87"	97"
Fan Diam. 21" 23" 27" Fan Diam. 21" 23" 27" Chute Diam. 10" 10" 12" Chute Rotation (Man/Hyd) Select Option Chute Deflector Manual Standard/ Hydraulic Option (see pg. 18) Main Body Height 25" 29" 36" 3PH Mount Cat. 1 Cat. 1 Cat. 2 Cat. 2	utting Edge	3/8 x 1	3/8 x 1	1⁄2 x 1-1⁄2	1⁄2 x 2	½ x 2
Chute Diam. 10" 10" 12" Chute Rotation (Man/Hyd) Select Option Chute Deflector Manual Standard/ Hydraulic Option (see pg. 18) Main Body Height 25" 29" 36" 3PH Mount Cat. 1 Cat. 1 Cat. 2 Cat. 2	uger Diam.	14"	14"	15"	19"	19"
Chute Rotation (Man/Hyd) Select Option Chute Deflector Manual Standard/ Hydraulic Option (see pg. 18) Main Body Height 25" 29" 36" 3PH Mount Cat. 1 Cat. 1 Cat. 1 & 2 Cat. 2 Cat. 2	an Diam.	21"	21"	23"	27"	27"
Chute Deflector Manual Standard/ Hydraulic Option (see pg. 18) Main Body Height 25" 29" 36" 3PH Mount Cat. 1 Cat. 1 Cat. 1 & 2 Cat. 2 Cat. 2	hute Diam.	10"	10"	10"	12"	12"
Main Body Height 25" 29" 36" 3PH Mount Cat. 1 Cat. 1 Cat. 1 & 2 Cat. 2 C	hute Rotation (Man/Hyd)			Select Option		
3PH Mount Cat. 1 Cat. 1 Cat. 1 & 2 Cat. 2	hute Deflector		Manual Sta	ndard/ Hydraulic Option	(see pg. 18)	
	ain Body Height	25"	25"	29"	36"	36"
Weight (LBS.) 506 540 748 1,034 1	PH Mount	Cat. 1	Cat. 1	Cat. 1 & 2	Cat. 2	Cat. 2
	eight (LBS.)	506	540	748	1,034	1,106
List Price (no rotator) \$4,885.00 \$4,985.00 \$6,340.00 \$7,305.00 \$7,	st Price (no rotator)	\$4,885.00	\$4,985.00	\$6,340.00	\$7,305.00	\$7,705.00
with Manual Rotator\$5,105.00\$5,205.00\$6,560.00\$7,525.00\$7,	ith Manual Rotator	\$5,105.00	\$5,205.00	\$6,560.00	\$7,525.00	\$7,925.00
with Hydraulic Rotator \$5,615.00 \$5,715.00 \$7,070.00 \$8,035.00 \$8,	ith Hydraulic Rotator	\$5,615.00	\$5,715.00	\$7,070.00	\$8,035.00	\$8,435.00
with Electric Rotator \$6,465.00 \$6,565.00 \$7,920.00 \$8,885.00 \$9,	ith Electric Rotator	\$6,465.00	\$6,565.00	\$7,920.00	\$8,885.00	\$9,285.00



Prices and Specifications may be subject to change without notice. Prices do not include shipping or setup.

SPECIFICATIONS




MK Martin has completely redesigned the Pull Type Tractor Snowblower. Most notably with the redesign, the new Pull Type blower now cleans tight to the garage door, with no need for an additional back drag system. Connecting to your tractor's 3PH, the inverted snowblower allows you to drive straight forward pulling the blower instead of backing into the snow. Easier on your neck, the pull type blower is ideal for quickly clearing driveways and laneways.

TIVAR WEAR PARTS

Tivar is a wear resistant plastic that replaces steel cutting edges and bolts onto the skid shoes.

Optional on Pull Type models, the tivar is gentler when clearing, ideal for interlocking brick and decorative stone.



Skid Shoe

Cutting Edge

Part #	Tivar Kit	List Price
SB54PTTK	Cutting Edge & Skid Shoes	\$655.00
SB60PTTK	Cutting Edge & Skid Shoes	\$675.00
SB68PTTK	Cutting Edge & Skid Shoes	\$765.00
SB72PTTK	Cutting Edge & Skid Shoes	\$870.00
SB78PTTK	Cutting Edge & Skid Shoes	\$880.00
SB87PTTK	Cutting Edge & Skid Shoes	\$895.00
SB97PTTK	Cutting Edge & Skid Shoes	\$940.00







FEATURES

- Cleans tight to the garage door
- 5 blade impeller
- 7 year limited warranty
- High tensile steel flighting
- Standard manual chute deflector (all)
- Multi-hinged deflector (SB68P/T SB97P/T)
- Standard manual chute rotator (SB54PT & SB60PT)

OPTIONS

- Hydraulic, manual and electric chute rotators
- Hydraulic chute deflectors
- Tivar contact surfaces

Models	SB54PT-P	SB60PT-P	SB68PT-P	SB72PT-P	SB78PT-P	SB87PT-P	SB97PT-P
HP (Rec.)	25 HP	25 HP	35 HP	35 HP	50 HP	60 HP	60 HP
Cutting Width	54"	60"	68"	72"	78"	87"	97"
Cutting Edge				Bolt On (½ x 4)			
Auger Diam.	14"	14"	14"	14"	15"	19"	19"
Fan Diam.	18"	18"	21"	21"	23"	27"	27"
Chute Diam.	8"	8"	10"	10"	10"	12"	12"
Chute Rotation		Must	select either Manua	al (opt.) or Hydrau	lic (opt.) or Electric	(opt.)	
Chute Deflector		Manual Std	l./Opt. 6" cyl.		Ma	anual Std./Opt. 8" o	cyl.
Double Hood Deflector	N/A	N/A	Std.	Std.	Std.	Std.	Std.
Main Body Height	23"	23"	23"	23"	26"	28"	28"
3PH Mount	Cat. 1	Cat. 1	Cat. 1	Cat. 1	Cat. 1 & 2	Cat. 2	Cat. 2
Weight (LBS.)	462	495	671	685	900	1,175	1,260
Tube Size	2 3/8" OD	2 3/8" OD	2 3/8" OD	2 3/8" OD	3 1⁄2" OD	3 ½" OD	3 ½" OD
Flighting Size	1⁄4 x 2 1⁄4	1⁄4 x 2 1⁄4	1⁄4 x 2 1⁄4	1⁄4 x 2 1⁄4	1⁄4 x 2 1⁄4	5/16 x 2 ¼	5/16 x 2 ¼
Roller Chain Drive	# 50	# 50	# 60 Heavy	# 60 Heavy	# 60 Heavy	# 60 Heavy	# 60 Heavy
Fan Depth	5"	5"	7"	7"	8"	10"	10"
Blades Per Fan	5	5	5	5	5	5	5
Auger Drive Shaft Size	1"	1"	1 1⁄4"	1 1⁄4"	1 1⁄4"	1 1⁄4"	1 1⁄4"
Fan Output Shaft Size	1 3/8"	1 3/8"	1 3/8"	1 3/8"	40mm	40mm	40mm
List Driss (no votato.)	Φ Ω ΕΩΕ ΩΩ	<u>ቀር 070 00</u>	Φ 7 055 00	#0.040.00	ΦΩ ΩΩΕ ΩΩ	M11 405 00	A11 005 00
List Price (no rotator)	\$6,585.00	\$6,870.00	\$7,655.00	\$8,040.00	\$9,235.00	\$11,495.00	\$11,985.00
with Hydraulic Rotator	\$7,315.00	\$7,600.00	\$8,385.00	\$8,770.00	\$9,965.00	\$12,225.00	\$12,715.00
with Electric Rotator	\$8,165.00	\$8,450.00	\$9,235.00	\$9,620.00	\$10,815.00	\$13,075.00	\$13,565.00

SPECIFICATIONS





Pull Type



SPECIFICATIONS

Models	SB54 P/T	SB60 P/T	SB68 P/T	SB72 P/T	SB78 P/T	SB87 P/T	SB97 P/T
HP (Rec.)	25 HP	25 HP	35 HP	35 HP	50 HP	60 HP	60 HP
Cutting Width	54"	60"	68"	72"	78"	87"	97"
Cutting Edge				Bolt On (½ x 4)			
Auger Diam.	14"	14"	14"	14"	15"	19"	19"
Fan Diam.	18"	18"	21"	21"	23"	27"	27"
Chute Diam.	8"	8"	10"	10"	10"	12"	12"
Chute Rotation		Must	select either Manua	al (opt.) or Hydraul	lic (opt.) or Electric	: (opt.)	
Chute Deflector		Manual Std	./Opt. 6" cyl.		Ma	anual Std./Opt. 8" (cyl.
Double Hood Deflector	N/A	N/A	Std.	Std.	Std.	Std.	Std.
Main Body Height	25"	25"	25"	25"	28"	32-1⁄2"	32-1⁄2"
3PH Mount	Cat. 1	Cat. 1	Cat. 1	Cat. 1	Cat. 1 & 2	Cat. 2	Cat. 2
Weight (LBS.)	462	495	671	685	900	1,175	1,225
Tube Size	2 3/8" OD	2 3/8" OD	2 3/8" OD	2 3/8" OD	3 ½" OD	3 ½" OD	3 1⁄2" OD
Flighting Size	1⁄4 x 2 1⁄4	1⁄4 x 2 1⁄4	1⁄4 x 2 1⁄4	1⁄4 x 2 1⁄4	1⁄4 x 2 1⁄4	5/16 x 2 ¼	5/16 x 2 ¼
Roller Chain Drive	# 50	# 50	# 60 Heavy	# 60 Heavy	# 60 Heavy	# 60 Heavy	# 60 Heavy
Fan Depth	5"	5"	7"	7"	8"	10"	10"
Blades Per Fan	5	5	5	5	5	5	5
Auger Drive Shaft Size	1"	1"	1 1⁄4"	1 1⁄4"	1 1⁄4"	1 1⁄4"	1 1⁄4"
Fan Output Shaft Size	1 3/8"	1 3/8"	1 3/8"	1 3/8"	40mm	40mm	40mm
List Price (no rotator)	\$5,955.00	\$6,155.00	\$6,815.00	\$7,105.00	\$8,250.00	\$10,505.00	\$10,995.00
with Manual Rotator	\$6,175.00	\$6,375.00	\$7,035.00	\$7,325.00	\$8,470.00	\$10,725.00	\$11,215.00
with Hydraulic Rotator	\$6,685.00	\$6,885.00	\$7,545.00	\$7,835.00	\$8,980.00	\$10,725.00	\$11,725.00
with Electric Rotator	\$7,535.00	\$7,735.00	\$8,395.00	\$8,685.00	\$9,830.00	\$12,085.00	\$12,575.00
	φι,000.00	φι,ιου.υυ	φ0,390.00	φο,000.00	φ 3 ,030.00	φ12,000.00	φ12,575.00



SNOW BLOWERS







FEATURES

Hydraulic Chute Rotation

Hydraulic Chute Deflector

Available with the following quick tach: (Must be specified at time of order)

- Universal skidsteer
- Euro (ALO)
- JD 440/540 combination

POWER PACKS

- 3PH Mount PTO
- · 30 Gal. Capacity
- 2,500 PSI at 30 Gallons per Minute
- SBLMPP-30 can be run for up to 2-hours before cool down is required



Models	SBLMPP-30	SBLMPPCS-30
Recommended HP	40-60HP	40-60HP
Capacity (gallons)	30	30
Flow Rate (PSI)	30 GPM/2500 PSI	30 GPM/2500 PSI
Mount	3PH	3PH
Weight	535 LBS.	575 LBS.
Height	48"	48"
Width	39"	39"
Depth	30"	32"
Max Operating Temp. (°C)	2° C	30° C
Max Operating Time (hours)	2 Hour Duty Cycle	Full Duty Cycle
Cooling System Included	No	Yes
List Dates	A11 005 00	\$14,005,00
List Price	\$11,235.00	\$14,825.00



Prices Effective as of 10-24

SNOW BLOWERS





BACK DRAG

Optional back drags are manual chain adjustment, and can be upgraded to a hydraulic option for 68" and wider models.



TIVAR WEAR PARTS

Tivar is a wear resistant plastic that replaces steel cutting edges and bolts onto the skid shoes.

Optional on Pull Type models, the tivar is gentler when clearing, ideal for interlocking brick and decorative stone.



Skid Shoe

Cutting Edge

WING KITS

• 18" tall. Made with 10 gauge stee

Increases path 2" per sid

Part #		List Price
60962	Fits SB54, SB60, SB68, SB72	\$92.00
60963	Fits SB78, SB87, SB97	\$125.00





FEATURES

- 5 blade impeller
- 7 year limited warranty
- High tensile steel flighting
- Standard manual chute deflector (all)
- Multi-hinged deflector (SB68P/T SB97P/T)
- Standard manual chute rotator (SB54PT & SB60PT)

OPTIONS

- Hydraulic and manual chute rotators
- Hydraulic chute deflectors
- Back drag (manual or hydraulic)
- Tivar contact surfaces

Back Drag	Lift Type	List Price
SB54PTRB	Man.	\$975.00
SB60PTRB	Man.	\$1,080.00
SB68PTRB17	Man. / Hyd.	\$1,245.00
SB72PTRB	Man. / Hyd.	\$1,360.00
SB78PTRB17	Man. / Hyd.	\$1,470.00
SB87PTRB17	Man. / Hyd.	\$1,605.00
SB97PTRB	Man. / Hyd.	\$1,635.00
Optional Hydraulic Kit (fi	ts SB68PT - SB97PT)	
SBPTRBH17		\$1,115.00

Part #	Tivar Kit	List Price
SB54PTTK	Cutting Edge & Skid Shoes	\$655.00
SB60PTTK	Cutting Edge & Skid Shoes	\$675.00
SB68PTTK	Cutting Edge & Skid Shoes	\$765.00
SB72PTTK	Cutting Edge & Skid Shoes	\$870.00
SB78PTTK	Cutting Edge & Skid Shoes	\$880.00
SB87PTTK	Cutting Edge & Skid Shoes	\$895.00
SB97PTTK	Cutting Edge & Skid Shoes	\$940.00
Back Drag Part #	Tivar Kit	List Price
Back Drag Part # SB54PTBDTK	Tivar Kit Back Drag	\$585.00
SB54PTBDTK	Back Drag	\$585.00
SB54PTBDTK SB60PTBDTK	Back Drag Back Drag	\$585.00 \$670.00
SB54PTBDTK SB60PTBDTK SB68PTBDTK	Back Drag Back Drag Back Drag	\$585.00 \$670.00 \$730.00
SB54PTBDTK SB60PTBDTK SB68PTBDTK SB72PTBDTK	Back Drag Back Drag Back Drag Back Drag	\$585.00 \$670.00 \$730.00 \$735.00
SB54PTBDTK SB60PTBDTK SB68PTBDTK SB72PTBDTK SB78PTBDTK	Back Drag Back Drag Back Drag Back Drag Back Drag	\$585.00 \$670.00 \$730.00 \$735.00 \$780.00



Loader Mount Snowblowers & Power Packs



SPECIFICATIONS



Models	SSB66	SSB76	SSB86
Cutting Edge (Bolt-On)	1⁄2 x 4	1⁄2 x 4	1⁄2 x 4
Cutting Width	66"	76"	86"
Auger Tube		3 1⁄2" Round	
Auger Flighting		5/16 x 2 ¼	
Auger Diam.		19"	
GPM		30	
Mounting	Universal Skidsteer Attach		
Chute Rotation	Hydraulic		
Chute Diam.	10"		
Main Body Height	27 1⁄2"		
Chute Deflector	Manual Std/Hydraulic Opt		
Fan Diam.	24" 26"		26"
Fan Depth	8"		
Weight (LBS.)*	928	970	1000
With SBLMPP-30	\$23,370.00	\$23,960.00	\$24,085.00
With SBLMPPCS-30	\$26,960.00	\$27,550.00	\$27,675.00

* Weight includes snowblower only.



Self Powered Snow Throwers







FEATURES

For tractors and compact skid loaders without hydraulic remotes, MK Martin offers our self powered snow thrower.

While being easy to attach with no drive lines or hoses to worry about, the engine belt drives the shaft which transfers power to the rotor by a roller chain.

These self powered snow throwers are ideal for moving snow quickly with precision in mind. The flared body opening helps to cut snow and direct to the efficient rotor assembly.

SPECIFICATIONS

Model	S1054E	S1060E
Cutting Width	47"	53"
Motor Type	Vanguard 14HP	Vanguard 14HP
Electric Start	12 Volt	12 Volt
Clutch	Electric (start	/stop blower)
Rotor	16" @ 7	50 RPM
Hood Rotator	Electric	Electric
Hood Deflector	Manual	Manual
Cutting Edge	Bolt on 1⁄4" x 3-1⁄2"	
Oveall Width	54"	60"
Overall Depth	36"	36"
Main Body Height	22.75"	22.75"
Weight	470 lbs.	545 lb.
List Price	\$13,320.00	\$13,675.00



WIRED REMOTE

The wired controller allows for remote engine start and shutdown.

Oversized buttons allows operators to make quick and accurate adjustment of the chute rotation.



Commercial Sidewalk SnowThrower

SPECIFICATIONS

2000 Commercial Series Sidewalk SnowThrower - 540 RPM

Models	S2048	S2054	S2060
HP	25-55	25-55	25-55
Width	48"	54"	60"
Mount	CAT. 2	CAT. 2	CAT. 2
PTO Drive (RPM)	540	540	540
Stages	1	1	1
Rotor	24"	24"	24"
Oil Bath Chain	Std.	Std.	Std.
Cutting Edge	V-Edge with Trip	V-Edge with Trip	V-Edge with Trip
Skid Shoes	Carbide Shoes & Side Plates	Carbide Shoes & Side Plates	Carbide Shoes & Side Plates
Chute Rotator	Hyd.	Hyd.	Hyd.
Deflector Stages	2	2	2
Chute Deflector (Man/Hyd)	Hyd.	Hyd.	Hyd.
Weight	900 lbs.	1,120 lbs.	1,300 lbs.
List Price	\$15,885.00	\$16,125.00	16,305.00

2000 Commercial Series Sidewalk SnowThrower - 1000 RPM

Models	S2048/1000	S2054/1000	S2060/1000
HP	50-75	50-75	50-75
PTO Drive (RPM)	1000	1000	1000
List Price	\$17,105.00	\$17,250.00	\$17,450.00

2000 Commercial Series Hydraulic SnowThrower

Models	2054H	2062H	
Hydraulic Flow	20-40	GPM	
List Price	\$16,635.00	\$16,920.00	



FEATURES

- Carbide Skid Shoes & Side Plates
- Oil Bath Chain
- Spring Loaded Carbide Side Plates
- Frame Linkage
- V-Trip Cutting Edge

OPTIONS

Hydraulic Bank Cutters

24" ROTOR





HYDRAULIC CHUTE ROTATOR







Prices Effective as of 10-24



FEATURES

- Hydraulic Chute Rotator
- Hydraulic 2-Stage Deflector
- 6-Blade Fan
- Dual Augers with Ribbon Flighting
- Adjustable Skid Shoes
- Skid Shoes & Side Plates Made with AR400 Steel
- 1/2" x 6" Heat Treated Bolt-On Cutting Edge
- Oil Bath Chain

OPTIONS

- Fixed Bank Cutters
- Hydraulic Steering Bank Cutters
- Truck Loading Chute
- Work Light Kit

SPECIFICATIONS

Commercial Snowblowers

Models	4097	4108	4120
HP (Rec.)	200	200	200
Cutting Width	97"	108"	120"
Main Body Height	47"	47"	47"
Mount	CAT. 2 & 3	CAT. 2 & 3	CAT. 2 & 3
Impeller (Fan)		36" - 3/8" AR400	
Impeller Depth	12"	12"	12"
Impeller Blades	6	6	6
Impeller Output Shaft	2-1/2"	2-1/2"	2-1/2"
Rotating Housing	N/A	N/A	N/A
PTO Drive (RPM)	1,000	1,000	1,000
Stages	2	2	2
Rotor	Ribbon Fli	ghting (Flight Notching	Available)
Rotor (Tube)	4-1/2" OD Heavy Wall		
Rotor (Flighting)	1/2" x 3" (Bottom) 5/16" x 2-1/4" (Top)		
Rotor (Diameter)	23" (Bottom) 15" (Top)		
Rotor (Drive Shaft)	1-3/4"	1-3/4"	1-3/4"
Roller Chain	#100	#100	#100
Cutting Edge	1/2" x 6" Heat Treated Bolt-On		
End Plates	3/8" AR400 x 48" High		
Chute Diameter	13"	13"	13"
Chute Rotator	Hydraulic	Hydraulic	Hydraulic
Deflector Stages	2	2	2
Chute Deflector	Hydraulic	Hydraulic	Hydraulic
Work Light Kit	Standard (TL Models Only*)		
Weight (LBS.)	3,230	3,350	3,485
List Price	\$29,500.00	\$30,500.00	\$31,525.00
RH Models*	4097RH	4108RH	4120RH
Rotating Housing	Standard	Standard	Standard
Weight (LBS.)	3,490	3,610	3,745
List Price	\$32,500.00	\$33,500.00	\$34,900.00

* RH models have the same specs as the corresponding models above, however they include a rotating fan housing.



ROTATING FAN HOUSING FOR SIDE DISCHARGE

* Only on RH models



Steiner/Ventrac Snowblowers





FEATURES

- Designed to fit Steiner and Ventrac tractor
- Hydraulic chute rotation for smooth blowing
- Ideal for rural driveways and smaller
 commercial yards

SPECIFICATIONS

Models	SBVEN48	SBVEN54
Cutting width	48"	54"
Cutting Edge	3/8 >	< 1"
Auger Diam.	14	"
Fan Diam.	21	п
Chute Diam.	8	ı
Chute Rotation	Hy	d.
Chute Deflector	Manual	
Body Height	25	n
Drive	Belt o	Irive
Mount	Steiner/	Ventrac
Weight (LBS.)	475	488
List Price	\$7,280.00	\$7,750.00

BELT DRIVE





STEINER/VENTRAC MOUNT







Snowblower Options





CHUTE ROTATOR

Meteor Snow Blower chute rotators come in manual (crank), hydraulic (orbital motor), and electric.



Manual



List Price

Part #

Part # Description SB48MR Fits 48" model SB60MR Fits 54" and 60" models SB68MR Fits 68" and 72" models SB78MR Fits 78" models SB87MR Fits 87s, 97s, 87D models **SB60PTMR** Fits 60" Pull Type SB68PTMR Fits 68" and 72" Pull Type SB78PTMR Fits 78" Pull Type SB87PTMR Fits 87" Pull Type SB97PTMR Fits 97" Pull Type \$220.00 List Price



 Part #
 List Price

 SBER13
 \$1,580.00

HYDRAULIC DEFLECTOR

Hydraulic chute deflector includes the cylinder and the hoses.

Part #	Applicable Models	List Price
SB68HD	Fits 54-72	\$495.00
SB78HD	Fits 78-120	\$495.00



MULTI-HINGED DEFLECTOR

Meteor's Multi-Hinged Deflector provides you with finer control over where your snow is blown. Cylinder not included.

Part #	Applicable Models	List Price
SB78MHD	Fits 78	\$725.00
SB87MHD	Fits 87-87D-97	\$780.00
SB108MHD	Fits 97D-120D	\$795.00



TRUCK LOADING CHUTE

- Provides up to 40" of additional Height
- Hydraulic Rotation
- Hydraulic Multi-Hinged Deflector

Part #	Applicable Models	List Price
SB87TLC	87S, 97S, & 87D	\$4,695.00
SB108TLC	97D & 108D	\$6,395.00
SB120TLC	120D	\$6,395.00



