























CRIMPER	4'	6'	8'	10'
WEIGHT	579 LBS	1,145 LBS	1,450 LBS	1,750 LBS
APPROXIMATE WEIGHT WITH DRU MFILLED WITH WATER	868 LBS	1,650 LBS	2,025 LBS	2,540 LBS
DIMENSIONS L x W x H	73.7°x67.5°x26.3°	05,679,78,2679,95,447	35.5"x100.25"x35.44"	35.5"x124.25"x35.44"
WORKING WIDTH	46"	720	96"	120"
SPEED	AGAIST TO CONDITIONS	ADJUST TO CONDITIONS	ADJUST TO CONDITIONS	ADJUST TO CONDITIONS
HITCH TYPE	CLEVES	3 POINT CAT 1/2	3 POINT CAT 1/2	3 POINT CAT 1/2
QUICK HITCH COMPATIBLE	N/A	YES	YES	YES
RECOMMENDED TRACTOR SIZE	ATV OR UTV OVER 800CC	30 HP MIN, WITH LIFT OF 1,200 LBS 24" BEHIND THE LIFTING EYE	40 HP MIN. WITH LIFT OF 1,500 LBS 24" BEHIND THE LIFTING EYE	50 HP MIN. WITH LIFT OF 1,800 LBS 24* BEHIND THE LIFTING EYE





Crimper Tow Behind

ORDER#	DESCRIPTION	H.P. RANGE	WT.	LIST
CR2040	Grimper 4 Tow Behind Drum width 60" dimensions 80"x68.5"x29"	800cc	1300	\$5,310.00
CR2060	Grimper 6 Drum width 72" dimensions 76.5"x35"x35.9"	30	1158	\$5,860.00
CR2080	Grimper 8 Drum width 96" dimensions 100.7"x35"x35.9"	40	1445	\$6,840.00
CR2010	Grimper 10 Drum width 126" dimensions 130.7"x35"x35.9"	50	1820	\$8,070.00

