



PREMIER EARTH AUGERS

POWER FOR VIRTUALLY ANY DIGGING APPLICATION

Premier Attachments, with our modern state-of-the-art manufacturing facility located in Fort Wayne IN, has built the most reliable earth auger attachments for over two decades. With a complete and comprehensive line of earth auger drive units, mounts, augers, adapters, extensions, teeth, and accessories, rest assured that Premier is the single source for all your earth auger needs.



PREMIER POWER

Premier hydraulic earth auger drive units utilize the power of the host machine to turn it into a high-performance drilling machine. Without leaving the vehicle seat, an equipment operator can dig countless holes in the harshest digging conditions. Fence posts, foundation footings, tree planting, utility poles, and many others that require vertical or angled holes are at their control.



PREMIER VERSATILITY

Premier earth auger attachments adapt to skid steer loaders, mini skid steer loaders, wheel loaders, tractors, backhoes, excavators, forklifts, cranes, digger derricks, mini digger derricks, and other hydraulic machinery. The Duo-Tach™ Mounting System (Patent Pending) allows attachments to fit both Mini Skid Steer Loaders and Full-Size Skid Steer Loaders.



PREMIER SERVICE

With the best lead times in the industry, we provide the best solution for your digging needs with the best delivery date possible.

PREMIER WARRANTY


Premier Attachments takes great pride in the quality and reliability of our products. We offer the best warranties in the industry.



AUGER DRIVES

MINI-SKID LOADER AUGER DRIVES


MS11PD		GPM RPM	PSI TORQUE	OUTPUTS	WARRANTY
MAX AUGER DIAM	24"	7 45	2,500 1,274	2" HEX -OR- 2-9/16" RND	3 YEARS
MIN HYD GPM	6 GPM	9 58	3,000 1,529		
MAX HYD GPM	12 GPM	11 71	3,500 1,783		
MAX HYD PSI	3500 PSI				
MS14PD		GPM RPM	PSI TORQUE	OUTPUTS	WARRANTY
MAX AUGER DIAM	30"	12 50	2,500 1,825	2" HEX -OR- 2-9/16" RND	3 YEARS
MIN HYD GPM	10 GPM	15 61	3,000 2,190		
MAX HYD GPM	20 GPM	17 71	3,500 2,555		
MAX HYD PSI	3500 PSI				
MS18PD		GPM RPM	PSI TORQUE	OUTPUTS	WARRANTY
MAX AUGER DIAM	36"	15 50	2,500 2,290	2" HEX -OR- 2-9/16" RND	3 YEARS
MIN HYD GPM	15 GPM	18 60	3,000 2,748		
MAX HYD GPM	25 GPM	20 67	3,500 3,206		
MAX HYD PSI	3500 PSI				



MINI-SKID LOADER AUGER DRIVE

IDEAL RPM RANGE


MODEL #	GPM						
	6	9	11	12	15	17	20
MS11PD	45	58	71				
MS14PD				50	61	71	
MS18PD					50	60	67



MINI-SKID LOADER AUGER DRIVES (MS-SERIES)

Premier Attachments produces three Mini Skid Steer Auger Drives specifically designed for the hydraulics GPM and PSI of this popular machine. These Medium-Duty Auger Drives are cost-effective, powerful, and designed to maximize the hydraulics of the various machinery available.

- 3 Year Warranty
- We offer mounting brackets that include the Universal Mini Skid Steer mount as well as the Bobcat MT mount
- A full range swivel that allows the auger to hang plumb to the ground at any angle
- Output shafts available in 2" hexagon and 2-9/16" round



STANDARD DUTY AUGER DRIVES

MD06PD		GPM RPM	PSI TORQUE	OUTPUTS	WARRANTY
MAX AUGER DIAM	15"	5 52	2,500 734	2" HEX	3 YEARS
MIN HYD GPM	5 GPM	7 73	3,000 881		
MAX HYD GPM	10 GPM	9 93	3,500 1,028		
MAX HYD PSI	3500 PSI	10 104			
MD09PD		GPM RPM	PSI TORQUE	OUTPUTS	WARRANTY
MAX AUGER DIAM	18"	7 48	2,500 1,123	2" HEX	3 YEARS
MIN HYD GPM	7 GPM	9 61	3,000 1,347		
MAX HYD GPM	14 GPM	11 75	3,500 1,571		
MAX HYD PSI	3500 PSI	13 88			
MD12PD		GPM RPM	PSI TORQUE	OUTPUTS	WARRANTY
MAX AUGER DIAM	24"	9 49	2,500 1,409	2" HEX	3 YEARS
MIN HYD GPM	8 GPM	11 59	3,000 1,691		
MAX HYD GPM	17 GPM	13 71	3,500 1,972		
MAX HYD PSI	3500 PSI	15 81			
MD14PD		GPM RPM	PSI TORQUE	OUTPUTS	WARRANTY
MAX AUGER DIAM	30"	12 50	2,500 1,825	2" HEX -OR- 2-9/16" RND	3 YEARS
MIN HYD GPM	10 GPM	15 61	3,000 2,190		
MAX HYD GPM	20 GPM	17 71	3,500 2,555		
MAX HYD PSI	3500 PSI	20 83			
MD18PD		GPM RPM	PSI TORQUE	OUTPUTS	WARRANTY
MAX AUGER DIAM	36"	15 50	2,500 2,290	2" HEX -OR- 2-9/16" RND	3 YEARS
MIN HYD GPM	15 GPM	18 60	3,000 2,748		
MAX HYD GPM	30 GPM	20 67	3,500 3,206		
MAX HYD PSI	3500 PSI	25 83			

SKID STEER, TRACTOR, & MINI-EXCAVATOR EARTH AUGER DRIVES (MD-SERIES)

Premier Attachments offers five models in the Standard Duty MD-Series Auger Drives. The Standard Duty auger drive is designed for light to moderate drilling conditions at competitive prices.

- No drain line is required
- 3 Year Warranty
- All Auger Drives are designed and engineered for the higher hydraulic pressures of today's equipment
- Universal Skid Steer mount is an industry standard for all makes and models, however we do offer late model obsolete mounts for those older machines
- Output shafts available in 2" hexagon and 2-9/16" round

IDEAL RPM RANGE

MODEL #	GPM											
	6	7	9	10	11	12	13	15	17	18	20	25
MD06PD	62	73	93	104								
MD09PD		48	61		75	88						
MD12PD			49	59		71	81					
MD14PD						50	61	71		83		
MD18PD								50	60	67	83	



AUGER DRIVES




HEAVY DUTY AUGER DRIVES						
H010PD		GPM RPM	PSI TORQUE	OUTPUTS	WARRANTY	
MAX AUGER DIAM	24"	8 48	2,500 1,274	2" HEX -OR- 2-9/16" RND	5 YEARS	
MIN HYD GPM	6 GPM	10 60	3,000 1,529			
MAX HYD GPM	15 GPM	12 72	3,500 1,783			
MAX HYD PSI	3,500 PSI	15 90				
H015PD		GPM RPM	PSI TORQUE	OUTPUTS	WARRANTY	
MAX AUGER DIAM	30"	12 47	2,500 1,975	2" HEX -OR- 2-9/16" RND	5 YEARS	
MIN HYD GPM	10 GPM	15 58	3,000 2,372			
MAX HYD GPM	25 GPM	17 66	3,500 2,768			
MAX HYD PSI	3,500 PSI	20 78				
H019PD		GPM RPM	PSI TORQUE	OUTPUTS	WARRANTY	
MAX AUGER DIAM	36"	15 46	2,500 2,481	2" HEX -OR- 2-9/16" RND	5 YEARS	
MIN HYD GPM	15 GPM	18 56	3,000 2,977			
MAX HYD GPM	30 GPM	20 62	3,500 3,474			
MAX HYD PSI	3,500 PSI	25 77				

IDEAL RPM RANGE										
MODEL #	GPM									
	8	10	12	15	17	18	20	24	25	30
H010PD	48	60	72	90						
H015PD			47	58	66		78			
H019PD				46		56	62		77	

**SKID STEER & MINI-EXCAVATOR
EARTH AUGER DRIVES (H0-SERIES)**

Premier Attachments offers four models in the Heavy Duty H0-Series Auger Drives. The Heavy-Duty auger drives are built with industrial grade components for the toughest of drilling conditions.

- No drain line is required
- 5 Year Warranty
- All Auger Drives are designed and engineered for the higher hydraulic pressures of today's equipment
- Universal Skid Steer mount is an industry standard for all makes and models, however we do offer late model obsolete mounts for those older machines
- Output shafts available in 2" hexagon and 2-9/16" round
- Premier's proprietary Labyrinth Seal allows for multiple sealing surfaces within the seal to defend against dirt coming in and oil leaking out. The five different seals outperform the basic double seal used by other manufacturers.



AUGER DRIVES

HIGH FLOW/HIGH TORQUE AUGER DRIVES

H040PD		GPM	RPM	PSI	TORQUE	OUTPUTS	WARRANTY
MAX AUGER DIAM	36"	20	53	2,500	2,861	2" HEX -OR- 2-1/2" HEX	5 YEARS
MIN HYD GPM	20 GPM	25	67	3,000	3,433		
MAX HYD GPM	45 GPM	30	80	3,500	4,005		
MAX HYD PSI	4,500 PSI	35	94	4,000	4,578		
H045PD		GPM	RPM	PSI	TORQUE	OUTPUTS	WARRANTY
MAX AUGER DIAM	48"	25	53	2,500	3,624	2" HEX -OR- 2-1/2" HEX	5 YEARS
MIN HYD GPM	25 GPM	30	63	3,000	4,349		
MAX HYD GPM	45 GPM	35	74	3,500	5,074		
MAX HYD PSI	4,500 PSI	40	85	4,000	5,798		
H055PD		GPM	RPM	PSI	TORQUE	OUTPUTS	WARRANTY
MAX AUGER DIAM	48"	35	58	2,500	4,578	2" HEX -OR- 2-1/2" HEX	5 YEARS
MIN HYD GPM	30 GPM	40	67	3,000	5,493		
MAX HYD GPM	60 GPM	45	75	3,500	6,409		
MAX HYD PSI	4,500 PSI	50	84	4,000	7,325		
H065PD		GPM	RPM	PSI	TORQUE	OUTPUTS	WARRANTY
MAX AUGER DIAM	48"	40	54	2,500	5,722	2" HEX -OR- 2-1/2" HEX	5 YEARS
MIN HYD GPM	30 GPM	45	60	3,000	6,867		
MAX HYD GPM	60 GPM	50	67	3,500	8,011		
MAX HYD PSI	4,500 PSI	55	74	4,000	9,156		
H075PD		GPM	RPM	PSI	TORQUE	OUTPUTS	WARRANTY
MAX AUGER DIAM	48"	40	43	3,000	8,527	2-1/2" HEX	3 YEARS
MIN HYD GPM	30 GPM	45	49	3,500	9,948		
MAX HYD GPM	60 GPM	50	54	4,000	11,369		
MAX HYD PSI	4,500 PSI	60	65	4,500	12,790		
H085PD		GPM	RPM	PSI	TORQUE	OUTPUTS	WARRANTY
MAX AUGER DIAM	48"	40	54	2,500	8,957	2-1/2" HEX	3 YEARS
MIN HYD GPM	30 GPM	45	39	3,000	10,748		
MAX HYD GPM	60 GPM	50	43	3,500	12,539		
MAX HYD PSI	3,500 PSI	60	51				
H095PD		GPM	RPM	PSI	TORQUE	OUTPUTS	WARRANTY
MAX AUGER DIAM	48"	45	30	2,500	11,213	2-1/2" HEX	2 YEARS
MIN HYD GPM	30 GPM	50	34	3,000	13,455		
MAX HYD GPM	60 GPM	55	37	3,500	15,698		
MAX HYD PSI	4,500 PSI	60	41	4,000	17,941		



HIGH FLOW / HIGH TORQUE AUGER DRIVE

HIGH FLOW SKID STEER & EXCAVATOR EARTH AUGER DRIVES (H0-SERIES)

Premier Attachments offers nine models of the Heavy-Duty High flow Auger Drives. Our Heavy-Duty High Flow auger drives are specifically designed to maximize the high flow capability of torque and speed.

- No drain line is required
- 2, 3, and 5 Year Warranty
- All Auger Drives are designed and engineered for the higher hydraulic pressures of today's equipment
- Universal Skid Steer mount is an industry standard for all makes and models, however we do offer late model obsolete mounts for those older machines
- Output shafts available in 2" hexagon, 2-1/2" hexagon, 3" Hexagon, and 4" Square

IDEAL RPM RANGE

MODEL #	GPM									
	20	25	30	35	40	45	50	55	60	
H040PD	53	67	80	94						
H045PD		53	63	74	85					
H055PD				58	67	75	84			
H065PD					54	60	67	74		
H075PD					43	49	54	65		
H085PD					54	39	43	51		
H095PD						30	34	37	41	



AUGER DRIVES




2-SPEED AUGER DRIVES STANDARD FLOW

H203 2-SPEED		HIGH SPEED		LOW SPEED		OUTPUTS	WARRANTY
		GPM RPM	PSI TORQUE	GPM RPM	PSI TORQUE		
MAX AUGER DIAM	36"	13 82	2,500 1,219	13 40	2,500 2,448	2" HEX -OR- 2-1/2" HEX	2 YEARS
MIN HYD GPM	13 GPM	15 94	3,000 1,462	15 47	3,000 2,934		
MAX HYD GPM	17 GPM	17 107	3,500 1,706	17 53	3,500 3,426		
MAX HYD PSI	3,500 PSI						
H204 2-SPEED		HIGH SPEED		LOW SPEED		OUTPUTS	WARRANTY
		GPM RPM	PSI TORQUE	GPM RPM	PSI TORQUE		
MAX AUGER DIAM	48"	15 74	2,500 1,542	15 37	2,500 3,085	2" HEX -OR- 2-1/2" HEX	2 YEARS
MIN HYD GPM	15 GPM	17 84	3,000 1,851	17 42	3,000 3,702		
MAX HYD GPM	19 GPM	19 94	3,500 2,159	19 47	3,500 4,319		
MAX HYD PSI	3,500 PSI						
H205 2-SPEED		HIGH SPEED		LOW SPEED		OUTPUTS	WARRANTY
		GPM RPM	PSI TORQUE	GPM RPM	PSI TORQUE		
MAX AUGER DIAM	48"	17 66	2,500 1,985	17 33	2,500 3,965	2" HEX -OR- 2-1/2" HEX	2 YEARS
MIN HYD GPM	17 GPM	19 73	3,000 2,382	19 37	3,000 4,759		
MAX HYD GPM	21 GPM	21 81	3,500 2,779	21 40	3,500 5,552		
MAX HYD PSI	3,500 PSI						
H208 2-SPEED		HIGH SPEED		LOW SPEED		OUTPUTS	WARRANTY
		GPM RPM	PSI TORQUE	GPM RPM	PSI TORQUE		
MAX AUGER DIAM	48"	19 49	2,500 2,961	19 24	2,500 5,921	2" HEX -OR- 2-1/2" HEX	2 YEARS
MIN HYD GPM	19 GPM	22 57	3,000 3,553	22 28	3,000 7,106		
MAX HYD GPM	25 GPM	25 65	3,500 4,145	25 32	3,500 8,290		
MAX HYD PSI	3,500 PSI						

AUGERS




CAST STEEL BORING HEAD W/BOLT-ON TEETH



HEAVY-DUTY CAST STEEL BORING HEAD



ONE-PIECE CAST STEEL BORING HEAD



STANDARD SINGLE & DOUBLE FLIGHT AUGER

- One-piece cast steel boring head
- Hardened bolt-on gage teeth on outside positions
- Hardened bolt-on wisdom teeth on inside positions
- Hardened Fishtail Pilot
- 2" round, 2-9/16" round, 2" hex collars
- Available in 3', 4', 5' and 6' lengths



AGGRESSIVE DOUBLE FLIGHT AUGER

- Heavy-duty cast steel boring head
- Hardened drive-in gage teeth on outside positions
- Hardened drive-in chisel teeth on inside positions
- Hardened Fishtail Pilot
- Heavy-duty double flighting
- 2" Round, 2-9/16" Round, 2" Hex
- Available in 3', 4', 5' and 6' lengths



TREE AUGER

- Two-diameter design
- Fabricated boring head
- Hardened bolt-on gage teeth and wisdom teeth with hardened Pilot
- Heavy-duty double flighting
- 2" Round, 2-9/16" Round, 2" Hex

AUGERS

DOUBLE FLIGHTING, 4FT					
MODEL #	AUGER DIAM.	TOOTH #	OUTSIDE	INSIDE	PILOT ITEM #
			TOOTH ITEM #	TOOTH ITEM #	
A04CDF4	4"	0	N/A	N/A	203
A06CDF4	6"	2	202	200	
A08CDF4	8"	2			
A09CDF4	9"	3			
A10CDF4	10"	3			
A12CDF4	12"	4			
A15CDF4	15"	5			
A16CDF4	16"	5			
A18CDF4	18"	6			
A20CDF4	20"	6			
A24CDF4	24"	8			
A30CDF4	30"	9			
A36CDF4	36"	11			

TREE AUGERS					
TREE AUGER, 3FT					
MODEL #	AUGER DIAM.	TOOTH #	OUTSIDE	INSIDE	PILOT ITEM #
			TOOTH ITEM #	TOOTH ITEM #	
A18CDT3	18"	7	202	200	203
A24CDT3	24"	10			
A30CDT3	30"	11			
A36CDT3	36"	13			
TREE AUGER, 4FT					
MODEL #	AUGER DIAM.	TOOTH #	OUTSIDE	INSIDE	PILOT ITEM #
			TOOTH ITEM #	TOOTH ITEM #	
A18CDT4	18"	7	202	200	203
A24CDT4	24"	10			
A30CDT4	30"	11			
A36CDT4	36"	13			
A42CDT4	42"	15			
A48CDT4	48"	17			

AGGRESSIVE DUTY AUGERS					
DOUBLE FLIGHTING, 3FT					
MODEL #	AUGER DIAM.	TOOTH #	OUTSIDE	INSIDE	PILOT ITEM #
			TOOTH ITEM #	TOOTH ITEM #	
A06CDC3	6"	2	202	201	203
A08CDC3	8"	4			
A09CDC3	9"	4			
A10CDC3	10"	4			
A12CDC3	12"	4			
A15CDC3	15"	6			
A16CDC3	16"	6			
A18CDC3	18"	6			
A20CDC3	20"	6			
A24CDC3	24"	8			
A30CDC3	30"	10			
A36CDC3	36"	12			
DOUBLE FLIGHTING, 4FT					
MODEL #	AUGER DIAM.	TOOTH #	OUTSIDE	INSIDE	PILOT ITEM #
			TOOTH ITEM #	TOOTH ITEM #	
A06CDC4	6"	2	202	201	203
A08CDC4	8"	4			
A09CDC4	9"	4			
A10CDC4	10"	4			
A12CDC4	12"	4			
A15CDC4	15"	6			
A16CDC4	16"	6			
A18CDC4	18"	6			
A20CDC4	20"	6			
A24CDC4	24"	8			
A30CDC4	30"	10			
A36CDC4	36"	12			
A42CDC4	42"	16			
A48CDC4	48"	18			

AUGERS



REPLACEABLE SHANK PLATES



HIGH TORQUE AUGER

- Heavy-duty cast steel boring head w/replaceable shank plates
- Outside gage teeth, standard or carbide teeth & pilot
- 3/8" thick flighting, Extra heavy-duty center shaft
- 2-1/2" Hex, 2-5/8" Hex, 3" Hex collars available
- Available in custom lengths upon request



FABRICATED BORING HEAD



HEAVY DUTY ROCK AUGER

- Fabricated boring head
- Bullet style teeth
- Carbide pilot
- Heavy Duty Flighting
- 3/4" Thick bottom flighting
- 2" Round, 2-9/16" Round, 2" Hex Collars Available



FABRICATED BORING HEAD W/BULLET TEETH



HIGH TORQUE ROCK AUGER

- Fabricated boring head
- Bullet style teeth
- Heavy-duty 3/8" thick flighting
- 3/4" Thick bottom flighting, extra heavy-duty center shaft
- 2-1/2" Hex, 2-5/8" Hex, 3" Hex collars available
- Available in custom lengths upon request



STUMP PLANER HEAD



STUMP PLANER AUGER

- High quality alloy dual cutting edges
- Cutting edges can be removed and sharpened
- 3/4" Thick flighting
- Center point pulls stump planer into the stump
- Replaceable center point
- 2-9/16" Round, 2" Hex, 2-1/2" Hex Collars Available

AUGERS

HIGH TORQUE AUGERS

HIGH TORQUE DIRT, 6FT

MODEL #	AUGER DIAM.	TOOTH #	OUTSIDE	INSIDE	PILOT ITEM #
			TOOTH ITEM #	TOOTH ITEM #	
A09HTA6	9"	2	214	213	217
A12HTA6	12"	4			
A16HTA6	16"	4			
A18HTA6	18"	6			
A20HTA6	20"	6			
A24HTA6	24"	7			
A30HTA6	30"	8			
A36HTA6	36"	8			
A42HTA6	42"	12			
A48HTA6	48"	14			

HIGH TORQUE ROCK, 6FT

MODEL #	AUGER DIAM.	TOOTH #	OUTSIDE	INSIDE	PILOT ITEM #
			TOOTH ITEM #	TOOTH ITEM #	
A09HTR6	9"	10	221	N/A	236
A12HTR6	12"	12			
A16HTR6	16"	16			
A18HTR6	18"	18			
A20HTR6	20"	20			
A24HTR6	24"	24			
A30HTR6	30"	30			
A36HTR6	36"	36			
A42HTR6	42"	42			
A48HTR6	48"	48			

HEAVY DUTY ROCK AUGERS

HEAVY DUTY ROCK AUGER, 4FT

MODEL #	AUGER DIAM.	TOOTH #	OUTSIDE	INSIDE	PILOT ITEM #
			TOOTH ITEM #	TOOTH ITEM #	
A02CDR3	2"	0	N/A		N/A
A02CDR4	2"	0			
A04CDR4	4"	0	221	N/A	236
A06CDR4	6"	6			
A09CDR4	9"	10			
A12CDR4	12"	12			
A16CDR4	16"	16			
A18CDR4	18"	18			
A20CDR4	20"	20			
A24CDR4	24"	24			
A30CDR4	30"	30			
A36CDR4	36"	36			

STUMP PLANER AUGERS

STUMP PLANER AUGER, 4FT

MODEL #	AUGER DIAM.	BLADE #	BLADE ITEM #	PILOT ITEM #
SPA12H200	12"	2	301	300
SPA12R256	12"		301	
SPA16H200	16"		303	
SPA16H250	16"		303	





AUGER DRIVES ATTACHMENT COMPLETE KITS

This represents a quick reference guide, not all available systems are represented in this guide. Ground conditions and application may require a unit not listed in this guide. Please feel free to contact Premier for help on determining the best unit based on the requirements of the application.

MINI-SKID STEER STANDARD DUTY AUGER DRIVE KITS - 3 YEAR WARRANTY

Standard Duty Auger Drive Kits Include Drive Unit, Full Swivel Function, Universal Mount, 1/2" Hose Kit and Flat Faced Couplers

MODEL / ITEM #	DESCRIPTION	APPROX. WEIGHT	SUGGESTED LIST PRICE (US \$)
MS11PDH200	7-14 gpm, 2" Hex Shaft, Max Auger Dia. 24"	153 lbs	\$2,730.00
MS11PDR256	7-14 gpm, 2-9/16" Round Shaft, Max Auger Dia. 24"	153 lbs	\$2,730.00
MS14PDH200	10-20 gpm, 2" Hex Shaft, Max Auger Dia. 30"	157 lbs	\$2,835.00
MS14PDR256	10-20 gpm, 2-9/16" Round Shaft, Max Auger Dia. 30"	157 lbs	\$2,835.00
MS18PDH200	15-30 gpm, 2" Hex Shaft, max Auger Dia. 36"	160 lbs	\$2,896.00
MS18PDR256	15-30 gpm, 2-9/16" Round Shaft, Max Auger Dia. 36"	160 lbs	\$2,896.00

NOTE: For Bobcat MT Mount add \$80.00

MINI SKID

TRACTOR AUGER STANDARD DUTY DRIVE KITS - 3 YEAR WARRANTY

Standard Duty Auger Drive Kits Include Drive Unit and Offset Mount, *Hoses and Couplers are Not Included and are Listed and Sold Separately on Page 13. For 2-9/16" RND use R256

Universal Skid Steer Quick Attach Loader Kits:

MODEL / ITEM #	DESCRIPTION	APPROX. WEIGHT	SUGGESTED LIST PRICE (US \$)
MD09PDH200RKIT	7-14 gpm, Max. Auger Dia. 18"	316 lbs	\$2,600.00
MD11PDH200RKIT	8-17 gpm, Max. Auger Dia. 24"	320 lbs	\$2,690.00
MD14PDH200RKIT	10-20 gpm, Max. Auger Dia. 30"	340 lbs	\$2,956.00
MD18PDH200RKIT	15-30 gpm, Max. Auger dia. 36"	344 lbs	\$3,076.00

Global Mount Loader Kits:

MODEL / ITEM #	DESCRIPTION	APPROX. WEIGHT	SUGGESTED LIST PRICE (US \$)
MD09PDH200GRKIT	7-14 gpm, Max. Auger Dia. 18"	326 lbs	\$2,733.00
MD11PDH200GRKIT	8- 7 gpm, Max. Auger Dia. 24"	330 lbs	\$2,823.00
MD14PDH200GRKIT	10-20 gpm, Max. Auger Dia. 30"	350 lbs	\$3,089.00
MD18PDH200GRKIT	15-30 gpm, Max. Auger Dia. 36"	354 lbs	\$3,209.00

John Deere 400/500 Series Loader Kits:

MODEL / ITEM #	DESCRIPTION	APPROX. WEIGHT	SUGGESTED LIST PRICE (US \$)
MD09PDH200JD45KIT	7-14 gpm, Max. Auger Dia. 18"	326 lbs	\$2,733.00
MD11PDH200JD45KIT	8-17 gpm, Max. Auger Dia. 24"	330 lbs	\$2,823.00
MD14PDH200JD45KIT	10-20 gpm, Max. Auger Dia. 30"	350 lbs	\$3,089.00
MD18PDH200JD45KIT	15-30 gpm, Max. Auger Dia. 36"	354 lbs	\$3,209.00

STANDARD DUTY

SKID STEER STANDARD DUTY AUGER DRIVE KITS - 3 YEAR WARRANTY

Standard Duty Auger Drive Kits includes Drive Units, Mounting Bracket, 1/2" Hose Kit and Flat Faced Couplers. For 2-9/16" RND use R256

MODEL / ITEM #	DESCRIPTION	APPROX. WEIGHT	SUGGESTED LIST PRICE (US \$)
MD09PDH200KIT	7-14 gpm, 2" Hex Shaft, Max. Auger Dia. 18"	321 lbs	\$2,911.00
MD11PDH200KIT	8 -17 gpm, 2" Hex Shaft, Max. Auger Dia. 24"	325 lbs	\$3,001.00
MD14PDH200KIT	10-20 gpm, 2" Hex Shaft, Max. Auger Dia. 30"	345 lbs	\$3,267.00
MD14PDR256KIT	10-20 gpm, 2-9/16" Round Shaft, Max. Auger Dia. 30"	345 lbs	\$3,267.00
MD18PDH200KIT	15-30 gpm, 2" Hex Shaft, Max. Auger Dia. 36"	350 lbs	\$3,387.00
MD18PDR256KIT	15-30 gpm, 2-9/16" Round Shaft, Max. Auger Dia. 36"	350 lbs	\$3,387.00





AUGER DRIVES ATTACHMENT COMPLETE KITS

This represents a quick reference guide, not all available systems are represented in this guide. Ground conditions and application may require a unit not listed in this guide. Please feel free to contact Premier for help on determining the best unit based on the requirements of the application.

DUO-TACH® STANDARD DUTY AUGER DRIVE KITS - 3 YEAR WARRANTY

Duo-Tach® Standard Duty Auger Drive Kits includes Drive Units, Duo-Tach® Mounting Bracket, 1/2" Hose Kit and Flat Faced Couplers, Hose Spring Kit

MODEL / ITEM #	DESCRIPTION	APPROX. WEIGHT	SUGGESTED LIST PRICE (US \$)
MD14PDH200-DTKIT	10-20 gpm, 2" Hex Shaft, Max Auger Dia 30"	345 lbs.	\$3,612.00
MD14PDR256-DTKIT	10-20 gpm, 2-9/16" Round Shaft, Max Auger Dia 30"	345 lbs.	\$3,612.00
MD18PDH200-DTKIT	15-30 gpm, 2" Hex Shaft, Max Auger Dia 36"	350 lbs.	\$3,732.00
MD18PDR256-DTKIT	15-30 gpm, 2-9/16" Round Shaft, Max Auger Dia 36"	350 lbs.	\$3,732.00

↑ STD. DUTY

SKID STEER HEAVY DUTY AUGER DRIVE KITS - 5 YEAR WARRANTY

• Includes Drive Unit, Mounting Bracket, 1/2" Hose Kit and Flat Face Couplers.

MODEL / ITEM #	DESCRIPTION	APPROX. WEIGHT	SUGGESTED LIST PRICE (US \$)
H015PDH200KIT	10-25 gpm, 2" Hex Output Shaft, Max. Auger Dia. 30"	351lbs.	\$3,541.00
H015PDR256KIT	10-25 gpm, 2-9/16" Round Output Shaft, Max. Auger Dia. 30"	351lbs.	\$3,541.00
H019PDH200KIT	15-30 gpm, 2" Hex Output Shaft, Max. Auger Dia. 36"	354 lbs	\$3,647.00
H019PDR256KIT	15-30 gpm, 2" Round Output Shaft, Max. Auger dia. 36"	354 lbs	\$3,647.00
H035PDH200KIT	15-30 gpm, 2" Hex Output Shaft, Max. Auger dia. 42"	354 lbs	\$3,753.00
H035PDR256KIT	15-30 gpm, 2-9/16" Round Output Shaft, Max. Auger dia. 42"	354 lbs	\$3,753.00

HEAVY DUTY

DUO-TACH® HEAVY DUTY AUGER DRIVE KITS - 5 YEAR WARRANTY

Includes Drive Unit, Duo-Tach® Mounting Bracket, 1/2" Hose Kit and Flat Faced Couplers, Spring Kits

MODEL / ITEM #	DESCRIPTION	APPROX. WEIGHT	SUGGESTED LIST PRICE (US \$)
H015PDH200-DTKIT	10-25 gpm, 2" Hex Output Shaft, Max Auger Dia 30"	351 lbs.	\$3,886.00
H015PDR256-DTKIT	10-25 gpm, 2-9/16" Round Output Shaft, Max. Dia. 30"	351 lbs.	\$3,886.00
H019PDH200-DTKIT	15-30 gpm, 2" Hex Output Shaft, Max Auger Dia 36"	354 lbs.	\$3,992.00
H019PDR256-DTKIT	15-30 gpm, 2" Hex Output Shaft, Max Auger Dia 36"	354 lbs.	\$3,992.00

AUGER DRIVE ATTACHMENTS – DRIVE ONLY

STANDARD DUTY AUGER DRIVES - 3 YEAR WARRANTY

For Use on Skid Steer Loaders, Compact Excavators, Tractors and Telehandlers

MODEL / ITEM #	DESCRIPTION	APPROX. WEIGHT	SUGGESTED LIST PRICE (US \$)
MD06PD	5-10 gpm, 2" Hex or 2-9/16" Round Output Shaft, Max. Auger Dia. 15"	133 lbs.	\$1,959.00
MD09PD	7-14 gpm, 2" Hex or 2-9/16" Round Output Shaft, Max. Auger Dia. 18"	136 lbs.	\$1,989.00
MD11PD	8-17 gpm, 2" Hex or 2-9/16" Round Output Shaft, Max. Auger Dia. 24"	141 lbs.	\$2,079.00
MD14PD	10-20 gpm, 2" Hex or 2-9/16" Round Output Shaft, Max. Dia. 30"	157 lbs.	\$2,345.00
MD18PD	15-30 gpm, 2" Hex or 2-9/16" Round Output Shaft, Max. Dia. 36"	163 lbs.	\$2,465.00

STANDARD DUTY

HEAVY DUTY AUGER DRIVES - 5 YEAR WARRANTY

For Use on Skid Steer Loaders, Compact Excavators, Tractors and Telehandlers

MODEL / ITEM #	DESCRIPTION	APPROX. WEIGHT	SUGGESTED LIST PRICE (US \$)
H010PD	6-15 gpm, 2" Hex or 2-9/16" Round Output Shaft, Max. Dia. 24"	163 lbs.	\$2,612.00
H015PD	10-25 gpm, 2" Hex or 2-9/16" Round Output Shaft, Max Auger Dia 30"	166 lbs.	\$2,619.00
H019PD	15-30 gpm, 2" Hex or 2-9/16" Round Output Shaft, Max. Dia. 36"	169 lbs.	\$2,725.00
H035PD	20-35 gpm, 2" Hex or 2-9/16" Round Output Shaft, Max. Dia. 42"	173 lbs.	\$2,831.00

HEAVY DUTY





AUGER DRIVE ATTACHMENTS – HIGH FLOW/HIGH TORQUE

This represents a quick reference guide, not all available systems are represented in this guide. Ground conditions and application may require a unit not listed in this guide. Please feel free to contact Premier for help on determining the best unit based on the requirements of the application.

HEAVY DUTY HIGH FLOW/HIGH TORQUE AUGER DRIVES - 5 YEAR WARRANTY

For Use on High Flow Skid Steers, Backhoe Loaders, Articulated Loaders, Tractor Loaders, Integrated Tool Carriers, Excavators, Telescopic Handlers, Boom Cranes, and Digger Derricks.

<u>MODEL / ITEM #</u>	<u>DESCRIPTION</u>	<u>WARRANTY</u>	<u>APPROX. WEIGHT</u>	<u>SUGGESTED LIST PRICE (US \$)</u>
H040PD	20- 40 gpm, 2" Hex or 2-1/2" Hex Output Shaft, Max. Dia. 48"	5 Yr. Warranty	250 lbs.	\$4,989.00
H045PD	25 - 45 gpm, 2" Hex or 2-1/2" Hex Output Shaft, Max. Dia. 48"	5 Yr. Warranty	250 lbs.	\$5,098.00
H055PD	30- 60 gpm, 2" Hex or 2-1/2" Hex Output Shaft, Max. Dia. 48"	5 Yr. Warranty	255 lbs.	\$5,270.00

HEAVY DUTY HIGH FLOW/HIGH TORQUE AUGER DRIVES - WARRANTY NOTED BELOW

For Use on High Flow Skid Loaders, Backhoe Loaders, Articulated Loaders, Tractor Loaders, Integrated Tool Carriers, Excavators, Telescopic Handlers, Boom Cranes, and Digger Derricks

<u>MODEL / ITEM #</u>	<u>DESCRIPTION</u>	<u>WARRANTY</u>	<u>APPROX. WEIGHT</u>	<u>SUGGESTED LIST PRICE (US \$)</u>
H065PD	30-60 gpm 2" Hex or 2-1/2 Hex Output Shafts, Max Dia. 48"	3 Yr. Warranty	260 lbs.	\$5,689.00
H075PD	30-60 gpm 2-1/2" Hex Output Shaft, Max Dia. 48"	3 Yr. Warranty	415 lbs.	\$8,449.00
H085PD	30-60 gpm 2-1/2" Hex Output Shaft, Max Dia. 48"	3 Yr. Warranty	420 lbs.	\$8,789.00
H095PD	30-60 gpm 2-1/2" Hex Output Shaft, Max Dia. 48"	2 Yr. Warranty	515 lbs.	\$9,955.00

HEAVY DUTY

2-SPEED STANDARD FLOW AUGER DRIVES - 2 YEAR WARRANTY

For use on Skid Loaders, Backhoes Excavators, Digger Derricks and Cranes for Augering or Earth Anchor Applications

<u>MODEL / ITEM #</u>	<u>DESCRIPTION</u>	<u>APPROX. WEIGHT</u>	<u>SUGGESTED LIST PRICE (US \$)</u>
H203PD	13-18 gpm, 2" Hex or 2-1/2" Hex Output Shaft, Max. Dia. 30"	225 lbs.	\$6,749.00
H204PD	15-20 gpm, 2" Hex or 2-1/2" Hex Output Shaft, Max. Dia. 36"	230 lbs.	\$6,749.00
H205PD	17-21 gpm, 2" Hex or 2-1/2" Hex Output Shaft, Max. Dia. 48"	235 lbs.	\$6,749.00
H208PD	19-25 gpm, 2" Hex or 2-1/2" Hex Output Shaft, Max. Dia. 48"	240 lbs.	\$6,749.00

2-SPEED





MOUNTING BRACKETS

Duo-Tach® MOUNTING BRACKET

<u>MODEL / ITEM #</u>	<u>DESCRIPTION</u>	<u>APPROX. WEIGHT</u>	<u>SUGGESTED LIST PRICE (US \$)</u>
DTSM001	Duo-Tach® Auger Mounting Bracket Complete	190 lbs	\$956.00

AG STYLE EQUIPMENT MOUNTS

- Tractor Loader Mounts are designed to hang the Auger System to the Right Side for Greater Operator Visibility. They include Swivel, Cradle, and Connecting Pins (greaseable and contained with snap rings).

<u>MODEL / ITEM #</u>	<u>DESCRIPTION</u>	<u>APPROX. WEIGHT</u>	<u>SUGGESTED LIST PRICE (US \$)</u>
SM020	Off Set Right Universal Skid Steer Mount	175 lbs	\$611.00
SM021	Global Loader Mount, Off-Set Right	225 lbs	\$744.00
SM019	John Deere 400 / 500 Tractor Loader Mount, Off-Set Right	225 lbs	\$744.00
SM027	John Deere 600 / 700 Tractor Loader Mount, Off-Set Right	275 lbs	\$1,223.00
TM001	Tractor Loader Mounts, Attach to Lip of Loader Bucket or Arm	45 lbs	\$404.00

SKID STEER MOUNTS AND ADAPTERS

- Skid Steer Mounts include Required Hardware and Pins to Attach to Premier Earth Auger Drives, Complete with Swivel, Cradle, and Connecting Pins (greaseable and contained with snap rings).

<u>MODEL / ITEM #</u>	<u>DESCRIPTION</u>	<u>APPROX. WEIGHT</u>	<u>SUGGESTED LIST PRICE (US \$)</u>
SM001	Universal Skid Steer Mount, SAE J2513	180 lbs	\$611.00
SMHD001	Universal Skid Steer Mount for High Torque Auger Drives	250 lbs	\$1,733.00
SM028	Dedicated 4' High Reach Mount	385 lbs	\$1,621.00
SM026	Down-Pressure Mount Base (additional weights sold separately)	500 lbs	\$3,059.00
50202	Additional Weights for Down Pressure Mount (each)	100 lbs	\$249.00

For information on mounting brackets for older skid steer loaders please call 1-866-458-0008

MINI-EXCAVATOR, BACKHOE, AND EXCAVATOR MOUNTS

Dipper Pin Only Style Backhoe Mounts:

- For Heavy Duty High Flow Drive Unit Models up to H065PD

<u>MODEL / ITEM #</u>	<u>DESCRIPTION</u>	<u>APPROX. WEIGHT</u>	<u>SUGGESTED LIST PRICE (US \$)</u>
BH001	Case 580/590 B through M Series Pin-On	75 lbs	\$583.00
BH002	John Deere 310/410/510 Pin-On	75 lbs	\$583.00
BH006	John Deere 310SE-K/410SE-K Series Pin-On	75 lbs	\$583.00
BH003	Caterpillar 416/426/428/436 Pin-On	75 lbs	\$583.00
BH004	New Holland 400/500/600/700 Series Pin-On	75 lbs	\$583.00
BH005	JCB 1400/1700 Pin-On	75 lbs	\$583.00
BH110	Case 580-N Series Pin-On	75 lbs	\$583.00
BH116	New Holland 90-B / 95-B / 110-B	75 lbs	\$583.00



MOUNTING BRACKETS

DIPPER PIN ONLY STYLE EXCAVATOR MOUNTS

Pricing Guidelines given below. Too many available mounts to list all machines. Call Factory for part number.

For Standard Duty Applications and Drive Units up to Model H015PD

Mounts for Drive Units up to H015PD, Pin Sizes up to 1-1/2" Part # varies\$445.00

For Standard & Heavy Duty Drive Unit Models up to H065PD, using 1-1/4" Mount Pin

Mounts for Drive Units up to H065PD, Pin Sizes up to 55mm Part # varies\$583.00
 Mounts for Drive Units up to H065PD, Pin Sizes 60mm to 80mm Part # varies\$828.00
 Mounts for Drive Units up to H065PD, Pin Sizes from 85mm and up Part # varies\$1,021.00

For Heavy Duty High Flow/High Torque Drive Unit Models H075PD and up, using 1-3/4" Mount Pin

Mounts for Drive Units H075PD and up, Pin sizes up to 55mm Part # varies \$726.00
 Mounts for Drive Units H075PD and up, Pin Sizes 60mm to 80mm Part # varies \$1,021.00
 Mounts for Drive Units H075PD and up, Pin Sizes from 85mm and up Part # varies \$1,107.00

PIN GRABBER STYLE EXCAVATOR MOUNTS

Pricing Guidelines given below. Too many available mounts to list all machines. Call Factory for part number.

All Pin Grabber Style Excavator Mounts come complete with Cradle, Swivel, and Connecting Pins.

For Heavy Duty High Flow Drive/High Torque Unit Models up to H065PD, using 1-1/4" Mount Pin

Mounts less than 55mm Pins, for Drive Units up to H065PD Part # varies\$1,451.00
 Mounts from 60mm to 80mm Pins, for Drive Units up to H065PD Part # varies\$1,803.00
 Mounts greater than 85mm Pins, for Drive Units up to H065PD Part # varies\$2,082.00

For Heavy Duty High Flow Drive/High Torque Unit Models H075PD and up, using 1-3/4" Mount Pin

Mounts less than 55mm Pins, for Drive Units H075PD and up Part # varies\$2,050.00
 Mounts from 60mm to 80mm, for Drive Units H075PD and up Part # varies\$2,491.00
 Mounts greater than 85mm Pins, for Drive Units H075PD and up Part # varies\$2,784.00

EXCAVATOR AND BACKHOE DEDICATED QUICK ATTACH MOUNTS

All Mounts listed below come complete with Cradle, Swivel, and Connecting Pins.

MODEL / ITEM #	DESCRIPTION	APPROX. WEIGHT	SUGGESTED LIST PRICE (US \$)
BH099	Bobcat Quick Attach Mount	180 lbs	\$1,062.00
BH011	Kubota KX71-3 through KX121-3 / KX40 Mount	125 lbs	\$813.00
BH010	Kubota KX161-3 Mount	145 lbs	\$813.00
BH065	Kubota KX080-3 Mount	195 lbs	\$813.00
BH141	Kubota KX057 Coupler Mount	195 lbs	\$813.00
BH078	TAG/C&P Wain Roy Style #027 Mount	195 lbs	\$1,407.00
BH097	TAG/C&P Wain Roy Style #030 Mount	225 lbs	\$1,544.00
BH064	John Deere 35-G Coupler Mount	155 lbs	\$813.00
BH091	John Deere 50-G Coupler Mount	170 lbs	\$813.00
BH150	John Deere 17-G Coupler Mount	145 lbs	\$813.00
BH027	Yanmar VIO27/35 Pin Grab Mount	135 lbs	\$1,357.00
BH092	Caterpillar 303 Coupler Mount	140 lbs	\$1,422.00
BH120	Caterpillar 305E CCR Pin Grabber Mount	180 lbs	\$1,451.00
BH127	Yanmar VIO 55 Pin Grabber Mount	132 lbs	\$1,451.00
BH158	Yanmar SV100 & 80 Coupler Mount	195 lbs	\$1,357.00





CONSTRUCTION AUGERS

STANDARD DUTY SINGLE FLIGHTING

For Light to Moderate Ground Conditions

- Heavy-Duty Single Flighting, One Piece Cast Steel Boring Head, Hardened Fishtail Point
- Hardened Bolt-on Wisdom Teeth - Inside Positions & Hardened Bolt-on Gage Teeth - Outside Positions
- Indicate 2" Round, 2-9/16" Round, or 2" Hex Collar:

MODEL / ITEM #	LENGTH	DIA.	TOOTH QTY.	APPROX. WEIGHT	SUGGESTED LIST PRICE (US \$)
A09CDF4SF	4 FT.	09"	3	70 lbs.	\$510.00
A12CDF4SF	4 FT.	12"	4	95 lbs.	\$565.00
A15CDF4SF	4 FT.	15"	5	125 lbs.	\$721.00
A18CDF4SF	4 FT.	18"	6	155 lbs.	\$768.00
A24CDF4SF	4 FT.	24"	8	195 lbs.	\$879.00



STANDARD DUTY AUGER DOUBLE FLIGHTING


For Light to Moderate Ground Conditions

- One Piece Cast Steel Boring Head, Hardened Fishtail Point, Heavy-Duty Double-Flighting,
Hardened Bolt-on Wisdom Teeth - Inside Positions & Hardened Bolt-on Gage Teeth - Outside Positions

- Indicate 2" Round, 2-9/16" Round, or 2" Hex Collar:

3-FT CDF AUGERS

MODEL / ITEM #	LENGTH	DIA.	TOOTH QTY.	APPROX. WEIGHT	SUGGESTED LIST PRICE (US \$)
A04CDF3	3 FT.	04"	0	36 lbs.	\$329.00
A06CDF3	3 FT.	06"	2	48 lbs.	\$373.00
A08CDF3	3 FT.	08"	2	74 lbs.	\$504.00
A09CDF3	3 FT.	09"	3	108 lbs.	\$524.00
A10CDF3	3 FT.	10"	3	113 lbs.	\$565.00
A12CDF3	3 FT.	12"	4	93 lbs.	\$585.00
A15CDF3	3 FT.	15"	5	98 lbs.	\$707.00
A16CDF3	3 FT.	16"	5	103 lbs.	\$749.00
A18CDF3	3 FT.	18"	6	127 lbs.	\$759.00
A20CDF3	3 FT.	20"	6	136 lbs.	\$780.00
A24CDF3	3 FT.	24"	8	151 lbs.	\$806.00
A30CDF3	3 FT.	30"	9	233 lbs.	\$1,166.00
A36CDF3	3 FT.	36"	11	315 lbs.	\$1,449.00



CONSTRUCTION AUGERS

4-FT CDF AUGERS

ITEM #	LENGTH	DIA.	TOOTH QTY.	APPROX. WEIGHT	SUGGESTED LIST PRICE (US \$)
A04CDF4	4 FT.	04"	0	47 lbs	\$340.00
A06CDF4	4 FT.	06"	2	58 lbs	\$379.00
A08CDF4	4 FT.	08"	2	91 lbs	\$535.00
A09CDF4	4 FT.	09"	3	104 lbs	\$559.00
A10CDF4	4 FT.	10"	3	108 lbs	\$615.00
A12CDF4	4 FT.	12"	4	124 lbs	\$649.00
A15CDF4	4 FT.	15"	5	133 lbs	\$763.00
A16CDF4	4 FT.	16"	5	148 lbs	\$832.00
A18CDF4	4 FT.	18"	6	169 lbs	\$900.00
A20CDF4	4 FT.	20"	6	194 lbs	\$998.00
A24CDF4	4 FT.	24"	8	205 lbs	\$1,089.00
A30CDF4	4 FT.	30"	9	325 lbs	\$1,499.00
A36CDF4	4 FT.	36"	11	383 lbs	\$1,899.00

5-FT and 6-FT Lengths Priced Upon Reque



AGGRESSIVE-DUTY AUGERS DOUBLE FLIGHTING


For Difficult Ground Conditions, Compacted Soils, Heavy Clay, Asphalt, Frozen Ground, & Fracturable Rock

• Heavy-Duty Double Flighting, Cast Steel Boring Head, Hardened Fishtail Point, Hardened Drive-in Chisel Teeth - Inside Positions & Hardened Drive-in Ga Teeth - Outside Positions

• Indicate 2" Round, 2 9/16" Round, or 2" Hex Collar:


3-FT AUGERS

ITEM #	LENGTH	DIA.	TOOTH QTY.	APPROX. WEIGHT	SUGGESTED LIST PRICE (US \$)
A06CDC3	3 FT.	06"	2	44 lbs	\$464.00
A08CDC3	3 FT.	08"	4	70 lbs	\$619.00
A09CDC3	3 FT.	09"	4	74 lbs	\$656.00
A10CDC3	3 FT.	10"	4	78 lbs	\$698.00
A12CDC3	3 FT.	12"	4	96 lbs	\$713.00
A15CDC3	3 FT.	15"	6	109 lbs	\$862.00
A16CDC3	3 FT.	16"	6	117 lbs	\$881.00
A18CDC3	3 FT.	18"	6	134 lbs	\$977.00
A20CDC3	3 FT.	20"	6	158 lbs	\$1,180.00
A24CDC3	3 FT.	24"	8	173 lbs	\$1,299.00
A30CDC3	3 FT.	30"	10	220 lbs	\$1,619.00
A36CDC3	3 FT.	36"	12	302 lbs	\$1,942.00



4-FT CDC AUGERS

ITEM #	LENGTH	DIA.	TOOTH QTY.	APPROX. WEIGHT	SUGGESTED LIST PRICE (US \$)
A06CDC4	4 FT.	06"	2	57 lbs	\$479.00
A08CDC4	4 FT.	08"	4	89 lbs	\$639.00
A09CDC4	4 FT.	09"	4	108 lbs	\$691.00
A10CDC4	4 FT.	10"	4	113 lbs	\$764.00
A12CDC4	4 FT.	12"	4	126 lbs	\$774.00
A15CDC4	4 FT.	15"	6	141 lbs	\$900.00
A16CDC4	4 FT.	16"	6	152 lbs	\$933.00
A18CDC4	4 FT.	18"	6	170 lbs	\$1,030.00
A20CDC4	4 FT.	20"	6	195 lbs	\$1,302.00
A24CDC4	4 FT.	24"	8	209 lbs	\$1,462.00
A30CDC4	4 FT.	30"	10	283 lbs	\$1,946.00
A36CDC4	4 FT.	36"	12	376 lbs	\$2,179.00
A42CDC4	4 FT.	42"	16	460 lbs	\$3,685.00
A48CDC4	4 FT.	48"	18	550 lbs	\$4,037.00



CONSTRUCTION AUGERS

4-FT CDF AUGERS

ITEM #	LENGTH	DIA.	TOOTH QTY.	APPROX. WEIGHT	SUGGESTED LIST PRICE (US \$)
A04CDF4	4 FT.	04"	0	47 lbs.	\$340.00
A06CDF4	4 FT.	06"	2	58 lbs.	\$379.00
A08CDF4	4 FT.	08"	2	91 lbs.	\$535.00
A09CDF4	4 FT.	09"	3	104 lbs.	\$559.00
A10CDF4	4 FT.	10"	3	108 lbs.	\$615.00
A12CDF4	4 FT.	12"	4	124 lbs.	\$649.00
A15CDF4	4 FT.	15"	5	133 lbs.	\$763.00
A16CDF4	4 FT.	16"	5	148 lbs.	\$832.00
A18CDF4	4 FT.	18"	6	169 lbs.	\$900.00
A20CDF4	4 FT.	20"	6	194 lbs.	\$998.00
A24CDF4	4 FT.	24"	8	205 lbs.	\$1,089.00
A30CDF4	4 FT.	30"	9	325 lbs.	\$1,499.00
A36CDF4	4 FT.	36"	11	383 lbs.	\$1,899.00

5-FT and 6-FT Lengths Priced Upon Reque



AGGRESSIVE-DUTY AUGERS DOUBLE FLIGHTING


For Difficult Ground Conditions, Compacted Soils, Heavy Clay, Asphalt, Frozen Ground, & Fracturable Rock

- Heavy-Duty Double Flighting, Cast Steel Boring Head, Hardened Fishtail Point, Hardened Drive-in Chisel Teeth - Inside Positions & Hardened Drive-in Ga Teeth - Outside Positions

- Indicate 2" Round, 2 9/16" Round, or 2" Hex Collar:


3-FT AUGERS

ITEM #	LENGTH	DIA.	TOOTH QTY.	APPROX. WEIGHT	SUGGESTED LIST PRICE (US \$)
A06CDC3	3 FT.	06"	2	44 lbs.	\$464.00
A08CDC3	3 FT.	08"	4	70 lbs.	\$619.00
A09CDC3	3 FT.	09"	4	74 lbs.	\$656.00
A10CDC3	3 FT.	10"	4	78 lbs.	\$698.00
A12CDC3	3 FT.	12"	4	96 lbs.	\$713.00
A15CDC3	3 FT.	15"	6	109 lbs.	\$862.00
A16CDC3	3 FT.	16"	6	117 lbs.	\$881.00
A18CDC3	3 FT.	18"	6	134 lbs.	\$977.00
A20CDC3	3 FT.	20"	6	158 lbs.	\$1,180.00
A24CDC3	3 FT.	24"	8	173 lbs.	\$1,299.00
A30CDC3	3 FT.	30"	10	220 lbs.	\$1,619.00
A36CDC3	3 FT.	36"	12	302 lbs.	\$1,942.00



4-FT CDC AUGERS

ITEM #	LENGTH	DIA.	TOOTH QTY.	APPROX. WEIGHT	SUGGESTED LIST PRICE (US \$)
A06CDC4	4 FT.	06"	2	57 lbs.	\$479.00
A08CDC4	4 FT.	08"	4	89 lbs.	\$639.00
A09CDC4	4 FT.	09"	4	108 lbs.	\$691.00
A10CDC4	4 FT.	10"	4	113 lbs.	\$764.00
A12CDC4	4 FT.	12"	4	126 lbs.	\$774.00
A15CDC4	4 FT.	15"	6	141 lbs.	\$900.00
A16CDC4	4 FT.	16"	6	152 lbs.	\$933.00
A18CDC4	4 FT.	18"	6	170 lbs.	\$1,030.00
A20CDC4	4 FT.	20"	6	195 lbs.	\$1,302.00
A24CDC4	4 FT.	24"	8	209 lbs.	\$1,462.00
A30CDC4	4 FT.	30"	10	283 lbs.	\$1,946.00
A36CDC4	4 FT.	36"	12	376 lbs.	\$2,179.00
A42CDC4	4 FT.	42"	16	460 lbs.	\$3,685.00
A48CDC4	4 FT.	48"	18	550 lbs.	\$4,037.00





HIGH TORQUE AUGERS

HTA AUGERS


For Use with High Torque Drive Unit Models: H065PD, H075PD, H085PD, H095PD, H120PD, H130PD, H205PD, H206PD, H208PD, H215PD, H230PD

- Heavy-Duty Cast Steel Boring Head, Standard or Carbide Teeth & Point, Outside Drive-in Gage Teeth, 60" of Heavy-Duty 3/8" Thick Flighting, Extra Heavy-Duty Center Shaft (3-3/4" Tubing x 5/8" Wall)

• Indicate 2", 2-1/2", 2-5/8", 3" Hex:

6-FT HTA AUGERS

ITEM #	LENGTH	DIA.	TOOTH QTY.	APPROX. WEIGHT	SUGGESTED LIST PRICE (US \$)
A09HTA6	72" OAL	09"	2	136 lbs.	\$1,727.00
A12HTA6	72" OAL	12"	4	160 lbs.	\$1,979.00
A16HTA6	72" OAL	16"	4	244 lbs.	\$2,266.00
A18HTA6	72" OAL	18"	6	297 lbs.	\$2,430.00
A20HTA6	72" OAL	20"	6	305 lbs.	\$2,562.00
A24HTA6	72" OAL	24"	7	380 lbs.	\$2,722.00
A30HTA6	72" OAL	30"	8	455 lbs.	\$3,685.00
A36HTA6	72" OAL	36"	8	575 lbs.	\$4,179.00
A42HTA6	72" OAL	42"	10	795 lbs.	\$5,121.00
A48HTA6	72" OAL	48"	13	936 lbs.	\$5,645.00



HTR ROCK AUGERS


For Use with High Torque Drive Unit Models: H065PD, H075PD, H085PD, H095PD, H120PD, H130PD, H205PD, H206PD, H208PD, H215PD, H230PD

- Fabricated Boring Head using Bullet Style Teeth, Heavy-Duty 3/8" Flighting, 3/4" Thick Bottom Flighting, Extra Heavy-Duty Center Shaft (3-3/4" tubing x 5/8" wall)

• Indicate 2", 2-1/2" Hex, 2-5/8" Hex, 3" Hex:

6-FT HTR AUGERS

LENGTH	DIA.	ITEM #	TOOTH QTY.	APPROX. WEIGHT	SUGGESTED LIST PRICE (US \$)
A09HTR6	72" OAL	09"	10	139 lbs.	\$2,051.00
A12HTR6	72" OAL	12"	12	187 lbs.	\$2,153.00
A16HTR6	72" OAL	16"	16	261 lbs.	\$2,430.00
A18HTR6	72" OAL	18"	18	323 lbs.	\$2,652.00
A20HTR6	72" OAL	20"	20	340 lbs.	\$2,873.00
A24HTR6	72" OAL	24"	24	402 lbs.	\$3,290.00
A30HTR6	72" OAL	30"	30	581 lbs.	\$4,978.00
A36HTR6	72" OAL	36"	36	1013 lbs.	\$5,438.00
A42HTR6	72" OAL	42"	42	1289 lbs.	\$8,940.00
A48HTR6	72" OAL	48"	48	1462 lbs.	\$9,763.00



AUGER ACCESSORIES & REPLACEMENT PARTS

ADAPTERS FOR DRIVE UNITS AND AUGERS

ITEM #	DESCRIPTION	APPROX. WEIGHT	SUGGESTED LIST PRICE (US \$)
C200H256R	2" Hex Female To 2-9/16" Round Male Adapter	21 lbs.	\$269.00
C200H200R	2" Hex Female To 2" Round Male Adapter	17 lbs.	\$269.00
C256R200H	2-9/16" Round Female To 2" Hex Male Adapter	15 lbs.	\$230.00
C256R200R	2-9/16" Round Female To 2" Round Male Adapter	17 lbs.	\$230.00
C200R200H	2" Round Female To 2" Hex Male Adapter	15 lbs.	\$214.00
C200R256R	2" Round Female To 2-9/16" Round Male Adapter	17 lbs.	\$226.00
C200H250H	2" Hex Female to 2-1/2 Hex Male Adapter	45 lbs.	\$500.00
C200H262H	2" Hex Female to 2-5/8" Hex Male Adapter	25 lbs.	\$500.00
C250H200H	2-1/2" Hex Female to 2" Hex Male Adapter	43 lbs.	\$500.00
C262H200H	2-5/8" Hex Female to 2" Hex Male Adapter	25 lbs.	\$636.00
C250H262H	2-1/2" Hex Female to 2-5/8" Hex Male Adapter	25 lbs.	\$636.00
C262H250H	2-5/8" Hex Female to 2-1/2" Hex Male Adapter	25 lbs.	\$636.00

AUGER COLLARS

ITEM #	DESCRIPTION	APPROX. WEIGHT	SUGGESTED LIST PRICE (US \$)
00102	2" Hex Auger Collar	10 lbs.	\$69.00
00101	2-9/16" Round Auger Collar	7 lbs.	\$76.00
00100	2" Round Auger Collar	5 lbs.	\$69.00
00103	2-1/2" Hex Collar	11 lbs.	\$115.00
00104	2-5/8" Hex Collar	10 lbs.	\$259.00

HOSES AND FITTINGS

ITEM #	DESCRIPTION	APPROX. WEIGHT	SUGGESTED LIST PRICE (US \$)
61061	1/2" Hydraulic Hoses 68" Long	12 lbs.	\$155.00
61050	1/2" Hydraulic Hoses 108" Long	15 lbs.	\$195.00
61049	1/2" Hydraulic Hoses 120" Long	17 lbs.	\$220.00
61006	1/2" Female Flat Faced Coupler	3 lbs.	\$77.00
61007	1/2" Male Flat Faced Coupler	1 lbs.	\$39.00
61051	3/4" Hydraulic Hose Kit 108" Long	25 lbs.	\$365.00
61043	3/4" Female Flat Faced Coupler	5 lbs.	\$175.00
61044	3/4" Male Flat Faced Coupler	2 lbs.	\$106.00
61008	5/8" Female Flat Faced Coupler	3 lbs.	\$109.00
61009	5/8" Male Flat Faced Coupler	1 lbs.	\$68.00
61022	1/2" NPT Pioneer Female Coupler	1 lbs.	\$35.00
61023	1/2" NPT Pioneer Male Coupler	1 lbs.	\$18.00
91052	Spring 1/2" Hose Holder Kit	5 lbs.	\$189.00
91053	Spring 3/4" Hose Holder Kit	5 lbs.	\$133.00
61070	Tractor Rear Remote Hydraulic Hose Kit 240" Long	35 lbs.	\$347.00
61250	1/2" Hydraulic Hose 108" long Kit and Couplers	24 lbs.	\$280.00





AUGER ACCESSORIES & REPLACEMENT PARTS

CONSTRUCTION AUGER TEETH



Wisdom Tooth



Chisel Tooth



Wisdom Gage Tooth




Bullet Tooth

ITEM #	DESCRIPTION	APPROX. WEIGHT	SUGGESTED LIST PRICE (US \$)
00200	Wisdom Tooth	1 lbs.	\$7.00
00201	Chisel Tooth	1 lbs.	\$7.00
00202	Wisdom Gage Tooth	1 lbs.	\$7.00
00205	Hardfaced Wisdom Tooth	1 lbs.	\$11.00
00206	Hardfaced Chisel Tooth	1 lbs.	\$11.00
00207	Hardfaced Wisdom Gage Tooth	1 lbs.	\$16.00
00208	Carbide Wisdom Tooth	1 lbs.	\$32.00
00209	Carbide Chisel Tooth	1 lbs.	\$17.00
00261	Carbide Gage Tooth	1 lbs.	\$45.00
00237	RB Carbide Wisdom Tooth	1 lbs.	\$34.00
00225	Tooth Pocket for CDC Augers	1 lbs.	\$11.00
00221	Rock Auger Bullet Tooth	1 lbs.	\$18.00
00223	Bullet Tooth Holder	1 lbs.	\$12.00
00123	Bullet Tooth Puller Tool	10 lbs.	\$140.00
40000	5/8"-11 Carriage Bolt 1-1/2" Long	1 lbs.	\$2.00
40001	5/8"-11 Lock Nut	1 lbs.	\$2.00


CONSTRUCTION AUGER PILOTS



Fishtail Point



CDR Rock Auger Pilot



CRB Rock Auger Pilot

ITEM #	DESCRIPTION	APPROX. WEIGHT	SUGGESTED LIST PRICE (US \$)
00203	Fishtail Point Male	3 lbs.	\$48.00
00210	Hardfaced Fishtail Point Male	3 lbs.	\$99.00
00211	Carbide Fishtail Point Male	3 lbs.	\$232.00
00204	4-1/2" Auger Fishtail Point Female	3 lbs.	\$37.00
00236	CDR Rock Auger Pilot with 1-3/4" Square Shank	14 lbs.	\$298.00
00239	3-1/2" RB CDR Rock Auger Fishtail Point Female	3 lbs.	\$163.00
00253	3-1/2" RB Carbide Fishtail Point Male	3 lbs.	\$163.00
00268	2" Concrete Drill Bit	1 lbs.	\$124.00
40014	3/8" - 16 HHCS 3 1/2" Long Bolt	1 lbs.	\$2.00
40015	3/8" - 16 Top Lock Hex Nut	.5 lbs.	\$1.00





AUGER ACCESSORIES & REPLACEMENT PARTS

HIGH TORQUE AUGER TEETH



Utility
Gage Tooth



Utility
Wisdom Tooth



Bullet
Tooth

<u>ITEM #</u>	<u>DESCRIPTION</u>	<u>APPROX. WEIGHT</u>	<u>SUGGESTED LIST PRICE (US \$)</u>
00213	High Torque Dirt Tooth	1 lbs.	\$20.00
00214	High Torque Gage Tooth	1 lbs.	\$25.00
00215	High Torque Carbide Dirt Tooth	1 lbs.	\$72.00
00216	High Torque Carbide Gage Tooth	1 lbs.	\$95.00
00221	Rock Auger Bullet Tooth	1 lbs.	\$18.00
00223	Bullet Tooth Holder	1 lbs.	\$12.00

HIGH TORQUE AUGER PILOT POINTS



Utility
Fishtail Point



CDR Rock
Auger Pilot

<u>ITEM #</u>	<u>DESCRIPTION</u>	<u>APPROX. WEIGHT</u>	<u>SUGGESTED LIST PRICE (US \$)</u>
00217	High Torque Fishtail Point	5 lbs.	\$87.00
00218	High Torque Hardfaced Fishtail Point	5 lbs.	\$107.00
00219	High Torque Carbide Fishtail Point	5 lbs.	\$374.00
00260	High Torque Hardfaced Fishtail Point	5 lbs.	\$394.00
00236	CDR Rock Auger Pilot with 1-3/4 Square Shank	14 lbs.	\$298.00





AUGER EXTENSIONS

VARIABLE LENGTH AUGER EXTENSIONS

ITEM #	DESCRIPTION	APPROX. WEIGHT	SUGGESTED LIST PRICE (US \$)
CVE12H200	2" Hex Variable Extension 12" Long	20 lbs.	\$275.00
CVE12R256	2-9/16" Round Variable Extension 12" Long	21 lbs.	\$275.00
CVE24H200	2" Hex Variable Extension 24" Long	34 lbs.	\$351.00
CVE24R256	2-9/16" Round Variable Extension 24" Long	40 lbs.	\$351.00
CVE36H200	2" Hex Variable Extension 36" Long	48 lbs.	\$414.00
CVE36R256	2-9/16" Round Variable Extension 36" Long	54 lbs.	\$414.00
CVE48H200	2" Hex Variable Extension 48" Long	57 lbs.	\$490.00
CVE48R256	2-9/16" Round Variable Extension 48" Long	74 lbs.	\$490.00
CVE72H200	2" Hex Variable Extension 72" Long	83 lbs.	\$614.00
CVE72R256	2-9/16" Round Variable Extension 72" Long	109 lbs.	\$614.00
HVE48H250	2-1/2" Hex Variable Extension 48" Long	85 lbs.	\$887.00
HVE72H250	2-1/2" Hex Variable Extension 72" Long	127 lbs.	\$1,193.00

*Any CVE Length can be made with a 2" Round Collar. Call factory for quote.

FIXED LENGTH AUGER EXTENSIONS

ITEM #	DESCRIPTION	APPROX. WEIGHT	SUGGESTED LIST PRICE (US \$)
CFE12R200	2" Round Fixed Extension 12" Long	14 lbs.	\$211.00
CFE12H200	2" Hex Fixed Extension 12" Long	20 lbs.	\$250.00
CFE12R256	2-9/16" Round Fixed Extension 12" Long	21 lbs.	\$250.00
CFE24R200	2" Round Fixed Extension 24" Long	25 lbs.	\$240.00
CFE24H200	2" Hex Fixed Extension 24" Long	34 lbs.	\$289.00
CFE24R256	2-9/16" Round Fixed Extension 24" Long	40 lbs.	\$289.00
CFE36H200	2" Hex Fixed Extension 36" Long	48 lbs.	\$315.00
CFE36R256	2-9/16" Round Fixed Extension 36" Long	54 lbs.	\$315.00
CFE48H200	2" Hex Fixed Extension 48" Long	57 lbs.	\$376.00
CFE48R256	2-9/16" Round Fixed Extension 48" Long	74 lbs.	\$376.00
CFE72H200	2" Hex Fixed Extension 72" Long	83 lbs.	\$575.00
CFE72R256	2-9/16" Round Fixed Extension 72" Long	109 lbs.	\$575.00
HFE48H250	2-1/2" Hex Fixed Extension 48" Long	85 lbs.	\$734.00
HFE72H250	2-1/2" Hex Fixed Extension 72" Long	127 lbs.	\$1,019.00

*Any CFE Length can be made with a 2" Round Collar. Call factory for quote.

