


Power Breaker

Premier Attachments' mini skid concrete Power Breaker combines robust engineering with urban-friendly operation to deliver exceptional performance in demolition and material breaking tasks. Designed to maximize the potential of your Mini Skid and Bobcat MT mount machines, the Power Breaker is equipped with Premier's patented Duo-Tach® mounting technology (Patent No. 11,280,057), making it compatible across multiple platforms without the need for tools or adapters. This versatile concrete breaker attachment is ideal for rental fleets, construction, demolition, and utility applications, offering outstanding efficiency, durability, and ease of use.



Power Breaker Key Features:

- **Patent 11,280,057 Duo-Tach® Mount:** Seamlessly and Simultaneously, compatible with both Mini Skid (CII, Common Industry Interface) mount and Bobcat MT mount platforms, allowing effortless transitions between all brands of Mini Skid steers or Mini Track Loaders. No tools or adapters are required for switching mounts.
- **Heavy-Duty Sealed Housing Design:** Fully enclosed at the bottom to suspend the internal working body inside a full-box enclosure. This protects the concrete breaker, reduces noise, and minimizes vibration and wear on the carrier.
- **Urban-Friendly Operation:** Designed for low noise and vibration, making it perfect for residential and noise-sensitive job sites.
- **Nitrogen Accumulator for Efficiency:** Gas-assist design with low-pressure nitrogen reduces demand on the carrier's hydraulic system, ensuring maximum efficiency and productivity.
- **Large Piston and Tool Diameter:** Delivers powerful impact force to break through the toughest materials with ease.
- **Quick-Change Tool System:** Simplifies tool changes for improved productivity and minimized downtime.
- **Low Operating Costs:** Built for durability and efficiency to reduce maintenance expenses and keep your work moving forward.
- **Excellent Power-to-Weight Ratio:** Combines lightweight design with high-impact energy for optimal performance.





Specs

SPECIFICATION	Unit	PB250	PB350
Operating Weight	lbs	277	334
Overall Length	in	49	53
Oil Flow Requirement	gpm	5 ~ 12	8 ~ 14
Operating Pressure	psi	1280 ~ 1706	1280 ~ 1706
Back-Head Pressure	psi	235	235
Blows Per Minute	bpm	700 ~ 1200	600 ~ 1100
Tool (Chisel) Diameter	in	1.77	2.09
Hose Diameter	in	1/2	1/2
Impact Energy Class	joule	284	427

Unlock the Full Potential of Your Fleet with Premier Attachments' Power Breaker

Premier Attachments' Power Breaker, equipped with patented Duo-Tach® mounting technology, offers unmatched versatility and ease of use. Transition seamlessly between Mini Skid and MT mount platforms without tools or adapters, making this attachment a perfect addition to your equipment fleet. Whether tackling concrete breaking in urban demolition, breaking hard materials, or working on sensitive job sites, the Power Breaker ensures consistent, high-performance results.

For contractors, rental companies, or operators with diverse equipment needs, the Duo-Tach® compatibility guarantees you're always ready for the next job. Never miss an opportunity because the concrete breaker doesn't fit—Premier Attachments has you covered.

POWER BREAKER

All Prices include Base Unit, mini Duo-Tach® mounting bracket, hoses, chisel point
 • For machines 8 to 20 GP

MODEL / ITEM #	DESCRIPTION	APPROX WEIGHT	SUGGESTED LIST (US \$)
PB250-MDT.....	250 Power Breaker, Mini Duo-Tach®	229 lbs.....	\$5,995.00
PB350-MDT.....	350 Power Breaker, Mini Duo-Tach®	287 lbs.....	\$6,350.00

