

ROTORAKE 48"



LANDSCAPING



FEATURES

- Manual adjustment
- Angles 25 degrees (*no tilt*)
- Wheel can be lifted in order to get up close to objects
- Dual-motor design delivers 40% more torque and eliminates outside bearings and chains

ROTORAKE RR48-R

- Compatible with RAMROD, Ditch Witch, Toro, Vermeer, Boxer, Kanga, Finn Eagle, and Multione

ROTORAKE RR48

- Compatible with Bobcat mini hitch on mini track loaders

RotoRake	RR48-R		RR48	
Dimensions (WLH)	57 X 55 X 28"		57 X 55 X 28"	
Working Width	48"		48"	
Working Width (Angled 25°)	44"		44"	
Weight (lbs)	725		725	
Cont. PSI	3,000 MAX		3,000 MAX	
PTO Required	N/A		N/A	
Roto Speed	230-450 RPM		230-450 RPM	
Hyd. GPM Range	12-20		12-20	
Rotor Torque @ 2500 PSI	325 FT-LBS		325 FT-LBS	
Mount Type	MINI SKIDSTEER		MINI SKIDSTEER (BOBCAT)	
Gauge Wheels Included	1		1	
Angle	MANUAL		MANUAL	
Base Unit	RR48-R	\$9,444	RR48	\$9,444
Foam Filled Tires (at time of order)	ADD	\$238	ADD	\$238



ROTORAKE

LANDSCAPING



ROTORAKE RR60-RR96

- The RotoRake's hydraulic bi-directional rotor allows for operation in both directions
- Features a 25 degree angle and 28 degree tilt for easy swaling and ditching
- Dual-motor design delivers 40% more torque and eliminates outside bearings and chains

RotoRake	RR60		RR72		RR84		RR96	
Dimensions (WLH)	69 X 63 X 34"		81 X 63 X 34"		93 X 63 X 34"		105 X 63 X 34"	
Working Width	60"		72"		84"		96"	
Working Width (Angled 25°)	55"		65"		76"		87"	
Weight (lbs)	1,150		1,220		1,280		1,380	
Cont. PSI	3,000 MAX		3,000 MAX		3,000 MAX		3,000 MAX	
PTO Required	N/A		N/A		N/A		N/A	
RotoSpeed	230-450 RPM		230-450 RPM		230-450 RPM		230-450 RPM	
Hyd. GPM Range	18-30		18-30		18-30		18-30	
Rotor Torque @ 2500 PSI	550 FT-LBS		550 FT-LBS		550 FT-LBS		640 FT-LBS	
Mount Type	SKID STEER		SKID STEER		SKID STEER		SKID STEER	
Gauge Wheels Included	2		2		2		2	
Tilt	MANUAL		MANUAL		MANUAL		MANUAL	
Angle	MANUAL		MANUAL		MANUAL		MANUAL	
Base Unit	RR60	\$12,078	RR72	\$12,919	RR84	\$13,802	RR96	\$14,888
Rotorake with Angle Kit*	RR60-RRAKHA	\$13,945	RR72-RRAKHA	\$14,786	RR84-RRAKHA	\$15,669	RR96-RRAKHA	\$16,755
Rotorake with Angle and Tilt Kit*	RR60-RRTKHA	\$14,945	RR72-RRTKHA	\$15,786	RR84-RRTKHA	\$16,669	RR96-RRTKHA	\$17,755
Rotorake with Angle and Tilt Kit (on the fly)*	RR60-RRHTAVK	\$16,973	RR72-RRHTAVK	\$17,814	RR84-RRHTAVK	\$18,697	RR96-RRHTAVK	\$19,783
Foam Filled Tires (at time of order)	ADD	\$476	ADD	\$476	ADD	\$476	ADD	\$476

Universal Options	Part Number	RR60	RR72	RR84	RR96
Angle Cylinder & Hose Kit (Used On tractor Remotes)	RRAK	\$420	\$420	\$420	\$420
Tilt Cylinder & Hose Kit (Used On tractor Remotes)	RRTK	\$420	\$420	\$420	\$420
12V Diverter Valve & Hydraulic Cylinder Kit (Angle)*	RRAKHA	\$1,867	\$1,867	\$1,867	\$1,867
12V Diverter Valve & Hydraulic Cylinder Kit (Tilt & Angle)*	RRTKHA	\$2,867	\$2,867	\$2,867	\$2,867
Rotorake with Angle and Tilt Kit (on the fly)*	RRHTAVK	\$4,895	\$4,895	\$4,895	\$4,895
CAT I & 2 3PH Plate	121933	\$1,015	\$1,015	\$1,015	\$1,015
RotoRake Side Cutters / Set	RRSCK	\$948	\$948	\$948	\$948
Foam Filled Tires (price per tire)	108110F	\$298	\$298	\$298	\$298

*WIRING KIT NOT INCLUDED



ROTORAKE WIRING KITS



FOR USE WITH 12V DIVERTER VALVES

RotoRake Wiring Kits	Part Number	Price
ASV Skidsteers 8 Pin Wiring Kit (Deutsch Plug)	EWKD8ASV	\$402
Bobcat Skidsteers 14 Pin Wiring Kit (Deutsch Plug)	EWKD14BO	\$402
Bobcat Skidsteers 7 Pin Wiring Kit (Deutsch Plug)	EWKD7BO	\$1,177
Case Skidsteers 14 Pin Wiring Kit (Deutsch Plug)	EWKD14CNH	\$402
Caterpillar Skidsteers 14 Pin Wiring Kit (Deutsch Plug)	EWKD14CAT	\$402
Caterpillar Skidsteers 8 Pin Wiring Kit (Deutsch Plug)	EWKD8CAT	\$402
Gehl Skidsteers 14 Pin Wiring Kit (Deutsch Plug)	EWKD14CAT	\$402
JCB Skidsteers 14 Pin Wiring Kit (Deutsch Plug)	EWKD14KU	\$402
John Deere 244J Loaders 14 Pin Wiring Kit (Deutsch Plug)	EWKD14JD	\$402
John Deere Skidsteers 14 Pin Wiring Kit (Deutsch Plug)	EWKD14JD	\$402
Kubota Skidsteers 14 Pin Wiring Kit (Deutsch Plug)	EWKD14KU	\$402
New Holland Skidsteers 14 Pin Wiring Kit (Deutsch Plug)	EWKD14CNH	\$402
Takeuchi Skidsteers 14 Pin Wiring Kit (Deutsch Plug)	EWKD14TA	\$402
Volvo Skidsteers 14 Pin Wiring Kit (Deutsch Plug)	EWKD14KU	\$402
Wacker Neuson Skidsteers 14 Pin Wiring Kit (Deutsch Plug)	EWKD14KU	\$402
Manual Toggle Switch with 12 Volt Cigarette Plug	RRMTS01	\$402

NOTE: REQUIRES 2 MOMENTARY ELECTRIC OUTPUTS

FOR USE WITH ON THE FLY TILT & ANGLE VAVLES

RotoRake Wiring Kits (RRHTAVK)	Part Number	Price
ASV 8 PIN	EWKV8ASV	\$630
BOBCAT 14 PIN	EWKV14BO	\$630
BOBCAT 7 PIN	EWKV7BO	\$2,450
CASE 14 PIN	EWKV14CNH	\$630
CAT 14 PIN	EWKV14CAT	\$630
CAT 8 PIN	EWKV8CAT	\$630
GEHL 14 PIN	EWKV14CAT	\$630
JCB 14 PIN	EWKV14CAT	\$630
JOHN DEERE 14 PIN	EWKV14JD	\$630
KUBOTA 14 PIN	EWKV14CAT	\$630
NEW HOLLAND 14 PIN	EWKV14CAT	\$630
TAKEUCHI 14 PIN	EWKV14CAT	\$630
VOLVO 14 PIN	EWKV14CAT	\$630
WHACKER NEUSON	EWKV14WN	\$630
KIOTI 14 PIN	EWKV14CAT	\$630
MANUAL TOGGLE	RRMTSV01	\$1,400

NOTE: RRHTAVK REQUIRES 4 MOMENTARY ELECTRIC OUTPUTS




CAT I & II HITCH

- CAT I & II hitch for your RotoRake



SIDE CUTTERS

- Pin on front or rear depending on desired direction of travel



REMOTE-CONTROLLED HYDRAULIC KIT

- Hydraulic option for the RotoRake
- 12 volt Hydraulic valve option to tilt and angle
- You can choose one or both of these options



WIRING HARNESS



DIRECT



MANUAL

FOAM FILLED TIRES

- Uses the same tire as air filled
- Weighs 39 lbs. (24 lbs. heavier than air filled)
- Tires are sold individually, order correct quantity for your unit.

ROTORAKE PTO



LANDSCAPING



Prices Effective as of 5-24

ROTORAKE P.T.O


- Power take-off for your RotoRake unit drives a pump which drives the rotor motors
- Features a 25 degree angle and 28 degree tilt for easy swaling and ditching
- Oscillating gauge wheels lock in level position for the (PTO) three point hitch use
- Dual-motor design delivers 40% more torque and eliminates outside bearings and chains

RotoRake P.T.O	RR60PTO18G	RR72PTO18G	RR84PTO18G
Dimensions (WxLxH)	69 X 63 X 34"	81 X 63 X 34"	93 X 63 X 34"
Working Width	60"	72"	84"
Working Width (Angled 25°)	55"	65"	76"
Weight (lbs)	1,350	1,420	1,500
Cont. PSI	3,000 MAX	3,000 MAX	3,000 MAX
PTO Required	540RPM	540RPM	540RPM
Roto Speed	230-450 RPM	230-450 RPM	230-450 RPM
Rotor Torque @ 2500 PSI	550 FT-LBS	550 FT-LBS	550 FT-LBS
Mount Type	3PH CAT 1 & 2	3PH CAT 1 & 2	3PH CAT 1 & 2
Gauge Wheels Included	2	2	2
Tilt	MANUAL	MANUAL	MANUAL
Angle	HYDRAULIC	HYDRAULIC	HYDRAULIC
Base Unit	\$17,500	\$18,500	\$20,200
Foam Filled Tires (add to base)	\$476	\$476	\$476

Universal Options	Part Number	RR60PTO18G	RR72PTO18G	RR84PTO18G
Tilt Cylinder & Hose Kit (Used On tractor Remotes)	RRTK	\$420	\$420	\$420
RotoRake Side Cutters / Set	RRSCK	\$948	\$948	\$948
Foam Filled Tires (price per tire)	108110F	\$298	\$298	\$298

SIDE CUTTERS

- Pin on front or rear depending on desired direction of travel



TILT CYLINDER & HOSE KIT

- Used on tractor remotes
- Requires a second set of remotes

FOAM FILLED TIRES

- Uses the same tire as air filled
- Weighs 39 lbs. (24 lbs. heavier than air filled)
- Tires are sold individually, order correct quantity for your unit.



Prices and Specifications may be subject to change without notice. Prices do not include shipping or setup.

MULTI-PACKER



LANDSCAPING



ABOUT THE MULTI-PACKER

- Slots for optional ripper teeth
- Floating drum scraper
- 24" diameter steel drum
- Drum can be filled with water for increased compaction
- Storage stand
- Mounts for optional leveling blade
- CAT I and II Hitch



ANOTHER ANGLE OF MULTI-PACKER

Multi-Packer	MP36	MP48	MP60	MP72	MP84	MP96
Dimensions (WLH)	40 X 30 X 37"	52 X 30 X 37"	64 X 30 X 37"	76 X 30 X 37"	88 X 30 X 37"	100 X 30 X 37"
Working Width	36"	48"	60"	72"	80"	96"
Steel Drum Diameter	24"	24"	24"	24"	24"	24"
Weight lbs (Dry)	565	610	712	815	940	1,025
Weight lbs (w/ Water)	960	1,190	1,460	1,765	1,930	2,300
Base Unit	\$4,299	\$4,572	\$4,880	\$5,270	\$5,716	\$6,433

Model Specific Options	Part Number	Price	Part Number	Price	Part Number	Price	Part Number	Price	Part Number	Price	Part Number	Price
Leveling Blade	MPLB36	\$899	MPLB48	\$918	MPLB60	\$1,014	MPLB72	\$1,116	MPLB84	\$1,250	MPLB96	\$1,371

Universal Options	Part Number	Price
Ripper Tooth	MG011	\$36
Ripper Shank	MG012	\$41
Replaceable Shank Tip- Chromium Carbon	GEN43	\$36
Replaceable Shank Tip- Chromium Carbon (Carbide Tip)	GEN43C	\$88
Tow Hitch/Draw Bar	MPTH	\$698



MULTI-PACKER




RIPPER TEETH

- Ripper teeth to rip up and soften ground
- Adjustable in 1" increments



LEVELING BLADE

- Redistributes and levels material



TOW HITCH

- Add tow hitch to tow behind tractor or appropriate vehicle



RIPPER TOOTH (MG011)

- Resistant to wear
- Replaceable tooth



RIPPER SHANK (MG012)

- Resistant to wear



REPLACEABLE SHANK TIP

- Resistant to wear

