

BB, B, HB & SHB SERIES

useable for rocks, roots and debris

SHoule rock and material buckets are simply THE BEST on the market. With unmatched tips and lip design and high quality steel structure, we ensure you have the most robust tool to accomplish your work.

The tips are shaped according to the load distribution, and only a cast design could allow it. High carbon steel with chromolybdene provides a level of resistance no commercial steel rock bucket can match. In addition, their specially designed profile offers a stopper that allows for more volume capacity by keeping rocks from tumbling back. We have such confidence in our product that we offer a limited lifetime warranty on tips.

Our focus is not only on buckets, we also insure that our attaching brackets have the right angle that matches your OEM equipment.

It is clear that our rock buckets are not like any other one on the market and because we believe that our customers deserve the best, we have put the engineering and attention to details to make our rock buckets highly productive tools.




Industry Standards vs. SHoule Model Strength and Side Load



The cast steel tips offer **75%** More resistance to wear



When compared to the industry standard, SHoule's new tip with 1 1/4" (3.2 cm) steel rod is 98% stronger for vertical and side loads. Even more impressive is the tip with 1 1/2" (4 cm) rod that jump to 173% stronger on vertical loads and 144% stronger on side loads.



The industry standard tips are shaped with the rod ends which bend over time.



Shoule's model tips are made of cast steel that will not bend or break even under the most rigorous conditions



Attaching brackets are designed to respect the original manufacturer's designed angles.



BB, B and HB SERIES

30 to 200 HP (22-150 KW)



The BBW and BB Model buckets are ideal for picking up rocks and roots at the surface.

SPECIFICATIONS	
Tine Diameter	1,125" (28 mm)
Space Between Tines	1,75" (45 mm)
Height	24,75" (63 cm)
Depth	34" (87 cm)
Tensile Strength	101,250 lb (46 000 kg)

BB Series - 30 to 60 HP (22-45 KW)				
MODEL	WIDTH	WEIGHT	NUMBER OF TINES	Price USD
BB-6	70" (178 cm)	705 lb (320 kg)	25	3 200 \$

The B Model rock bucket is designed to pick up rocks and roots at ground surface. With care, it can also be used for light digging.

SPECIFICATIONS	
Tine Diameter	1,25" (32 mm)
Space Between Tines	2,5" (64 mm)
Height	24,75" (63 cm)
Depth	45" (114 cm)
Tensile Strength	112,500 lb (51 000 kg)

B Series - 60 to 100 HP (45-75 KW)				
MODEL	WIDTH	WEIGHT	NUMBER OF TINES	Price USD
B-6	70" (178 cm)	760 lb (345 kg)	19	3 800 \$
B-7	81" (206 cm)	875 lb (397 kg)	22	4 250 \$
B-8	92" (234 cm)	990 lb (450 kg)	25	4 600 \$

The HB Model bucket will scoop rocks that lay on the surface of the ground, but can also dig up medium sized rocks. To provide the most leverage, simply position the fork so it is centered near the rock you wish to unearth.

SPECIFICATIONS	
Tine Diameter	1,5" (38 mm)
Space Between Tines	3" (76 mm)
Height	24,75" (63 cm)
Depth	41,25" (105 cm)
Tensile Strength	135,000 lb (61 000 kg)

HB Series - 85 to 200 HP (63-150 KW)				
MODEL	WIDTH	WEIGHT	NUMBER OF TINES	Price USD
HB-6	70" (178 cm)	820 lb (372 kg)	16	4 400 \$
HB-7	88" (223 cm)	990 lb (450 kg)	19	4 850 \$
HB-8	97" (246 cm)	1110 lb (504 kg)	22	5 450 \$
HB-9	110" (279 cm)	1375 lb (624 kg)	25	6 150 \$

Grappin GP-10 Grapple in option



GP-10 Model		
DESCRIPTION	WEIGHT	Price USD
2 Hydraulic cylinders 2" (51 mm) dia. (hose to tractor not supplied) C/W 4 chromolybdene steel teeth	625 lb (284 kg)	4 200 \$

OPTIONS	
Extra tooth	375 \$
Double Action Kit	375 \$

For grabbing uneven objects. Bracketry and hydraulic fittings.





SHB SERIES & SGP Grapple

200 HP + (145 KW +)



The **SHB** Model bucket is built for wheel loaders or payloaders, and can also be mounted on any large backhoe loader. Each tine is reinforced with a high strength steel plate for maximum durability. With the strength of this bucket, you can dig up and move any kind of debris.

SPECIFICATIONS	
Tine Diameter	1,75" (45 mm)
Space Between Tines	4" (100 mm)
Height	32" (81 cm)
Depth	34" (87 cm)
Tensile Strength	157,500 lb (71 450 kg)

SHB Series - more than 200 HP (145 KW+)				
MODEL	WIDTH	WEIGHT	NUMBER OF TINES	Price USD
SHB-9	112" (285 cm)	2205 lb (1002 kg)	20	11 950 \$

SGP-10 Grapple in option

Specially designed for heavy duty work, the **SGP-10** Series grapple is made to be used with the SHB rock bucket. The **SGP-10** is equipped with two powerful 2.5" (64 mm) hydraulic cylinders.

It is built with the same components as the GP version but heavier. Adapted for industrial loaders, mini-excavators and other loading equipment such as telehandlers.



DESCRIPTION	WEIGHT	Price USD
4 mm dia.	700 lb (317 kg)	5 000 \$

OPTIONS	
	375 \$
Distributeur de l'action Pour saisir les objets irréguliers. Contient ensemble de quincaillerie et adaptée à saisir les objets irréguliers. Bracketry and hydraulic fittings.	375 \$





QUICK ATTACH most popular



ALO



Ford New Holland TV140



JD 640



Skid Steer



JD 244

PRODUCT #	MODEL	WEIGHT	Price USD
IN20-00007	ALO	115 lb (52 kg)	480 \$
IN25-00001	FORD NEW HOLLAND 9030 (276, 7414, 256)	160 lb (73 kg)	775 \$
IN03-00004	FORD NEW HOLLAND TV140	194 lb (88 kg)	775 \$
IN01-00082	JD 640/740 (620, 720, 725, 741)	160 lb (73 kg)	775 \$
IN22-00024	SKID STEER	125 lb (57 kg)	950 \$

FRONT END LOADER FOR AGRICULTURAL TRACTORS

PRODUCT #	MODEL	WEIGHT	Price USD
IN-20E12	UNIVERSAL ATTACHMENTS (1" DIA.)	76 lb (35 kg)	480 \$
IN-20E35	UNIVERSAL ATTACHMENTS (1 1/2" DIA.)	76 lb (35 kg)	480 \$
IN28-00004	ALLIED 595	105 lb (48 kg)	775 \$
IN28-00005	ALLIED	82 lb (37 kg)	775 \$
IN28-00003	ALLIED 795	153 lb (69 kg)	775 \$
IN41-00001	ALLIED EURO 2595	136 lb (62 kg)	775 \$
IN20-00004	ALO (SHB)	365 lb (166 kg)	775 \$
IN02-00005	CIH L300, 510, 520	214 lb (97 kg)	775 \$
IN20-00002	CASE LX162-172, L400-L750, LX156	114 lb (52 kg)	775 \$
IN22-00003	FORD NEW HOLLAND 16-17LA, 32-33LA	125 lb (57 kg)	775 \$
IN22-00003	FORD NEW HOLLAND 46LB, 52LA-LB-LC	125 lb (57 kg)	775 \$
IN25-00002	FORD NEW HOLLAND 7312-14, 7411-12-13, 7511	153 lb (69 kg)	775 \$
IN24-00001	HARDY	145 lb (66 kg)	775 \$
IN01-00014	JD 240 (245, 260, 265)	109 lb (49 kg)	775 \$
IN01-00043	JD 400X	89 lb (40 kg)	775 \$
IN01-00019	JD 440 (410, 419, 430, 460)	100 lb (45 kg)	775 \$
IN01-00040	JD 480H GLOBAL	314 lb (143 kg)	775 \$
IN01-00019	JD 540 (520, 521, 541, 542)	100 lb (45 kg)	775 \$
IN01-00034	JD 746	180 lb (82 kg)	775 \$
IN01-00022	JD 840	360 lb (164 kg)	775 \$
IN01-00032	JD 840 (SHB)	425 lb (193 kg)	775 \$
IN05-00006	MASSEY 1036, 1038	95 lb (43 kg)	775 \$
IN05-00005	MASSEY 1070	133 lb (60 kg)	775 \$

SKID STEER LOADER

PRODUCT #	MODEL	WEIGHT	Price USD
IN22-00003	ASV RC50, RC60	125 lb (57 kg)	480 \$
IN01-00021	JD 280	157 lb (71 kg)	775 \$
IN03-00003	FORD NEW HOLLAND L425, L454, L455	183 lb (83 kg)	775 \$
IN03-00007	FORD NEW HOLLAND L555	113 lb (51 kg)	775 \$
IN22-00009	SKID STEER PLATE	103 lb (47 kg)	950 \$
IN22-00024	SKID STEER - REGULAR	125 lb (57 kg)	950 \$





QUICK ATTACH

TELEHANDLERS

PRODUCT #	MODEL	WEIGHT	Price USD
IN06-00001	MERLO 26.6 ASS	235 lb (107 kg)	1 650 \$
IN06-00003	MERLO ZM2	286 lb (130 kg)	1 650 \$
IN13-00016	JCB 506, 508	101 lb (46 kg)	1 650 \$
IN13-00006	JCB 524, 550	106 lb (48 kg)	1 650 \$
IN13-00005	JCB 524	352 lb (160 kg)	1 650 \$
IN13-00009	JCB 530B	247 lb (112 kg)	1 650 \$
IN13-00007	JCB 530B (SHB)	255 lb (116 kg)	1 650 \$
IN13-00013	JCB 524, 550 (SHB)	161 lb (73 kg)	1 650 \$



Skid Steer plate

INDUSTRIAL EQUIPMENT (LOADERS, BACKHOES, ETC.)

PRODUCT #	MODEL	WEIGHT	Price USD
IN02-00019	CASE 580E	142 lb (65 kg)	1 650 \$
IN02-00014	CASE 580L (DIRECT)	174 lb (79 kg)	1 650 \$
IN02-00012	CASE 580M (DIRECT)	179 lb (81 kg)	1 650 \$
IN02-00011	CASE 721B	321 lb (146 kg)	2 100 \$
IN11-00001	CAT 950	210 lb (95 kg)	2 100 \$
IN11-00055	CAT IT14/24/28	250 lb (113 kg)	2 100 \$
IN11-00054	CAT IT28 (SHB)	456 lb (207 kg)	2 100 \$
IN11-00046	CAT 936F, 938F, 938G (SHB)	480 lb (218 kg)	2 100 \$
IN11-00020	CAT IT 950 (962, 966, 972) (SHB)	482 lb (219 kg)	2 100 \$
IN11-00048	CAT FUSION	582 lb (264 kg)	2 100 \$
IN11-00056	CAT FUSION (SHB)	582 lb (264 kg)	2 100 \$
IN13-00004	JCB 426HT	345 lb (147 kg)	1 650 \$
IN01-00029	JD 244E	237 lb (108 kg)	1 650 \$
IN01-00015	JD 244J	132 lb (60 kg)	1 650 \$
IN01-00025	JD 310G, 410G	190 lb (86 kg)	1 650 \$
IN01-00060	JD 310 (DIRECT)	262 lb (119 kg)	2 100 \$
IN01-00046	JD 444E (DIRECT) (SHB)	209 lb (95 kg)	2 100 \$
IN01-00044	JD 444J (SHB)	307 lb (139 kg)	2 100 \$
IN01-00030	JD 544	200 lb (90 kg)	1 650 \$
IN01-00008	JD 544 (SHB)	200 lb (90 kg)	2 100 \$
IN04-00006	KUBOTA R520, R410, R420, R510	235 lb (107 kg)	1 650 \$
IN48-00002	MANITOU	235 lb (107 kg)	1 650 \$
IN16-00001	VOLVO BL71	325 lb (148 kg)	2 100 \$
IN16-00025	VOLVO L120C (SHB)	348 lb (158 kg)	2 100 \$
IN16-00024	VOLVO L50, L70	385 lb (175 kg)	2 100 \$
IN16-00024	VOLVO L120	338 lb (153 kg)	2 100 \$



JCB 530B (SHB)



Cat IT28



Cat Fusion



Volvo SHB

ADAPTORS FOR INDUSTRIAL EQUIPMENT

PRODUCT #	MODEL	WEIGHT	Price USD
IN21-00008	JRB 416	276 lb (125 kg)	2 100 \$
IN21-00010	JRB 416 (SHB)	311 lb (141 kg)	2 100 \$
IN09-00037	EDF	187 lb (85 kg)	2 100 \$
IN09-00038	EDF (SHB)	377 lb (171 kg)	2 100 \$
IN21-00011	JRB 418 (SHB)	435 lb (186 kg)	2 100 \$
IN26-00005	VALLÉE (SHB)	543 lb (246 kg)	2 100 \$

Many other model attachments available or can be custom built.

Inquire about the model you need for availability.

