



3-PT REAR BLADES

All Cutting Edges are 1/2" X 6" High Carbon-Steel, Reversible, Interchangeable

NB

NVHA: Comes with Manual Adjustment Pin Adj. Angle 18°, 35°, & 53° left or right and 3 forward and 3 reverse positions. Manual Bolt Adj. Tilt 7.5°, 15°, 22.5°, & 30° up or down. Manual Bolted offset 6 or 12 inches left or right.

(10% IBF)

MODEL	DESCRIPTION	WT.	LIST PRICE
TM NB80-180	6' Rear Blade Cat II – Max. 65 HP Quick Hitch Compatible	780	\$2,351.00
TM NB80-210	7' Rear Blade Cat I - Max. 70 HP Quick Hitch Compatible	815	\$2,460.00
TM NB80-240	8' Rear Blade Cat I – Max. 75 HP Quick Hitch Compatible	850	\$2,576.00
TM NB80-270	8' Rear Blade Cat I – Max. 80 HP Quick Hitch Compatible	880	Call for pricing





NB 120 SERIES
CAT.II 3Pt. Hitch (Quick Hitch Compatible)
90-120 H.P.

(REPLACES NVH, NVH-XHD, & NHVH SERIES BLADES)

- * Blade can rotate 360 deg. Without unhooking from tractor
- * Both tilt and swing adjustments are accomplished without removing cylinders
 - * 1/2"x 6" Reversible cutting edge.
 - * 3-1/4" Kingpin diameter
 - * 19" Moldboard Height w/ 1/4" Thickness

NB SERIES: Comes with Manual Adjustment: Swing Angle 10 positions up to 50 deg.,
Offset 4 positions up to 30" left or right, Tilt 3 positions up to 21 deg. Up or down

* Hydraulic Units Below are less Hydraulic Hose Couplers (10% IBF)

TM NB120-210 -MAN	7' Rear Blade, 4' Neck (360 deg. Blade Rotation) Manual Adjust. 90 H.P. Max.	970	Call for pricing
TM NB120-210-HYD	7' Rear Blade, 4' Neck (360 deg. Blade Rotation) Hydraulic Angle, Offset, & Tilt 90 H.P. Max.	1070	4,037.00
TM NB120-240-MAN	8' Rear Blade, 4' Neck (360 deg. Blade Rotation) Manual Adjust. 100 H.P. Max.	1025	3,317.00
TM NB120-240-HYD	8' Rear Blade, 4' Neck (360 deg. Blade Rotation) Hydraulic Angle, Offset, & Tilt 100 H.P. Max.	1125	4,186.00
TM NB120-270-MAN	9' Rear Blade, 4' Neck (360 deg. Blade Rotation) Manual Adjust. 110 H.P. Max.	1080	3,468.00
TM NB120-270-HYD	9' Rear Blade, 4' Neck (360 deg. Blade Rotation) Hydraulic Angle, Offset, & Tilt 110 H.P. Max.	1180	4,338.00
TM NB120-300-MAN	10' Rear Blade, 4' Neck (360 deg. Blade Rotation) Manual Adjust 120 H.P. Max.	1125	3,626.00
TM NB120-300-HYD	10' Rear Blade, 4' Neck (360 deg. Blade Rotation) Hydraulic Angle, Offset, & Tilt 120 H.P. Max.	1235	4,495.00
ATTACHMENTS FOR NB 120 SERIES REAR BLADES			
TM KHCN102	Hydraulic Angle Kit w/ Hoses Less Couplers	33	282.00
TM KHCN105	Hydraulic Tilt Kit w/ Hoses less Couplers	43	275.00
TM KHCN106	Hydraulic Offset kit w/ Hoses Less Couplers	33	267.00





3-PT. REAR BLADES

All Cutting Edges are 1/2" x 6" High Carbon-Steel, Reversible, and Interchangeable

**Indicates a Normally Stocked Item.*

NVHL 8, 9, & 10-foot Blades		(10% IBF)	
<i>TM NVHL-XHD's LINKAGE MUST BE ORDERED WITH MANUAL LINKAGE OR HYDRAULIC CYLINDERS OR A COMBINATION OF BOTH; Angle Adj 0° to 26 degrees right and 38 degrees left (Manual) or 0 degrees to 43 degrees left or right (hydraulic); Tilt Adj 0° to 15° up or down (manual) or up to 12 degrees up or down (hydraulic); Offset Adj. 0" to 26" left, 0" to 28" right (manual) or 0" to 26" left or right (hydraulic) Total Swing 360 degrees. Parking Stand Quick Hitch Compatible.</i>			
MODEL #	DESCRIPTION	WT	LIST
TM NVHL-240-XHD-MAN *	8' Extra Heavy Duty - Cat II, III; 100-160 HP (if 4WD 145 HP max)	1466	5,016.00
	w/1 C6400031 Mechanical Offset Linkage for NVHL		26.00
	w/1 C6400032 Mechanical Angle Linkage for NVHL		26.00
	w/1 C6400033 Mechanical Tilt Linkage for NVHL		20.00
	Total with above options included		5,088.00
TM NVHL-240-XHD-HYD *	8' Extra Heavy Duty - Cat II, III; 100-160 HP (if 4WD 145 HP max)	1576	6,011.00
	w/2 KHCN103OFFSET / ANGLE Hydraulic Cylinder Less Hoses		312.00
	w/2 C6300033 OFFSET / ANGLE Hose Kit Less Tips		48.00
	w/1 KHCN104 TILT Hydraulic Cylinder Less Hoses		171.00
	w/1 C6300043 TILT Hose Kit Less Tips		60.00
	Total with above options included		6,602.00
TM NVHL-300-XHD-MAN *	10' Extra Heavy Duty - Cat II, III; 100-160 HP (if 4WD 145 HP max)	1546	5,329.00
	w/1 C6400031 Mechanical Offset Linkage for NVHL		26.00
	w/1 C6400032 Mechanical Angle Linkage for NVHL		26.00
	w/1 C6400033 Mechanical Tilt Linkage for NVHL		20.00
	Total with above options included		5,401.00
TM NVHL-300-XHD-HYD *	10' Extra Heavy Duty - Cat II, III; 100-160 HP (if 4WD 145 HP max)	1656	6,325.00
	w/2 KHCN103 OFFSET / ANGLE Hydraulic Cylinder Less Hoses		312.00
	w/2 C6300033 OFFSET / ANGLE Hose Kit Less Tips		48.00
	w/1 KHCN104TILT Hydraulic Cylinder Less Hoses		171.00
	w/1 C6300043 TILT Hose Kit Less Tips		60.00
	Total with above options included		6,916.00
ATTACHMENTS & OPTIONS FOR NVHL-XHD REAR BLADES			
TM C6600001	Tailwheel for NVHL Series (Single Gauge Wheel)	187	call for pricing
TM C6600002	Tailwheel for NVHL Series (Dual Gauge Wheel)	243	call for pricing
TM C660001-M	Single Tail Wheel W/Diverter kitt NVHL		call for pricing
TM C660002-M	Dual Tail Wheel W/Diverter kitt NVHL		call for pricing

