

# OFFSET DISC HARROWS



## 38 SERIES

### 6' - 10' 6" 9" BLADE SPACING MODELS

- Designed for 50 to 80 horsepower tractors
- 4" Square tube main frame
- 5" x 3" Rectangle gang beams
- 1 1/2" RC steel axles
- Triple sealed ball bearings
- Depth control system
- Front to rear spring loaded leveling system
- Gang angle adjustable
- Tubular or Shock Flex Gang Hangers
- 4 x 8 cylinder, set of hoses
- 2-9.5L 6 ply implement tires
- Tongue jack
- Safety chain
- 22" or 24" Notched blades standard



3892222

#### 38 SERIES 22" BLADES (9" SPACING)

MODEL #	3891622	3891822	3892022	3892222	3892422	3892822
Cut Width (ft.)	6'	6' 8"	7' 6"	8' 4"	9'	10' 6"
Bearings	6	6	8	8	8	8
Horsepower	50	55	55-60	60-65	65-70	75
Blades	16-22"	18-22"	20-22"	22-22"	24-22"	28-22"
Spacing (in.)	9"	9"	9"	9"	9"	9"
Tube Weight	2,614#	2,681#	2,851#	2,947#	3,044#	3,604#
Color Option	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black

SUSPENDED

**Tube List** TEMPORARILY SUSPENDED - PLEASE CALL FOR PRICING

#### 38 SERIES 22" BLADES (9" SPACING) SHOCK FLEX

MODEL #	N/A	3891822SF	3892022SF	3892222SF	3892422SF	3892822SF
SF Weight	N/A	2,813#	3,027#	3,123#	3,220#	3,780#
SF List	N/A	TEMPORARILY SUSPENDED - PLEASE CALL FOR PRICING				

#### 38 SERIES 24" BLADES (9" SPACING)

MODEL #	3891624	3891824	3892024	3892224	3892424	3892824
Cut Width (ft.)	6'	6' 8"	7' 6"	8' 4"	9'	10' 6"
Bearings	6	6	8	8	8	8
Horsepower	50	55	55-60	60-65	65-70	75
Blades	16-24"	18-24"	20-24"	22-24"	24-24"	28-24"
Spacing (in.)	9"	9"	9"	9"	9"	9"
Tube Weight	2,806#	2,897#	3,091#	3,211#	3,332#	3,940#
Color Option	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black

SUSPENDED

**Tube List** TEMPORARILY SUSPENDED - PLEASE CALL FOR PRICING

#### 38 SERIES 24" BLADES (9" SPACING) SHOCK FLEX

MODEL #	N/A	3891824SF	3892024SF	3892224SF	3892424SF	3892824SF
SF Weight	N/A	3,029#	3,267#	3,387#	3,508#	4,116#
SF List	N/A	TEMPORARILY SUSPENDED - PLEASE CALL FOR PRICING				



# OFFSET DISC HARROWS



## 38 SERIES

### 6'- 10' 2" 10 1/2" SPACING MODELS

- Designed for 50 to 90 horsepower tractors
- 4" Square tube main frame
- 5" x 3" Rectangle gang beams
- 1 1/2" RC steel axles, triple sealed ball bearings
- Depth control system
- Front to rear spring loaded leveling system
- Tongue & yoke system for side draft control
- Gang angle adjustable
- Tubular gang hangers or shock flex hangers
- 4 x 8 cylinder, set of hoses
- 2-9.5L 6 ply implement tires
- Tongue jack & Safety chain
- 22" or 24" Notched blades standard



38102222

### 38 SERIES 22" BLADES (10 1/2" SPACING)

MODEL #	38101422	38101622	38101822	38102022	38102222	38102422
Cut Width (ft.)	6'	6' 10"	7' 8"	8' 6"	9' 4"	10' 2"
Bearings	6	6	8	8	8	8
Horsepower	50	55	60	65	70	75
Blades	14-22"	16-22"	18-22"	20-22"	22-22"	24-22"
Spacing (in.)	10 1/2"	10 1/2"	10 1/2"	10 1/2"	10 1/2"	10 1/2"
Tube Weight	2,564#	2,777#	2,889#	2,999#	3,044#	3,312#
Color Option	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black

Tube List **TEMPORARILY SUSPENDED - PLEASE CALL FOR PRICING**

### 38 SERIES 22" BLADES (10 1/2" SPACING) SHOCK FLEX

MODEL #	N/A	38101622SF	38101822SF	38102022SF	38102222SF	38102422SF
SF Weight	N/A	2,909#	3,065#	3,175#	3,220#	3,488#
SF List	N/A	<b>TEMPORARILY SUSPENDED - PLEASE CALL FOR PRICING</b>				

### 38 SERIES 24" BLADES (10 1/2" SPACING)

MODEL #	38101424	38101624	38101824	38102024	38102224	38102424
Cut Width (ft.)	6'	6' 10"	7' 8"	8' 6"	9' 4"	10' 2"
Bearings	6	6	8	8	8	8
Horsepower	50	55	60	65	70	75
Blades	14-24"	16-24"	18-24"	20-24"	22-24"	24-24"
Spacing (in.)	10 1/2"	10 1/2"	10 1/2"	10 1/2"	10 1/2"	10 1/2"
Tube Weight	2,732#	2,969#	3,105#	3,239#	3,308#	3,600#
Color Option	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black

Tube List **TEMPORARILY SUSPENDED - PLEASE CALL FOR PRICING**

### 38 SERIES 24" BLADES (10 1/2" SPACING) SHOCK FLEX

MODEL #	N/A	38101624SF	38101824SF	38102024SF	38102224SF	38102424SF
SF Weight	N/A	3,101#	3,281#	3,415#	3,484#	3,776#
SF List	N/A	<b>TEMPORARILY SUSPENDED - PLEASE CALL FOR PRICING</b>				



# OFFSET DISC HARROWS



## OPTIONAL EQUIPMENT FOR 38 SERIES

HEAVY SCRAPER KIT 38 SERIES 9" SPACING MODELS			
Model #	Model Kit Fit	Weight	List
SK91638	38916	233#	\$1,506
SK91838	38918	276#	\$1,549
SK92038	38920	294#	\$1,572
SK92238	38922	325#	\$1,748
SK92438	38924	359#	\$1,847
SK92838	38928	460#	\$2,117

HEAVY SCRAPER KIT 38 SERIES 10 1/2" SPACING MODELS			
Model #	Model Kit Fit	Weight	List
SK101438	381014	219#	\$1,540
SK101638	381016	252#	\$1,619
SK101838	381018	277#	\$1,619
SK102038	381020	303#	\$1,706
SK102238	381022	330#	\$1,778
SK102438	381024	352#	\$1,874

OPTIONAL EQUIPMENT 38 SERIES			
Part #	Description	Weight	List
T7031216	Outrigger Kit with 16" plain blade	21#	\$212
T7031218	Outrigger Kit with 18" plain blade	23#	\$234
13188	Regreasable Bearings 1 1/2	--	\$49 per bearing
13160T	Dual Wheel Kit WITH 9.5L TIRES	118#	\$1,489
12875	Slow Moving Vehicle Sign & Bracket	6#	\$77
--	Plain Blades	--	\$5 per blade



# OFFSET DISC HARROWS



**42102424SF**

## 42 SERIES

### 6'8" - 13' 6" 9" SPACING MODELS

- Designed for 60 to 120 horsepower tractors
- 6" x 4" Main frame and 6" x 4" gang beams
- 1 1/2" RC Steel axles, triple sealed ball bearings
- Depth control system and gangs adjustable by turnbuckles
- Standard dual wheels
- Tubular gang hangers or shock flex hangers
- 4 x 8 cylinder, set of hoses
- 4-9.5L 6 ply implement tires
- Tongue jack
- Safety chain
- 24" or 26" Notched blades standard

#### 42 SERIES 24" BLADES (9" SPACING)

MODEL #	4291824	4292024	4292224	4292424	4292824	4293224	4293624
Cut Width (ft.)	6' 8"	7' 6"	8' 4"	9'	10' 6"	12'	13' 6"
Bearings	8	8	8	8	8	12	12
Horsepower	65	75	85-90	95	100	110	120
Blades	18-24"	20-24"	22-24"	24-24"	28-24"	32-24"	36-24"
Spacing (in.)	9"	9"	9"	9"	9"	9"	9"
Tube Weight	3,811#	3,904#	4,154#	4,444#	4,724#	5,016#	5,143#
Color Option	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black
Tube List	\$17,299	\$17,865	\$18,466	\$18,957	\$21,131	\$22,612	\$24,927

#### 42 SERIES 24" BLADES (9" SPACING) SHOCK FLEX

MODEL#	4291824SF	4292024SF	4292224SF	4292424SF	4292824SF	4293224SF	4293624SF
SF Weight	3,907#	4,000#	4,250#	4,540#	4,868#	5,161#	5,311#
SF List	\$18,321	\$18,855	\$19,421	\$19,884	\$21,936	24,132	\$26,317

#### 42 SERIES 26" BLADES (9" SPACING)

MODEL #	4291826	4292026	4292226	4292426	4292826	4293226	4293626
Cut Width (ft.)	6' 8"	7' 6"	8' 4"	9'	10' 6"	12'	13' 6"
Bearings	8	8	8	8	8	12	12
Horsepower	65	75	85-90	95	100	110	120
Blades	18-26"	20-26"	22-26"	24-26"	28-26"	32-26"	36-26"
Spacing (in.)	9"	9"	9"	9"	9"	9"	9"
Tube Weight	3,942#	4,070#	4,300#	4,576#	4,903#	5,200#	5,487#
Color Option	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black
Tube List	\$17,968	\$18,612	\$19,287	\$19,853	\$22,176	\$23,660	\$26,109

#### 42 SERIES 26" BLADES (9" SPACING) SHOCK FLEX

MODEL #	4291826SF	4292026SF	4292226SF	4292426SF	4292826SF	4293226SF	4293626SF
SF Weight	4,038#	4,166#	4,396#	4,672#	5,047#	5,344#	5,655#
SF List	\$20,088	\$20,733	\$21,408	\$21,974	\$24,296	\$26,629	\$29,078



# OFFSET DISC HARROWS



## 42 SERIES

### 7' 8" - 13' 6" 10 1/2" Spacing Models

- Designed for 65 to 120 horsepower tractors
- 6" x 4" Main frame and 6" x 4" Gang beams
- 1 1/2" RC Steel axles
- Triple sealed ball bearings
- Depth control system
- Standard dual wheels
- Tongue & yoke system for side draft control
- Gangs adjustable by turnbuckles
- Tubular gang hangers or shock flex hangers
- 4 x 8 Cylinder, set of hoses
- 4-9.5L 6 ply implement tires
- Tongue jack & safety chain
- 24" or 26" Notched blades



#### 42 SERIES 24" BLADES (10 1/2" SPACING)

MODEL #	42101824	42102024	42102224	42102424	42102824	42103224
Cut Width (ft.)	7' 8"	8' 6"	9' 4"	10' 2"	11' 10"	13' 6"
Bearings	8	8	8	8	12	12
Horsepower	80-85	90-95	95-100	100	110-115	120
Blades	18-24"	20-24"	22-24"	24-24"	28-24"	32-24"
Spacing (in.)	10 1/2"	10 1/2"	10 1/2"	10 1/2"	10 1/2"	10 1/2"
Tube Weight	3,906#	4,132#	4,298#	4,541#	5,020#	5,134#
Color Option	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black
Tube List	\$17,526	\$17,891	\$18,535	\$19,507	\$22,1450	\$22,830

#### 42 SERIES 24" BLADES (10 1/2" SPACING) SHOCK FLEX

MODEL #	42101824SF	42102024SF	42102224SF	42102424SF	42102824SF	42103224SF
SF Weight	4,002#	4,228#	4,394#	4,649#	5,164#	5,278#
SF List	\$19,506	\$19,870	\$20,513	\$21,486	\$25,113	\$25,798

#### 42 SERIES 26" BLADES (10 1/2" SPACING)

MODEL #	42101826	42102026	42102226	42102426	42102826	42103226
Cut Width (ft.)	7' 8"	8' 6"	9' 4"	10' 2"	11' 10"	13' 6"
Bearings	8	8	8	8	12	12
Horsepower	80-85	90-95	95-100	100	110-115	120
Blades	18-26"	20-26"	22-26"	24-26"	28-26"	32-26"
Spacing (in.)	10 1/2"	10 1/2"	10 1/2"	10 1/2"	10 1/2"	10 1/2"
Tube Weight	3,995#	4,264#	4,430#	4,699#	5,525#	5,356#
Color Option	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black
Tube List	\$18,200	\$18,638	\$19,357	\$20,403	\$23,187	\$24,025

#### 42 SERIES 26" BLADES (10 1/2" SPACING) SHOCK FLEX

MODEL #	42101826SF	42102026SF	42102226SF	42102426SF	42102826SF	42103226SF
SF Weight	4,091#	4,360#	4,526#	4,807#	5,394#	5,500#
SF List	\$20,179	\$20,616	\$21,335	\$22,382	\$26,156	\$26,993



# OFFSET DISC HARROWS



## OPTIONAL EQUIPMENT FOR 42 SERIES

HEAVY SCRAPER KIT 42 SERIES 9" SPACING MODELS			
Model #	Model Kit Fit	Weight	List
SK91842	42918	276#	\$1,549
SK92042	42920	294#	\$1,572
SK92242	42922	325#	\$1,684
SK92442	42924	359#	\$1,847
SK9r2842	42928	460#	\$2,117
SK93242	42932	527#	\$2,397
SK93642	42936	580#	\$2,524

HEAVY SCRAPER KIT 42 SERIES 10 1/2" SPACING MODELS			
Model #	Model Kit Fit	Weight	List
SK101842	421018	277#	\$1,619
SK102042	421020	303#	\$1,706
SK102242	421022	330#	\$1,778
SK102442	421024	352#	\$1,874
SK102842	421028	410#	\$2,237
SK103242	421032	527#	\$2,397

OPTIONAL EQUIPMENT 42 SERIES			
Part #	Description	Weight	List
T7031218	Outrigger Kit with 18" plain blade	23#	\$234
T7031220	Outrigger kit with 20" plain blade	23#	\$244
13188	Regreasable Bearings 1 1/2"	--	\$49 per bearing
12875	Slow Moving Vehicle Sign & Bracket	6#	\$77
--	Plain Blades	--	\$5 per blade

