

WHEELED TANDEM DISC HARROWS



TW5 SERIES

T 8' - 9' 6"

- Designed for 35 to 65 horsepower tractors
- 3" Square tube frame
- 1 1/8" Square hi-strength axles,
- Triple sealed ball bearings
- Front to rear leveling system & depth control
- Tube type gang hangers
- 9" or 7 1/2" or combination blade spacing
- 20" or 22" Notched blades standard
- Tongue jack & safety chain
- 3 x 8 Hyd. cylinder, set of hydraulic hoses
- 2- 9.5L 15 6 ply Imp. tires



TW5 SERIES 20" BLADES (8' - 9' 6")						
MODEL #	TW72420	TW92020	TW972220	TW92420	TW972620	TW72820
Cut Width (ft.)	8'	8'	8'	9' 6"	9' 6"	9' 6"
Bearings	8	8	8	8	8	8
Horsepower	35-55	35-55	35-55	40-65	40-65	40-65
Blades	24-20"	20-20"	22-20"	24-20"	26-20"	28-20"
Spacing (in.)	7 1/2"	9"	9 - 7 1/2"	9"	9 - 7 1/2"	7 1/2"
Weight	1,915#	1,805#	1,840#	1,925#	1,965#	1,995#
Color Option	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black
List	\$10,678	\$10,184	\$10,405	\$10,624	\$10,989	\$11,289



TW92822

TW5 SERIES 22" BLADES (8' - 9' 6")						
MODEL #	TW72422	TW92022	TW972222	TW92422	TW972622	TW72822
Cut Width (ft.)	8'	8'	8'	9' 6"	9' 6"	9' 6"
Bearings	8	8	8	8	8	8
Horsepower	35-55	35-55	35-55	40-65	40-65	40-65
Blades	24-22"	20-22"	22-22"	24-22"	26-22"	28-22"
Spacing (in.)	7 1/2"	9"	9 - 7 1/2"	9"	9 - 7 1/2"	7 1/2"
Weight	2,023#	1,895#	1,939	2,033#	2,082#	2,121#
Color Option	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black
List	\$11,194	\$10,812	\$11,067	\$11,351	\$11,769	\$12,129



WHEELED TANDEM DISC HARROWS



TW973022

Shown with optional Roller Basket RB1510

TW5 SERIES 10' 6" - 15'

- Designed for 50 to 85 horsepower tractors
- 4" x 3" & 5" x 3" Hi-yield tube frames
- 1 1/8" Square hi-strength axles
- Triple sealed ball bearings
- Front to rear leveling system & depth control
- 9" or 7 1/2" or combination blade spacing
- 20" or 22" Disc Blades
- Notched blades standard
- Tongue jack & safety chain
- 3 x 8 Hyd. cylinder, set of hydraulic hoses,
- 2- 9.5L 15 6 ply Imp. tires

TW5 SERIES 20" BLADES (10' 6" - 13' 4")									
MODEL #	TW92820	TW973020	TW73220	TW93220	TW973420	TW73620	TW93620	TW74020	TW973820
Cut Width (ft.)	10' 6"	10' 6"	10' 6"	12'	12'	12'	13' 4"	13' 4"	13' 4"
Bearings	12	12	12	12	12	12	16	16	16
Horsepower	50-75	50-75	50-75	60-80	60-80	60-80	65-85	65-85	65-85
Blades	28-20"	30-20"	32-20"	32-20"	34-20"	36-20"	36-20"	40-20"	38-20"
Spacing (in.)	9"	9 - 7 1/2"	7 1/2"	9"	9 - 7 1/2"	7 1/2"	9"	7 1/2"	9 - 7 1/2"
Weight	2,370#	2,410#	2,450#	2,900#	2,950#	2,990#	2,968#	3,240#	3,180#
Color Option	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black
List	\$12,454	\$12,493	\$13,008	\$13,838	\$14,578	\$14,699	\$15,197	\$15,974	\$15,689

TW5 SERIES 22" BLADES (10' 6" - 13' 4")									
MODEL #	TW92822	TW973022	TW73222	TW93222	TW973422	TW73622	TW93622	TW74022	TW973822
Cut Width (ft.)	10' 6"	10' 6"	10' 6"	12'	12'	12'	13' 4"	13' 4"	13' 4"
Bearings	12	12	12	12	12	12	16	16	16
Horsepower	50-75	50-75	50-75	60-80	60-80	60-80	65-85	65-85	65-85
Blades	28-22"	30-22"	32-22"	32-22"	34-22"	36-22"	36-22"	40-22"	38-22"
Spacing (in.)	9"	9 - 7 1/2"	7 1/2"	9"	9 - 7 1/2"	7 1/2"	9"	7 1/2"	9 - 7 1/2"
Weight	2,496#	2,545#	2,594#	3,044#	3,103#	3,152#	3,130#	3,420#	3,351#
Color Option	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black
List	\$13,050	\$13,129	\$13,443	\$14,514	\$15,298	\$15,462	\$15,986	\$16,787	\$16,717

TW5 SERIES DUAL WHEEL MODELS (14' - 15')						
MODEL #	TW74420	TW74422	TW974220	TW974222	TW94020	TW94022
Cut Width (ft.)	14'	14'	14'	14'	15'	15'
Bearings	16	16	16	16	16	16
Horsepower	70-85	70-85	70-85	70-85	70-85	70-85
Blades	44-20"	44-22"	42-20"	42-22"	40-20"	40-22"
Spacing (in.)	7 1/2"	7 1/2"	9 - 7 1/2"	9 - 7 1/2"	9"	9"
Weight	3,340#	3,538#	3,330#	3,519#	3,390#	3,570#
Color Option	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black
List	\$17,637	\$18,594	\$17,036	\$18,371	\$17,456	\$18,147



WHEELED TANDEM DISC HARROWS



OPTIONAL EQUIPMENT FOR TW5

HEAVY SCRAPER KIT FOR TW5 SERIES 8' - 9'6" MODELS			
Model #	Model Kit Fit	Weight	List
SK7245	TW724	210#	\$1,707
SK9205	TW920	192#	\$1,644
SK97225	TW9722	205#	\$1,668
SK9245	TW924	215#	\$1,816
SK97265	TW9726	225#	\$1,867
SK7285	TW728	235#	\$1,946

OPTIONAL EQUIPMENT FOR TW5 SERIES 8' - 9' 6" MODELS			
Part #	Description	Weight	List
T70316	Outrigger Assembly with 16" blades	42#	\$407
T70318	Outrigger Assembly with 18" blades	46#	\$430
15169	Outrigger Scraper Kit (both sides)	22#	\$195
11477	Balk Breaker Assembly with Point	27#	\$403
12875	SMV Sign & Bracket	6#	\$72
13187	Regreasable Bearings	--	\$49 per bearing
	Plain Blades	--	\$5

OPTIONAL EQUIPMENT TW5 10'6" - 15' MODELS			
Part #	Description	Weight	List
13160T	Dual Wheel Kit with 9.5L Tires	118#	\$1,489
T70316	Outrigger Kit with 16" plain blades	42#	\$403
T70318	Outrigger Kit with 18" plain blades	46#	\$430
15169	Outrigger Scraper Kit (both sides)	22#	\$195
11476	Balk Breaker Assembly with Point	27#	\$403
12875	SMV Sign & Bracket	6#	\$77
13187	Regreasable Bearings	--	\$49 per bearing
	Plain Blades	--	\$5 per blade



WHEELED TANDEM DISC HARROWS



OPTIONAL EQUIPMENT FOR TW5

TW5 ROLLER BASKET					
Model #	Model Kit Fit	Baskets	Width	Weight	List
RB1508	TW5 series - 9'6" cut**	2-54	117"	788#	\$3,640
RB1509	TW5 series - 9'6" cut**	2-60"	129"	798#	\$3,989
RB1510	TW5 series - 10'6" cut**	2-66"	141"	809#	\$4,177
RB1512	TW5 series - 12' cut**	2-78"	165"	833#	\$5,040



TW973022

Shown with optional Roller Basket -RB15410

HEAVY SCRAPER KIT TW5 10'6" - 15' MODELS			
Model #	Model Kit Fit	Weight	List
SK9285	TW928	309#	\$1,982
SK97305	TW9730	318#	\$2,012
SK7325	TW732	328#	\$2,256
SK9325	TW932	389#	\$2,268
SK97345	TW9734	403#	\$2,359
SK7365	TW736	413#	\$2,464
SK9365	TW936	427#	\$2,488
SK7405	TW740	456#	\$2,640
SK97385	TW9738	442#	\$2,656
SK7445	TW744	461#	\$2,820
SK97425	TW9742	520#	\$2,658
SK9405	TW940	446#	\$2,790



WHEELED TANDEM DISC HARROWS



TW6 SERIES

- Designed for 60 to 160 horsepower tractors
- Heavy duty 6" x 4" and 4" x 4" main frame
- 1 1/2" Hi-strength gang axles
- Triple sealed ball bearings
- 9" or 10 1/2" blade spacing
- 22" or 24" blades
- Notched blades
- Tongue jack & safety chain
- 4 x 8 Hydraulic cylinder, set of hydraulic hoses
- Dual Wheels, 4- 9.5L 15 6 ply implement tires
- SMV Sign



TW692822

TW6 SERIES 22" BLADES (9' - 12')						
MODEL #	TW6102022	TW692422	TW692822	TW6102422	TW693222	TW6102822
Cut Width (ft.)	9'	9' 6"	10' 6"	10' 6"	12'	12'
Bearings	8	8	8	8	8	8
Horsepower	60-75	65-75	65-75	70-85	80-90	85-95
Blades	20-22"	24-22"	28-22"	24-22"	32-22"	28-22"
Spacing (in.)	10 1/2"	9"	9"	10 1/2"	9"	10 1/2"
Weight	3,231#	3,349#	4,065#	3,991#	4,410#	4,260#
Color Option	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black
List	\$16,212	\$16,810	\$18,165	\$17,306	\$19,449	\$18,786

TW6 SERIES 24" BLADES (9' - 12')						
MODEL #	TW6102024	TW692424	TW692824	TW6102424	TW693224	TW6102824
Cut Width (ft.)	9'	9' 6"	10' 6"	10' 6"	12'	12'
Bearings	8	8	8	8	8	8
Horsepower	60-75	65-75	65-75	70-85	80-90	85-95
Blades	20-24"	24-24"	28-24"	24-24"	32-24"	28-24"
Spacing (in.)	10 1/2"	9"	9"	10 1/2"	9"	10 1/2"
Weight	3,511#	3,679#	4,401#	4,279#	4,794#	4,570#
Color Option	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black
List	\$16,880	\$17,693	\$19,052	\$17,914	\$20,849	\$19,932

TW6 SERIES 22" BLADES (13' 4" - 17')						
MODEL #	TW693622	TW6103222	TW694022	TW6103622	TW694422	TW6104022
Cut Width (ft.)	13' 4"	13' 4"	15'	15'	16' 8"	17'
Bearings	12	12	12	12	16	16
Horsepower	110-120	110-120	120-140	120-140	130-150	140-160
Blades	36-22"	32-22"	40-22"	36-22"	44-22"	40-22"
Spacing (in.)	9"	10 1/2"	9"	10 1/2"	9"	10 1/2"
Weight	4,726#	4,586#	5,059#	4,887#	5,409#	5,630#
Color Option	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black
List	\$21,775	\$20,681	\$23,4574	\$22,262	\$24,925	\$25,625



WHEELED TANDEM DISC HARROWS



TW6 SERIES 24" BLADES (13' 4" - 17')						
MODEL #	TW693624	TW6103224	TW694024	TW6103624	TW694424	TW6104024
Cut Width (ft.)	13' 4"	13' 4"	15'	15'	16' 8"	17'
Bearings	12	12	12	12	16	16
Horsepower	110-120	110-120	120-140	120-140	130-150	140-160
Blades	36-24"	32-24"	40-24"	36-24"	44-24"	40-24"
Spacing (in.)	9"	10 1/2"	9"	10 1/2"	9"	10 1/2"
Weight	5,158#	4,970#	5,539#	5,319#	5,937	6,136#
Color Option	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black
List	\$23,058	\$22,172	\$24,925	\$23,750	\$27,337	\$27,203

TW6 SERIES - SHOCK FLEX

- Designed for 60 to 140 horsepower tractors
- Heavy duty 6" x 4" and 4" x 4" main frame
- 1 1/2" Hi-strength gang axles
- Triple sealed ball bearings
- 9" or 10 1/2" blade spacing
- 22" or 24" blades
- Notched blades
- Tongue jack & safety chain
- 4 x 8 Hydraulic cylinder, set of hydraulic hoses
- Dual Wheels, 4-9.5L 15 6 ply implement tires
- SMV Sign



TW6 SERIES 22" BLADES (SHOCK FLEX)

MODEL #	TW692822SF	TW6102422SF	TW693222SF	TW6102822SF	TW693622SF	TW6103222SF	TW694022SF	TW6103622SF
Cut Width (ft.)	10' 6"	10' 6"	12'	12'	13' 4"	13' 4"	15'	15'
Bearings	8	8	8	8	12	12	12	12
Horsepower	65-75	70-85	80-90	85-95	110-120	110-120	120-140	120-140
Blades	28-22"	24-22"	32-22"	28-22"	36-22"	32-22"	40-22"	36-22"
Spacing (in.)	9"	10 1/2"	9"	10 1/2"	9"	10 1/2"	9"	10 1/2"
Weight	4,533#	4,595#	4,828#	4,550#	5,144#	4,940#	5,477#	5,305#
Color Option	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black
List	\$20,283	\$18,876	\$21,482	\$20,902	\$23,591	\$23,601	\$26,432	\$25,653

TW6 SERIES 24" BLADES (SHOCK FLEX)

MODEL #	TW692824SF	TW6102424SF	TW693224SF	TW6102824SF	TW693624SF	TW6103224SF	TW694024SF	TW6103624SF
Cut Width (ft.)	10' 6"	10' 6"	12'	12'	13' 4"	13' 4"	15'	15'
Bearings	8	8	8	8	12	12	12	12
Horsepower	65-75	70-85	80-90	85-95	110-120	110-120	120-140	120-140
Blades	28-24"	24-24"	32-24"	28-24"	36-24"	32-24"	40-24"	36-24"
Spacing (in.)	9"	10 1/2"	9"	10 1/2"	9"	10 1/2"	9"	10 1/2"
Weight	4,869#	4,883#	5,212#	4,886#	5,576#	5,324#	5,957#	5,737#
Color Option	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black
List	\$21,371	\$19,991	\$22,966	\$22,201	\$26,032	\$25,088	\$28,290	\$27,702



WHEELED TANDEM DISC HARROWS



OPTIONAL EQUIPMENT FOR TW6

HEAVY SCRAPER KIT TW6 SERIES			
Model #	Model Kit Fit	Weight	List
SK10206	TW61020	249#	\$1,648
SK9246	TW6924	278#	\$1,839
SK9286	TW6928	320#	\$2,169
SK10246	TW61024	298#	\$1,935
SK9326	TW6932	353#	\$2,398
SK9366	TW6936	441#	\$2,585
SK10286	TW61028	326#	\$2,208
SK10326	TW61032	406#	\$2,396
SK10366	TW61036	448#	\$2,610
SK9406	TW6940	479#	\$2,794
SK9446	TW6944	574#	\$2,972
SK10406	TW61040	536#	\$2,808

OPTIONAL EQUIPMENT TW6 SERIES			
Part #	Description	Weight	List
T70318	Outrigger Kit with 18" plain blades	46#	\$430
15169	Outrigger Scraper Kit (both sides)	22#	\$129
11476	Balk Breaker Assembly with Point	27#	\$403
12875	SMV Sign & Bracket	6#	\$77
13188	Regreasable Bearings	--	\$49 Each
	Plain Blades	--	\$5 per blade

TW6 ROLLER BASKET					
Model #	Model Kit Fit	Baskets	Width	Weight	List
RB1610	TW6 series - 10'6" cut**	2-66"	141"	843#	\$4,409
RB1612	TW6 series - 12' cut**	2-78"	165"	867#	\$5,110
RB1613	TW6 series - 13'6" cut**	2-78"	165"	867#	\$5,459
RB1615	TW6 series - 15' cut**	1-54" / 2-66"	198"	1,013#	\$6,158

