

# **BaleFeeder**

The BF8000SL is designed to feed out round bales up to 6' in diameter and weighing up to 2,500 lbs. The BF8000SL is equipped with a hydraulic loading arm and two prong bale spear, to lift and place the bale on the table. The loading arm can also be used to carry a second bale to the field. Once placed on the table, an apron chain rotates the bale as the drum's fingers unravel the hay. As the core of the bale is approached, the table can be tilted increasing contact between the bale and the drum ensuring the entire bale is fed out.

| Specifications | BF8000SL                    |
|----------------|-----------------------------|
| Unit Type      | Trailed, Self Loading       |
| Height         | 66"                         |
| Width          | 119"                        |
| Length         | 221"                        |
| Weight         | 3,700 lbs.                  |
| For use with   | Hay, Straw, Baleage, Silage |
| Bale Size      | 4-5' Wide up to 6' Round    |
| Bale Weight    | 2,500 lbs. Maximum          |





### **Self Loading**

The BF8000SL has a hydraulic self loading design removing any need for additional equipment to load bales onto the BaleFeeder table.



#### **Bale Spear Position Indicator**

The mechanical loading arm position indicator lets you know when the bale spears are in the ideal position for loading different sizes of bales, or when the loading arm is in position for transporting.



#### **Live Floor with Apron Chain**

The live floor has steel slats, driven by two robust apron chains, driving the bale towards the rotor with ease.



#### Table Angles up to 22.5°

The live floor hydraulically angles up to 22.5° ensuring the last of each bale gets placed onto the field where you want it.



#### **Retractable Fingers**

The BaleFeeder's drum uses retractable fingers to grab and fluff the bale on the table side, while retracting back into the drum on the unloading side preventing material from being pulled back under the drum back onto the table.



**Storage Box** 

and bale wrap when in the field. BF8000Sllt's the ideal place to discard both net A storage box can be added to the tongue of the 400/60-15.5 implement tires



**Implement Tires** 



**Tractor Lug Tires** 

31x15.50-15 tractor lug tires.

#### New Product: BF8000 SL Bale Feeder

The self-loading Bale Feeder BF8000 will replace the BF5000SL

The BF8000 utilizes an apron chain and a rotating drum with retractable fingers to unravel and fluff round bales.

The BF8000 SL is equipped with a loading arm and has a bale capacity of 2,500 lbs.







Shown with 31x15.50-15 tires

**BF8000SL** - SELF LOADING BALE FEEDER

400/60-15.5 tires

\$26,250.00

## **BF8000SL** - SELF LOADING BALE FEEDER

31x15.50-15 tires

\$25,500.00

- wo bale capacity (one on table & one on loading arm)
- Bale sizes: 4-5' wide up to 6' roun
- · Bale weight: 2,500 lbs
- Retractable fingers on main dru
- 12 GPM Hydraulic Flo
- Approx. shipping weight 3,700 lbs.
- Length 221", Width 119", Height 66

### **OPTIONAL EQUIPMENT**

49632

Storage Box (for removed net & plastic wrap)

\$490.00

