

ACCELERATOR


HAY CONDITIONER



TUBE-LINE MANUFACTURING LTD


FEATURES

HEAVY-DUTY CHAIN DRIVE



Transfers power evenly from PTO to both rollers, ensuring constant tension at any roller setting which is achieved by an exclusive pivoting jack shaft.

ADJUSTABLE STEEL-PADDLE ROLLERS



Increase or decrease amount of desired crimp by easily adjusting top roller up or down. Solid roller construction ensures consistency of crimping every time.

WALKING-BEAM TANDEM AXLE



(Available on 7500T & 9500T)
Improves smoother travel on bumpy fields by reducing bouncing, keeping unit in better control.

SPREADER (OPTIONAL)



Evenly distributes hay in wide rows where both sun and wind touch it at once.

Harvesting premium quality hay is often out of your control, relying on good weather and a lot of luck. Producers are now seeing the benefits of conditioning hay for consistently better results. The Tubeline Accelerator is your fastest way to better hay by reducing drying time, creating greener, sweeter and softer hay.

The Accelerator's easy operation conditions hay by simply running it through adjustable steel crimping rollers, up to 15 mph. This process cracks the hay stems without knocking off the leaves. Conditioning also fluffs the hay, allowing air to flow through the swath, for faster and more even drying from top to bottom. Speed up your operation with the Tubeline Accelerator producing better hay, faster drying time and bigger profits. Contact your authorized Tubeline dealer for more details.



Lowered - Low ground clearance ensures no hay is missed



Raised - Transport Position

SPECIFICATIONS

SPECIFICATIONS	7500T	9500T
Roll Width	7'	9'
Paddles Per Roll	9	9
PTO Speed	540/1000	540/1000
Axle	Tandem	Tandem
Width	132"	156"
Length	153"	153"
Weight (lbs.)	2900	3000

ACCELERATOR

HAY CONDITIONER

ACCELERATOR HAY CONDITIONER



HC7500T

\$30,299.00

FEATURES

- 7' Rolls
- Tandem Axle
- Shipping Weight: 2,900 lbs.
- Dimensions: 124"x52"x60"

HC9500T

\$32,250.00

FEATURES

- 9' Rolls
- Tandem Axle
- Shipping Weight: 3,000 lbs.
- Dimensions: 148"x52"x60"

Note: Model # 9500T only available with tandem axle

OPTIONAL EQUIPMENT

SK7500	7' Spreader Kit	\$4,995.00
SK9500	9' Spreader Kit	\$5,210.00
HCLK7500	7' or 9' Light Kit	\$1,085.00