

TUBE·LINE
MANUFACTURING LTD

PIT BULL™

A FARMER'S BEST FRIEND



 **GENERAL
IMPLEMENT**
DISTRIBUTORS



IDEAL FOR SILAGE AND HAYLAGE.


A DIFFERENT APPROACH TO FILLING BUNKERS.

Pitbull Rakes are a versatile tool designed to move large amounts of material across a bunker silo with minimal disruption. The best of two approaches, the Pitbull Rake works like a dozer blade combined with the properties of a bucket allowing operators to not only push material but carry it as well.

Like a dozer blade the Pitbull Rake can push and pile material into the bunker due to its large push plate. With the addition of solid tines across the bottom and bale spears on each side, the rake also functions like a bucket, able to carry high capacities of material up the bunker. This makes it ideal for filling low spots or piling material along the bunkers edge.

When carrying material, the push plate can be advanced forward to slowly push silage off the tips of the tines, dropping material on the bunk without pushing it along the surface potentially disrupting previously packed material.

The high visibility design makes it easy for operators to see where the tines are improving operator accuracy when cutting down high spots as the final contour of your bunker is formed. The easy-to-use flexible design of the Pitbull Rake makes it the best equipped tool for filling and shaping your bunker.



Rake shown with push plate fully retracted.



Rake shown with push plate fully extended.

FEATURES



HYDRAULIC

Hydraulic power passes through a 50/50 flow divider to power the two hydraulic cylinders engaging the push plate.



PUSH PLATE GUIDES

The push plate guides ensure smooth consistent action while the plate is being extended and retracted.



PUSH PLATE

The large push plate is the heart behind the Pitbull rake. Extend it while loaded and the material drops off the tines onto the pile.




BALE SPEARS

Mounted inside the frame to reduce scraping the bunker walls all while helping you carry a large load.



TINES

Easily pick up and manage material placement and are built to last with AR450 steel.




WEAR PLATES

AR400 wear plates take the brunt of the abrasion when running over the ground.

PUSH PLATE

Ideal for 3PH mounted applications where adjustable pitch is often restricted, the push plate moves material off the tines to ensure efficient flow of material when needed the most.





MODEL SPECIFICATIONS

Model	PB096R	PB120R	PB144R
Width	96"	120"	144"
Height	69"	69"	69"
Depth*	63.25"	63.25"	63.25"
Number of Tines	9	11	13
Tine Spacing	10"	10"	10"
Tine Dimensions	3.25" x 54.75" Tapered		
Spears Dimensions	49" Conus 2		
Weight (lbs.)	2,739	3,103	3,467

*Measurement doesn't include equipment lugging.



BOLT ON LUGGING

For maximum compatibility almost any lugging can be easily fitted to a Pitbull Rake.



Pitbull warrants to the original purchaser all products to be free from defects in material and workmanship for a period of two (2) years from the date of purchase.

Produced by Tube-Line Manufacturing Ltd.



Dozer blades also available.



Pit Bull Rake



Standard Features For 150 HP to 350 HP Tractors
 8 Removable 49" Conus Side Spears
 Two 3x12 Cylinders
 High Flow Divider for Even Push Off
 High Strength Abrasion Resistant Tines

Model	Description	Wt. (LBS)	List Price
PB096R	96" Rake (Dimensions 96" x 65" x 70")	2,739	\$14,400.00
PB120R	120" Rake (Dimensions 120" x 65" x 70")	3,103	\$16,400.00
PB144R	144" Rake (Dimensions 144" x 65" x 70")	3,467	\$18,450.00

Model	Description	List Price
PBAD3PH	3 Point Hitch Adapter	\$1,650.00
PBADCAT24	Cat Attachment	\$2,095.00
PBADVOL5Q	Volvo Adapter	\$2,095.00
PBADJCB	JCB Q-FIT Adapter	\$2,095.00
PBADJD660R	JD 660 Adapter	\$2,095.00
PBADAO600	ALO Adapter	\$1,215.00



Pit Bull Rake



Standard Features

- For 100 HP to 200 HP Tractors
- 4 Removable 49" Conus Side Spears
- Two 3x12 Cylinders
- High Flow Divider for Even Push Off
- High Strength Abrasion Resistant Tines


Model	Description	Wt. (LBS)	List Price
PB096RL	96" Rake (Dimensions 96" x 51" x 58")	2,105	\$13,450.00
PB120RL	120" Rake (Dimensions 120" x 51" x 58")	2,404	\$15,700.00
PB144RL	144" Rake (Dimensions 144" x 51" x 58")	2,702	\$17,820.00

Model	Description	List Price
PBAD3PH	3 Point Hitch Adapter	\$1,650.00
PBADCAT24	Cat Attachment	\$2,095.00
PBADVOL5Q	Volvo Adapter	\$2,095.00
PBADJCB	JCB Q-FIT Adapter	\$2,095.00
PBADJD660R	JD 660 Adapter	\$2,095.00
PBADA0600	ALO Adapter	\$1,215.00





Pit Bull Silage Rake



Standard Features	<ul style="list-style-type: none"> For 150 hp to 350 hp tractors Specifically designed for tractors with loader attachment Same strength rating as our regular duty Pitbull Rake, but over 1000 lbs. lighter Not push off Fits our bolt-on attachments
-------------------	---

Model	Description	Wt. (LBS)	List Price
PB096SF	96" Silage Fork (Dimensions 96" x 67" x 64")	1,434	\$8,760.00
PB120SF	120" Silage Fork (Dimensions 120" x 67" x 64")	1,791	\$10,950.00
PB144SF	144" Silage Fork (Dimensions 144" x 67" x 64")	2,157	\$13,140.00

Model	Description	List Price
PBAD3PH	3 Point Hitch Adapter	\$1,650.00
PBADCAT24	Cat Attachment	\$2,095.00
PBADVOL5Q	Volvo Adapter	\$2,095.00
PBADJCB	JCB Q-FIT Adapter	\$2,095.00
PBADJD660R	JD 660 Adapter	\$2,095.00
PBADA0600	ALO Adapter	\$1,215.00

