

Worksaver.

*Designed.
Engineered.
Remarkable
Value.*



Box Scrapers

**Ideal for the owner who requires a rugged built
Box Scraper for long dirt moving life.**



Worksaver Box Scrapers

- Built rugged for long dirt moving life.
- Formed Moldboard for superior performance.
- Reversible cutting edges are 1/2 x 6" resulting in greater durability.
- Heat-treated (dimple- on) tips for extended life of scarifiers.
- Ideal for leveling, finish grading and backfilling at building sites, feedlots and outdoor arenas.
- Features cuttings front and rear.
- Heat-treated steel shanks scarify the ground for excellent soil preparation.
- Scarifiers are height adjustable.

BOX SCRAPER SPECIFICATIONS

Model	BX-42	SBX-4	SBX-5	SBX-5-1/2	SBX-6	SBX-7	SBX-8
Item No.	341615	341320	341325	341330	341335	341340	341345
Working Width	42 in.	4 ft.	5 ft.	5-1/2 ft.	6 ft.	7 ft.	8 ft.
Overall Depth	21-1/2 in.	21-1/2 in.	21-1/2 in.	21-1/2 in.	21-1/2 in.	21-1/2 in.	21-1/2 in.
Hitch Category	Cat. 0	Cat. 0/I	Cat. I	Cat. I	Cat. I	Cat. I	Cat. I
Scarifiers	None	3	4	4	5	6	7
Cutting Edge	1/2 x 6"	1/2 x 6"	1/2 x 6"	1/2 x 6"	1/2 x 6"	1/2 x 6"	1/2 x 6"
Recommended HP	15-20	18-25	20-25	25-40	25-40	30-40	35-45
Shipping Weight lbs.	124 lbs.	298 lbs.	376 lbs.	418 lbs.	454 lbs.	530 lbs.	568 lbs.



READ AND UNDERSTAND OPERATOR'S MANUAL BEFORE OPERATION.




BE SURE FRONT OF TRACTOR IS PROPERLY COUNTERBALANCED WITH WEIGHTS.



NEVER ALLOW CHILDREN OR BYSTANDERS AROUND TRACTOR WHEN YOU ARE USING EQUIPMENT.

Worksaver Inc. has a corporate policy of continuous product improvement and development; therefore, specifications are subject to change without any advance notice. Worksaver Inc. is not responsible for differences between specifications or illustrations contained in this publication and the actual equipment.

Acreage Attachments

Box Scrapers					
Fixed back design with reversible 6" cutting edges. Cat. I (7/8" pins)					
	SBX-4	341320	4-ft Std. (3 Shanks) For Tractors 18 –25 hp Cat. I (7/8" pins), Quick Hitch Compatible	320	1,036.00
	SBX-5	341325	5-ft Std (4 Shanks) For Tractors 20-32 hp Cat. I (7/8" pins), Quick Hitch Compatible	378	1,211.00
	SBX-6	341335	6 –ft Std (5 Shanks) For Tractors 25 – 40 hp Cat. I (7/8" pins), Quick Hitch Compatible	428	1,421.00
	SBX-7	341340	7-ft Std (6 Shanks) For Tractors 25 –40 hp Cat. I (7/8" pins), Quick Hitch Compatible	469	1,792.00