

# Our Post Hole Diggers Dig Deeper, Faster & Smarter

Engineered to allow the operator to dig deeper, faster and smarter, Worksaver's complete line of PTO powered diggers offer time saving convenience with outstanding reliability. Shear-bolt protected driveline is coupled to a rugged gearbox featuring tapered roller bearings and spring-loaded seals for extended service life. Large 2" output shaft has two-bolt auger connection for reliable power transfer. All job matched augers utilize fishtail center points with double flighting on the first turn for quick, positive digging action right from the start.



300 PHD shown with optional Parking Stand Kit



See it in action!

## Model 300 Digger for Sub-compact Tractors

Ideal for the small acreage owners, Model 300 mates to most sub-compact tractors with a Cat. 0 or limited Cat. 1 three point hitches. Standard positioning handle allows the operator to place the digger from the tractor seat. Augers 30" in length are offered in 6", 9" and 12" diameters providing versatility when digging holes.

## Model 500 Standard Duty Digger

Our most popular digger, the Model 500 standard duty, offers 3-position boom adjustment allowing it to adapt to most tractors. Tubular steel stock of 2.875" diameter is used for the boom for increased durability. Horseshoe yoke allows the unit to operate on Cat I/II tractors offering the operator versatility of use. Job matching augers is easy; they are 42" in length in 6", 9" and 12" diameters in single and double flight configuration. Positioning handle is standard equipment.



500 PHD

Worksaver Post Drivers & Post Hole Diggers

**Worksaver**



## Model 720 Heavy-duty Digger

Increased performance is offered in the Model 720 heavy-duty digger. Designed for Cat. I/II tractors, this model offers 3-position boom adjustment, rugged gearbox along with 3-1/2" diameter boom for dependable operation. Augers (42" length) are available in 6", 9", 12", 14", 18" and 24" diameters in single and double flight plus standard or heavy-duty configuration offering the outmost in productivity.



720 PHD



925 PHD

## Model 925 Industrial Duty Digger

Industrial duty workhorse, Model 925, provides dependable operation when mated with any auger from 6" to 30" in diameter. It fits any Cat I/II tractor with 540 rpm PTO. When maximum performance is required, the 4.1:1 ratio gearbox provides the torque to make the operator more productive.



**Optional Down Force Kits** — Provide 350-500 lbs. of extra pressure, increasing performance in tough digging conditions. Available for models 500, 720 and 925 post hole diggers. (not for small, compact tractors)

**Augers** — Fishtail center point and high carbon, alloy steel digger teeth offer dependable operation with long component life. Augers range in diameter from 6" to 30" single or double flight, standard duty or heavy duty with reinforced collars and heavier flighting allows the operator to choose the auger that is right for the job.

# Models 614/624HC, 714/724HC, 914HC/924HC & 924HC-Euro Hydraulic Post Hole Diggers

Worksaver offers a complete line of hydraulically driven post hole diggers with models for 3-pt, skid steers and tractor loaders. Offering includes the 614HC/624HC 3-pt mounted models, 714HC/724HC bolt-on units, 814HC/824HC clamp-on, 914HC/924HC skid steer mount units and the 924HC/Euro mount for tractor loaders. Power is provided by a field proven hydraulic drive motor and gearbox combination for a smooth transfer of power to the auger.



924HC PHD

## Models 914HC, 924HC Skid Steer Mounted Hydraulic Post Hole Digger

Increase your reach over shrubs, fence lines and other obstructions with a skid steer mounted 914HC/924HC hydraulically driven digger. It's a great time saver with exceptional up-front visibility and control. Frame design incorporates a gearbox cradle to eliminate auger swing during transport. Choose from 6" to 24" diameter augers. Counter weights assures the digger maintains its vertical position. Note: These diggers will also fit on tractor loaders equipped with the "universal" skid steer attaching system. Models are also available for tractor loaders with the Euro/Global bucket quick attach system.



714HC PHD

## Models 714HC, 724HC Bolt-on Hydraulic Post Hole Digger

Increase productivity with these bolt-on hydraulic diggers. Mounts to side of any loader bucket allowing the operator an unobstructed view of the task at hand. Counter weights assure the digger maintains its vertical position while the loader provides the down force for reliable digging.



**WARNING:** Do not work, climb or stand near operating diggers. Retrofit safety guards are available for all older Worksaver diggers and extensions. Please state model of digger when ordering.




## Post Hole Diggers Specifications

STD - Standard Duty Augers for use in lighter soils, free of stones, roots etc.





HDSF- Heavy Duty Single Flight Augers for use when encountering tougher digging conditions or where stones, roots, etc. may be present.

HDDF - Heavy Duty Double Flight Augers for use when operating in loose flowable soils such as sand/gravel, designed to help carry soil to the surface of the hole.

Model	300	500	720	925	614HC	624HC
Boom Size (O.D.)	2.875"	2.875"	3-1/2"	3-1/2"	3-1/2"	3-1/2"
Yoke Size	1/2" x 3" HRF	3"	3"	3"	3"	3"
Boom Positions	3	3	3	3	3	3
Mount Type	Cat. 0 (7/8" pins)	Cat. I/II	Cat. I/II	Cat. I/II	Cat. I/II	Cat. I/II
Gearbox Ratio	3:1	3:1	3.18:1	4.1:1	3.18:1	3.18:1
Gearbox Output Shaft	2"	2"	2"	2"	2"	2"
Gearbox Bearings	Tapered Roller	Tapered Roller	Tapered Roller	Tapered Roller	Tapered Roller	Tapered Roller
Gearbox Seals	Double lip, spring loader	Double lip, spring loader	Double lip, spring loader	Double lip, spring loader	Double lip, spring loader	Double lip, spring loader
Drive Type	PTO, 540 RPM	PTO, 540 RPM	PTO, 540 RPM	PTO, 540 RPM	Hydraulic	Hydraulic
Shear Bolt	Yes, Grade 2	Yes, Grade 2	Yes, Grade 2	Yes, Grade 2	N/A	N/A
Gearbox Ltd. Warranty	5-yrs.	5-yrs.	5-yrs.	5-yrs.	5-yrs.	5-yrs.
Tractor hp	up to 25 hp	20 - 35 hp	25-65 hp	35 - 95 hp	N/A	N/A
Hyd. Requirement	N/A	N/A	N/A	N/A	5-10 GPM	10-20 GPM
Hyd. Pressure psi	N/A	N/A	N/A	N/A	1500-3000	1500-3000
Optional Down Force Kit	N/A	Yes, DFK-50	Yes, DFK-70	Yes, DFK-90	Yes, DFK-70	Yes, DFK-70
Auger Sizes	6" thru 12"	6" thru 12"	6" thru 24"	6" thru 30"	6" thru 14"	6" thru 24"
Auger Length	30"	42"	42"	42"	42"	42"
Auger Type	STD	STD, HDSF, HDDF	STD, HDSF, HDDF	STD, HDSF, HDDF	STD, HDSF, HDDF	STD, HDSF, HDDF
Auger Point - Bolt-in	Fish Tail	Fish Tail	Fish Tail	Fish Tail	Fish Tail	Fish Tail
12" Auger Ext.	N/A	Opt. (170705)	Opt. (170705)	Opt. (170705)	Opt. (170705)	Opt. (170705)
Parking Stand Kit	Opt. (102160)	Opt. (102165)	Opt. (102165)	Opt. (102170)	Opt. (102165)	Opt. (102165)
Weight (lbs.)	149	160	206	210	180	182
Product Number	170545	170990	706160	709540	702090	702095


Model	714HC	724HC	914HC	924HC	924HC/Euro
Mount Type	Bolt-on	Bolt-on	Skid Steer	Skid Steer	Euro/Global
Gearbox Ratio	3.18:1	3.18:1	3.18:1	3.18:1	3.18:1
Gearbox Output Shaft	2"	2"	2"	2"	2"
Gearbox Bearings	Tapered Roller	Tapered Roller	Tapered Roller	Tapered Roller	Tapered Roller
Gearbox Seals	Double lip, spring loaded	Double lip, spring loaded	Double lip, spring loaded	Double lip, spring loaded	Double lip, spring loaded
Drive Type	Hydraulic	Hydraulic	Hydraulic	Hydraulic	Hydraulic
Shear Bolt	N/A	N/A	N/A	N/A	N/A
Gearbox Ltd. Warranty	5-yrs.	5-yrs.	5-yrs.	5-yrs.	5-yrs.
Hyd. Requirement	5-10 GPM	10-20 GPM	5-10 GPM	10-20 GPM	10-20 GPM
Hyd. Pressure psi	1500-3000	1500-3000	1500-3000	1500-3000	1500-3000
Auger Sizes	6" thru 14"	6" thru 24"	6" thru 14"	6" thru 24"	6" thru 24"
Auger Length	42"	42"	42"	42"	42"
Auger Type	STD, HDSF, HDDF	STD, HDSF, HDDF	STD, HDSF, HDDF	STD, HDSF, HDDF	STD, HDSF, HDDF
Auger Point - Bolt-in	Fish Tail	Fish Tail	Fish Tail	Fish Tail	Fish Tail
12" Auger Ext.	Opt. (170705)	Opt. (170705)	Opt. (170705)	Opt. (170705)	Opt. (170705)
Weight (lbs.)	125	127	208	210	220
Product Number	702100	702105	702120	702125	702135

## Fence Building Attachments


<b>Post Hole Diggers, PTO &amp; Hydraulic Driven</b>					
Post Hole Diggers for Tractors or Skid Steers.. Prices shown are less auger.					
Product	Model	Item #	Description	Lbs.	List
	<b>300</b>	170545	Low-profile model, 3-pt mounted. PTO driven with shear-bolt protection. For sub-compact tractors (14-24 hp). Cat. O with 7/8" pins. Requires use of 30" long augers. Ships in one carton. (Uses 6"-12" augers)	149	1,253.00
	<b>500</b>	170990	Standard-duty model, 3-pt mounted. PTO driven. Shear-bolt protected. (6"-12" augers) Cat. I/II with 7/8" pins. Ships in one carton.	160	1,281.00
	<b>720</b>	706160	Heavy-duty 3-pt mounted. PTO driven. Shear-bolt protected. (6" –24" augers) Cat. I/II with 7/8" pins. Ships in one carton.	206	1,631.00
	<b>925</b>	709540	Industrial-duty 3-pt mounted. PTO driven. Shear-bolt protected. (6" – 30" augers) Cat. I/II with 7/8" pins. Ships in one carton.	210	2,051.00
	<b>614HC</b>	702090	3-pt mounted Post Hole Digger. Hydraulically driven. Requires 5 – 10 gpm Hydraulic Flow @1500-3000 psi. (6"-14" augers) Includes hoses less ends.	180	2,989.00
	<b>624HC</b>	702095	3-pt mounted Post Hole Digger. Hydraulically driven. Requires 10 – 20 gpm hydraulic flow. @1500-3000 psi. (6"-24" augers) Includes hoses less ends.	182	3,045.00
	<b>714HC</b>	702100	Hydraulic, Bolts on side of loader bucket. Requires 5 – 10 gpm hydraulic flow @1500-3000 psi. (6"-14" augers) Less hoses.	125	2,765.00
	<b>724HC</b>	702105	Hydraulic, Bolts on side of loader bucket. Requires 10 – 20 gpm hydraulic flow @1500-3000 psi. Less hoses. (Uses 6"-24")	127	2,786.00

## Fence Building Attachments

<b>Post Hole Diggers, PTO &amp; Hydraulic Driven</b>					
Post Hole Diggers for Tractors or Skid Steers.. Prices shown are less auger.					
Product	Model	Item #	Description	Lbs.	List
	924HC	702125	“Universal” Skid Steer Mount. Hydraulically Driven. Requires 10-20 gpm @1500-3000 psi. ( 6”-24” augers) Less Hoses	210	2,877.00
	914HC	702120	“Universal” Skid Steer Mount. Hydraulically driven. Requires 5-10 gpm @ 1500-3000 psi. For tractor front loaders with “Universal” skid steer mount. (less hoses)	208	2,835.00
	924HC/Euro	702135	Euro / Global Mount. Hydraulically Driven. Requires 10 – 20 gpm @ 1500-3000 psi (6”-24” augers) Less Hoses.	220	2,793.00

<b>Post Hole Diggers Accessories</b>					
Product	Model	Item #	Description	Lbs.	List
<b>Optional Down Force Kits for Increased Digging Pressure.</b>					
Provides 350-500 lbs. of extra down pressure when digging conditions get tough.					
<b>Not design for compact or sub-compact tractors under 40 hp.</b>					
	DFK-50	170810	Down Force Kit for Model 500 PHD. Includes Hydraulic cylinder & hoses	39	637.00
	DFK-70	706080	Down For Kit For Models 720, 614HC & 624HC. Includes Hydraulic cylinder & hoses	40	637.00
	DFK-90	709025	Down Force Kit for Model 925 PHD. Includes Hydraulic cylinders & hoses	42	637.00
<b>Parking Stand Kits for Post Hole Diggers</b>					
		102160	Parking Stand Kit for Model 300 PHD	11	154.00
		102165	Parking Stand Kit for Models 500/720/614H/624H PHD	12	171.00
		102170	Parking Stand Kit for Model 925 PHD	13	185.00
<b>Input / Output Replacement Guard Kits for Older Worksaver Post Hole Diggers Only</b>					
<b>INSTALL SAFETY SHIELDS ON ANY AND ALL OLDER POST HOLE DIGGERS</b>  Kits include mounting hardware and safety signs.		170520	For Model 500 Post Hole Digger with Curtis Gearbox. (Note: Gearbox has cast hole for handle on side)	9	53.00
		170525	For Model 500 Post Hole Digger with Comer Gearbox (Note: No threaded holes in bottom of gearbox)	8	53.00
		170530	For Model 500 Post Hole Digger with Comer Gearbox (Note: Threaded holes in bottom of gearbox)	7	53.00
		170535	For Model 706 Post Hole Digger with Omni Gearbox	9	53.00
		170540	Guard for 12” Auger Extension manufactured prior to 1/96 (Note: need to drill hole)	4	53.00

## Fence Building Attachments

<b>Augers for Standard to Moderate Digging Conditions</b>					
All Augers are for 2" O.D. round output shafts only. Retained by two 1/2" bolt 90 degrees apart.					
<b>All Augers feature a Bolt-in Fishtail Center Point.</b>					
Product	Model	Item #	Description	Lbs.	List
<b>30 Inch Long Augers for use with Model 300 Post Hole Digger Only</b>					
	6" SF	170575	6" Single Flight Augers with Teeth	19	273.00
	9" SF	170565	9" Single Flight Augers with Teeth	25	287.00
	12" SF	170570	12" Single Flight Augers with Teeth	28	294.00
<b>42 Inch Long Augers for All Models except Model 300</b>					
	6" SF	170585	6" Std. Duty Single Flight Auger with teeth	20	280.00
	9" SF	170710	9" Std. Duty Single Flight Auger with teeth	28	287.00
	12" SF	170720	12" Std. Duty Single Flight Auger with teeth	32	294.00
	6" HDSF	706150	6" HD Single Flight Auger with teeth.	22	315.00
	6" HDDF	706155	6" HD Double Flight Auger with teeth	32	350.00
	9" HDSF	706109	9" HD Single Flight Auger with teeth.	37	364.00
	9" HDDF	706009	9" HD Double Flight Auger with teeth.	47	392.00
	12" HDSF	706112	12" HD Single Flight Auger with teeth.	46	406.00
	12" HDDF	706012	12" HD Double Flight Auger with teeth.	54	455.00
	14" HDSF	706033	14" HD Single Flight Auger with teeth.	62	490.00
	14" HDDF	706037	14" HD Double Flight Auger with teeth.	76	567.00
	18" HDDF	706070	18" HD Double Flight Auger with teeth.	98	840.00
	24" HDDF	706075	24" HD Double Flight Auger with teeth.	128	1,085.00
30" HDDF	709045	30" HD Double Flight Auger with teeth.	190	1,393.00	
<b>Landscape Augers</b>					
	18" HDDFP	706018	18" HD Double Flight Auger with 9" Pilot with teeth and fish tail center point	108	1,190.00
	24" HDDFP	706024	24" HD Double Flight Auger with 9" Pilot with teeth and fish tail center point	138	1,442.00
<b>Extension, Replacement Center Point &amp; Teeth</b>					
		170705	12" Auger Extension with guard	16	252.00
		175010	(2) Red Claw cutting teeth w/bolts fits 9"-30" dia. augers & 6" augers mfg. After 6/2000	1.35	31.00
		175080	Metric Series II U-joint repair kit fits Model 300, 500 built w/ slide collar on tractor end of PTO mfg. After 7/2001	.55	43.00
		170430	Bolt-in Fish Tail Center Point – replacement for augers listed above, retained by 1/2" bolt	4	53.00
<b>Note: \$10 packaging charge for Augers shipped UPS (under 70 lbs) Only. Larger Augers ship LTL</b>					

**STD** – Standard Duty Augers for use in lighter soils, free of stones, roots etc.

**HDSF** – Heavy Duty Single Flight Augers for use when encountering tougher digging conditions or where stones, roots, etc. may be present.

**HDDF** – Heavy Duty Double Flight Augers for use when operating in loose flow-able soils such as sand/gravel, designed to help carry soil to the surface of the hole.

