

Worksaver



Manure Forks

- Designed for picking up manure, matted straw or other loose materials.
- Produces cleaner stalls with less physical effort.
- Excellent for handling silage, upper grapple helps secure load during transport improving productivity.
- All units feature forged cranked tines for extended service life.
- Units with upper grapple and skid steer mount are supplied with hoses and connect under pressure couplers for ease of installation.
- Models with upper grapple have greaseable pivot points for long life.
- Cylinder pivot points utilize replaceable harden bushing to reduce wear.
- Models with upper grapples can be used for picking up tree limbs and brush increasing their versatility.
- Mount types: John Deere, "Universal" Skid Steer, and models to accept bolt-on front loader brackets.

Manure Forks Specifications

Manure / Silage / Debris Forks Designed for use on Skid Steers and Tractor Front Loaders
Models interface with loaders that use the "universal" skid steer mount system

Model	M/S-60S	M/S-66S	M/S-72S	M/SG-60S
Overall Width (in/mm)	59.5 / 1511	66 / 1676	71.5 / 1816	59.5 / 1511
Overall Depth (in/mm)	31 / 787	31 / 787	31 / 787	31 / 787
Overall Height (in/mm)	21.5 / 546	21.5 / 546	21.5 / 546	23.5 / 597
Upper Grapple (in/mm)	No	No	No	Yes
Upper Grapple Width (in/mm)	N/A	N/A	N/A	34 / 864
Useable Tine Length (in/mm)	27 / 686	27 / 686	27 / 686	27 / 686
Number of Tines	8	9	10	8
Forged Tine Type	Cranked	Cranked	Cranked	Cranked
Tine Spacing (in/mm)	7.5 / 190	7.5 / 190	7.5 / 190	7.5 / 190
Mounting Type	Skid Steer	Skid Steer	Skid Steer	Skid Steer
Weight (lbs/kg)	225 / 102	240 / 109	270 / 122	375 / 170
Product No.	812305	812400	812315	812310

Manure / Silage / Debris Forks Designed for use on Tractor Front Loaders
Models interface with John Deere Series Loaders

Model	M/S-50JD	M/S-60JD	M/S-66JD	M/S-72JD	M/SG-60JD
Overall Width (in/mm)	50 / 1270	59.5 / 1511	66 / 1676	71.5 / 1816	59.5 / 1511
Overall Depth (in/mm)	31 / 787	31 / 787	31 / 787	31 / 787	31 / 787
Overall Height (in/mm)	21.5 / 546	21.5 / 546	21.5 / 546	21.5 / 546	23.5 / 597
Upper Grapple (in/mm)	No	No	No	No	Yes
Upper Grapple Width (in/mm)	N/A	N/A	N/A	N/A	34 / 864
Useable Tine Length (in/mm)	27 / 686	27 / 686	27 / 686	27 / 686	27 / 686
Number of Tines	7	8	9	10	8
Forged Tine Type	Cranked	Cranked	Cranked	Cranked	Cranked
Tine Spacing (in/mm)	7.5 / 190	7.5 / 190	7.5 / 190	7.5 / 190	7.5 / 190
Mounting Type	JD 200 / 300	JD 400 / 500	JD 400 / 500	JD 400 / 500	JD 400 / 500
Weight (lbs/kg)	185 / 84	220 / 100	245 / 111	268 / 122	365 / 166
Product No.	812300	812335	812410	812345	812340





WARNING: Read and understand the operator's manual before operation. Be sure tractor/skid steer is properly counterbalanced. Damage to equipment or personal injury could occur.



Material Handling Attachments

Manure / Silage / Debris Forks Designed for Use on Skid Steer Loaders / Tractor Loaders

These products (S-models) are manufactured to interface with the “Universal “skid steer quick attach system.

Product	Model	Item #	Description	Lbs.	List
	MF/S-50S	812620	Manure / Silage fork 50-inches in width for Sub-compact tractors with loader. 7 straight tines of 1-1/8 alloy steel. Integrated skid steer style mount	146	938.00
	MF/S-60S	812625	Manure / Silage Fork, 60-inches in width for sub-compact / compact tractors. 8 straight tines of 1-1/8” alloy steel. Integrated skid steer style mount	172	1,176.00
	M/S-66S	812400	Manure / Silage Fork, 66-inches in width. Units features <u>9-forged cranked tines</u> spaced 7-inches apart. Integrated mount to interface with “universal” skid steer mounting system.	240	1,519.00
	M/S-72S	812315	Manure / Silage Fork, 72-inches in width. Units features <u>10-forged cranked tines</u> spaced 7-inches apart. Integrated mount to interface with “universal” skid steer mounting system.	270	1,575.00

Material Handling Attachments

Manure / Silage / Debris Forks Designed for Use on Tractor Loaders					
Models are offered to interface with John Deere series Loaders, with hook & pin quick attach.					
Product	Model	Item #	Description	Lbs.	List
Manure / Silage / Debris for John Deere Loaders that use the JD quick-change attachment carrier					
	MF/S-50JD	812630	Manure / Silage Fork, 50-inches in width. Unit features 7 -straight tines of 1-1/8" alloy steel. Interfaces with JD 200 / 300 / D120 / H120/ H130 loaders (Not compatible with 240, 245,260,265).	141	966.00
	MF/S-60JD	812635	Manure / Silage Fork, 60 inches in width. Unit features 8-straight tine of 1-1/8" alloy steel . Interfaces with JD 400 / D120/ H120 /H130 /220R /D160 loaders.	167	1,204.00
	M/S-66JD	812410	Manure / Silage Forks 66-inches in width. <u>9-forged cranked tine</u> . Interfaces with JD 400 / 500 / D160 / D170 / H160 / H165 / H180 series loaders	245	1,540.00
	M/S-72JD	812345	Manure / Silage Fork, 72 inches in width. Unit features <u>10-forged cranked tine</u> . Interfaces with JD 400 / 500 /D160 / D170 /H160 / H165 / H180 loaders	268	1,603.00